GROUP **880** GAS WELDING & CUTTING

Type III/HD Welding & Cutting Kit

040949

A general-purpose cutting and welding kit capable of cutting up to 150mm (6") and welding 30mm ($^{11/4}$ ").

Contents

Type III/HD Welding, cutting and heating shank. Type III/HD Welding and heating mixer. Type III/HD Cutting attachment. Single stage



Number	Description	CTL-885	Price/1	Price/1
40949	Type III H/D Welding Cutting Kit	-0218E	£397.49	£317.99

Oxygen/Propane Cutting Kit

040951

An oxygen and propane cutting kit capable of cutting up to 300mm (12"). **Contents:**

azzla mix autting blowning 18

Single stat oxygen plu Single stat propane pl Oxygen the flashback Pnm short Nozzle clea Cup type s Drop forge spanner . Cup goggle shade 5 - I Red plastic	nermal in-line arrestor. nozzles. aners. park lighter. d combination			
Product Number	Description	Order Code CTL-885	List Price/1	Offer Price/1
40951	Oxygen/Propane Cutting Kit	-0218J	£298.12	£238.50

Oxygen/Acetylene Cutting Kit 040950

An oxygen and acetylene cutting kit capable of cutting up to 300mm (12"). **Contents:**

18" - 90° nozzle mix cutting blowpipe. Single stage 10bar/150psi oxygen plugged regulator . Single stage 1.5bar/22.5psi acetylene plugged regulator .



Number	Description	CTL-885	Price/1	Price/1
40950	Oxygen/Acetylene Cutting Kit	-0218G	£308.26	£246.61

Lightweight Welding & Cutting Kit 040952

A lightweight cutting and welding kit suitable for the DIY user and the professional gas welding market.


Contents:

Lightweight welding and cutting shank. Lightweight welding mixer. Lightweight cutting attachment. Lightweight swaged welding nozzles. AFNM Nozzles. AFN Nozzle.



Portable Gas Brazing & Welding Kit | Professional Gas Welding Kit Turbo Set 110





Turbo Set 200

Metal storage carrier. Oxygen cylinder 110bar - 1ltr. Map Pro cylinder. Oxygen pressure reducer with fill gauge. Map Pro pressure reducer with flow gauge. Handgrip with adjusting knob and lance. 4 nozzles: 63, 100, 250, 315 L/m. 2x 2m hoses with connections. Safety goggles. Lighter. Spanner.

Order Code **CTL-885** Price/1 -0108W £202.69 As Above

Portable Professional Gas Welding Kit

Turbo Set 300

Kit contents:

Wheeled aluminium storage case. Two oxygen cylinders - 110bar. Map Pro fuel gas cylinder, oxygen pressure reducer. Map Pro pressure reducer. Handgrip with adjusting knobs and lance provided with nozzle. 1 star with 4 nozzles:

63, 100, 250, 315 L/m. 2x 2m hoses with connections Professional protective goggles. Heavy-duty spark lighter. Spanner.

Contents

As Above



Price/1 -5890A £323.45

Price/1 £258.76



CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES All Prices Exclude V.A.T. © 2014

Offer

Price/1

£162.15

List

GROUP GAS WELDING & CUTTING 885

Type III/HD Welding & Cutting Kit

FUTKIT-235-WACRI

A professional quality kit supplied in a robust aluminium case. **Contents:**

Type III/HD Welding, cutting & heating shank.

Type III/HD Welding & heating mixer. Type III/HD Cutting attachment.

Single stage 2 gauge 10bar/150psi oxygen regulator. Single stage 2 gauge 1.5bar/22.5psi acetylene regulator.

Oxygen thermal in-line flashback arrestor.

Fuel gas thermal in-line flashback arrestor. Type III/HD Swaged welding nozzles.

ANM Short nozzles.

Nozzle cleaners.

Cup type spark lighter.

Drop forged combination spanner.

Drop forged spindle key.

Panorama goggle shade 5 - EN166 & EN175. Oxygen/acetylene hose set 5m 3/8" x 3/8" HSCV. Heavy-duty metal carry case.

Product	Hose	Order Code	List	Offer
Number	Bore	CTL-885	Price/1	Price/1
FUTKIT-235-WACRI	8mm	-4290P	£222.22	£177.78
FUTKIT-235-WACR	10mm	-4290K	£222.22	£177.78

Masterpak Oxy-Acetylene MUREX Welding & Cutting Kits

Murex Masterpak cutting and welding kits - one for oxy-propane cutting, one for oxy-acetylene cutting and one combined oxy-acetylene welding/cutting pack. The kits are ideal for construction workers and civil engineers looking for a complete outfit for all maintenance, repair and demolition work. For complete oxy-acetylene welding and cutting capability. If welding capability is not required, users may specify either the oxy-propane cutting kit or the oxy-acetylene version. Again, both these Masterpaks include the renowned Saffire NM 250 Cutter, regulators and flashback arrestors with their inherent levels of safety and performance.

NEW

1300004 Kit contents: NM cutting torch, oxygen and propane plugged regulators, XL5 flashback arrestors, premium hose 10m x 10mm factory fitted with HCV, PNM 1/16 and ¹/₈ cutting nozzles, combination spanner and spark lighter.

1300005 Kit contents: NM cutting torch, oxygen and acetylene plugged regulators, XL5 flashback arrestors, premium hose 10m x 10mm factory fitted with HCV, ANM $^{1\!\!/_{16}}$ and $^{1\!\!/_8}$ cutting nozzles, combination spanner and spark lighter.

1300006 Kit contents: Saffire 5 shank, mixer and cutting attachment, oxygen and acetylene 2 gauge Saffire series 1ec regulators, XL5 flashback arrestors, premium 10m x 6.3mm factory fitted with HCV, swaged nozzles 2,5,10 ANM 1/16 cutting nozzle, combination spanner and spark lighter.

Model	Description	Order Code	Offer
Number		MUR-885	Price/1
1300005	Oxy-Propane Cutting Kit	-2904D	£170.91
	Oxy-Acetylene Cutting Kit	-2905E	£170.91
	Oxy-Acetylene Welding & Cutting Kit	-2906F	£250.85

MasterGage™ Weld Gauges

MasterGage™ permits quick and accurate measuring of the most popular weld fillet sizes in inch and metric. Excellent for checking alignment and inspection of various angles of welds. High quality stainless steel (SUS 304) blades to resist rust and for longer life. Blades are deburred for fine and smooth edges. All sizes and numerals are laser etched into the surface for clarity and easier reading. Comes in a handy vinyl pocket case with snap lock.

MG-8

MG-11

All Prices Exclude V.A.T. © 2014

MG-11 Weld Fillet Gauge

Permits quick and accurate measuring of the most popular weld fillet sizes in inch: 1/8" -1" and metric: 3.2 - 25.4mm. All sizes and numerals are laser etched into the surface for clarity and easier reading. MasterGage™ welding gauges are intended for general dimensional inspection of welded fabrications where close tolerances are not expected.



MG-8 Cam Type Gauge

Depth of undercut, excess weld metal (capping size), fillet leg length, fillet weld throat size, angle of preparation (0° to 60°, misalignment high-low).



Price/1 **CTL-885** Price/1 each 131g -5410A £67.35 £53.88 157g -5412C £43.25



Hilo Weld Gauge

Easy to use welder's gauge, for measuring root-weld space and internal misalignment. Frequently used in pipe welding applications. Supplied with pouch.



WELDING

£30.48



-4238M £38.10 £34.60 ET0032 **CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES** Page 1669



Thick.	MUR-883	Price/1	Price/1	Welding, Cutting & Heating Set
3-6mm	-5235Q	£18.67	£13.07	welaing, cutting & neating set
6-20mm	-5236R	£18.67	£13.07	Welding capacity up to 8mm.

Welding capacity up to 8mm. Cutting capacity up to 75mm.

- Set contents:
- Style 5 shank.
- Style 5 acetylene welding mixer.
- 6 swaged nozzles
- (sizes 2, 5, 7, 10, 13 and 25). Style 5 cutting attachment.
- 2 ANM cutting nozzles (sizes 3/64" and .
- Pistol spark lighter (x10 flints).

Order Code

PRO-884

-0022A

Nozzle cleaners.

Туре

23 Piece Set

	T Terrera
' and ^{1/} 16").	
23 PIECES	1 Part
Offer Price/1	
£99.99	



Dia.

1/32

Product

Number

2017

2018

2019

144735 1/32 144736 3/64"

SWP AFN Cutting

Plate thickness refers to mild steel.

Plate

Thick.

³/₆₄" 6-20mm

^{1/}16" 20-50mm

3-6mm

For use with lightweight cutting attachments.

Order Code

CTL-883

-1617A

-1618B

-1619C

List

£6.50

£6.50

Price/1 Price/1

£6.50 £4.55

Offer

£4.55

£4.55

WELDING

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

All Prices Exclude V.A.T. © 2014

List

Price/1

£151.50

GROUP **GAS WELDING & CUTTING** 885

Heavy-Duty Welding Shank

Heavy duty welding between 1 to 25mm and acetylene cutting to 200mm. For a wide range of oxygen fuel gas processes, using appropriate accessories such as welding mixer and nozzles or with cutting attachment. Made to EN ISO 5172.

					\bigcirc	1	munexie Si	aftire	E Made in (
Product Number	Weight each	Order Code MUR-885	List Price/1	Offer Price/1					
1256723	586g	-2393R	£72.13	£57.70					

For use with No.5 shank (above), and ANM/PNM nozzles, see next page



Heavy-Duty Welding Shank

Heavy-duty welding between 1 to 25mm and acetylene cutting to 200mm. For a wide range of oxygen fuel gas processes, using appropriate accessories such as welding mixer and nozzles or with cutting attachment. Made to EN ISO 5172.



Cutting Attachment

For use with heavy-duty shank, above, and ANM/PNM nozzles, see next page.



Microset

For fine welding applications, including jewellery, electronics, dental and lead welding. Injector blowpipe suitable for use with acetylene or hydrogen fuel gas.

Acetylene

Order Code

-2109J

-2114P

Order Code

Order Code

0.2mm -1176Z

No.2 1.2mm -1177M

No.3 2.0mm -1178A No.5 2.6mm -1179B No.7 3.2mm -1180C

No.10 4.0mm -1181D

No.13 5.0mm -1182E

No.18 6.5mm -1183F

1184 No.25 8.2mm -1184G

Welding Mixer

Order Code List Offer MUR-885 Price/1 Price/2

-4292D £34.50 £27.60

List

£5.96 £4.17

£9.11 **£6.38**

Offer

Offe

£2.51

£2.51

£2.51

£2.51

£2.51

£2.51

£2.51

£2.51

£2.

MUR-883 Price/1 Price/1

-2107G £5.96 £4.17 -2108H £5.96 £4.17

-2110K £5.96 £4.17

-2111L £6.26 £4.38

-2112M £5.96 £4.17

-2113N £6.26 £4.38

-21150 £9.11 £6.38

-2116R £8.68 £6.08

List

CTL-885 Price/1 Price/1

-8012N £12.99 £10.39

List

£3.59

£3.59

£3.59

f3 59

£3.59

£3.59

£3.59

£3.59

£3.59

Thick. CTL-883 Price/1 Price/1

Offer

MUREX

right, and welding nozzles, below.

For use with Saffire 5, 4 and 3. Plate thickness refers to

Size

No.1

No.2

No.3

No.5

No.7

122216 No.35 10.0mm

For use with heavy-duty shank (right), and welding nozzles,

For use with heavy-duty

shank. Plate thickness

refers to mild steel.

Size

No.1

Product

Number

143537

mild steel.

Туре

122207

122208

122209

122210

122211

below. Product

Туре

1176

1177

1178

1179

1180 1181 1182

1183

Number

2012

122212 No.10

122213 No.13

122214 No.18 122215 No.25

For use with No.5 shank,

Weight

each 161g

Swaged Welding Nozzles

Plate

Thick

0.9mm

1.2mm

2.0mm

2.6mm

3.2mm

4.0mm

5.0mm

6.5mm

8.2mm

Acetylene Welding Mixer


Weight

each

681g

Swaged Welding Nozzles

Plate



MUREX

Saffire No.5 Welding, **Cutting & Heating Set**

Welding capacity up to 8mm. Cutting capacity up to 75mm.

Contents:

Product

Number

1256727

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES All Prices Exclude V.A.T. © 2014

Saffire 5 shank. Acetylene welding mixer. Six swaged welding nozzles (sizes 2, 5, 7, 10, 13 and 25). Cutting attachment, 2 ANM cutting nozzles (sizes 3/64", 1/16"), ÀHT 25 heating neck and tip. '0' rings. Spark lighter with nine flints. Nozzle cleaners. Carrying case.

each

3.3kg

Weight Order Code List Offei MUR-885 Price/1 Price/1

-2400A £415.72 £332.58

WELDING

Page 1671

GROUP **885** GAS WELDING & CUTTING Saffire NM250

Cutting Blowpipe

For general workshop cutting up to 250mm (10"). For use with ANM/PNM nozzles below. Nozzle mixing and backfire resistant, 90° head with improved control knobs for positive flame setting.

-				
Offer Price/1		Order Code MUR-884		Product Number
£80.91	£94.08	-7090K	1.4kg	070125-6484

18 - 90° Blowpipe

Nozzle mixing and backfire resistant nozzles. For general workshop cutting up to 250mm (10"). Use ANM/PNM nozzles below. 18" (450mm) has 90° head.



Large Circle Cutting Attachment

Fits onto the nozzle end of the blowpipe, between the head and the cutting nozzle. Offers optimum two-handed control, fitted with a sliding centre device and a roller ball support spigot, ideal for accurately cutting larger diameters. Swing arm is graduated for direct reading of circle diameter (2 x radius). High quality brass head and screws with chrome plated steel swing arm and centre slide.

Compatible with most blowpipes including 1144, 1143, NMC200, NM250, NM400 etc.

	_				Also con	npatible w	ith cutting	attachm	ients.	
		T	5	3	Product Number 2031	Diameter Range 6" - 30" 150 - 760m	CTL-88	5 Price/1	Offer Price/1 £43.60	
	Small Circl Attachmen	nt T				INED	ANI DLING NO2		ing	MUREX ANM Cutting Nozzles
Allows diameters of up to two times the length of the gas tubes to be cut simply and easily. High quality brass body and screws with chrome				with the torches.	e nozzle n majority o ckness ret	f popular (cutting		75mm long acetylene nozzle mix can be used with the majority of popular cutting torches including Saffire 5, 4 and 3, NM250, 400 and 500. Plate thickness refers to mild steel.	
	plated steel ce Compatible wit blowpipes inclu 1144, 1143, M	entre pin. ch most uding	}					I		
	NM250, NM40 Also compatibl with cutting att	е			Nozzle Diameter	Plate Thickness 6mm	Order Code KEN-883	List Price/1 £7.67	Offer Price/1 £5.37	Product Nozzle Plate Order Code List Offer Number Dia. Thick. MUR-883 Price/1 Price/1 143016 ^{4/32} 6mm -4516A £7.83 £5.48
	Product Number	Order Code CTL-885	List Price/1	Offer Price/1	³ /64" 1/16"	12mm 75mm	-2020K -2030K	£7.67 £7.67	£5.37 £5.37	143017 ³ / ₆₄ " 12mm -4517B £7.83 £5.48 143018 ¹ / ₁₆ " 75mm -4518C £7.83 £5.48
	2030	-8030A	£8.72	£6.98	⁵ / ₆₄ " ³ / ₃₂ " 1/ ₈ "	100mm 150mm 300mm	-2040K -2050K -2060K	£7.67 £7.67 £7.67	£5.37 £5.37 £5.37	143019 5/ ₆₄ " 100mm -4519D £7.83 £5.48 143020 3/32" 150mm -4520E £7.83 £5.48 143022 1/8" 300mm -4522F £7.83 £5.48
	Roller Cut						Nozzla	•		PNM Cutting Nozzlos

Made from machined brass and stainless steel, the roller guide keeps an optimum



Product	Order Code	List	Offer
Number	CTL-885	Price/1	Price/1
TJ1602 NM	-6870M	£30.85	£24.68

ASNM Cutting Nozzle



PNM Cutting Nozzles 75mm long propane nozzle mix can be used

with the majority of popular cutting torches.



	Nozzle Diamete $\frac{1/32}{3/64}$ "	Plate er Thickness 6mm 12mm	Order Code KEN-883 -2110K -2120K	List Price/1 £7.67 £7.67	Offer Price/1 £5.37 £5.37	Product Number 143780 143781	Dia. 1/32"	Thick. 6mm	Order Code MUR-883 -4880G -4881H	
						1.0.00	3/64"	12mm		
Offer Price/1 £13.17	^{5/64} " ^{3/32} " 1/8"	100mm 150mm 300mm	-2140K -2150K -2160K	£7.67 £7.67 £7.67	£5.37 £5.37 £5.37	143783 143784 143786	3/32"	150mm	-4883K -4884L -4886M	£7.4 £7.4 £7.8
CONT	RACT	PRICES	AVAI	LABLE	FOR	VOLU	VE P	URCI	ASES	

All Prices Exclude V.A.T. © 2014

PNM Cutting Nozzles

75mm long propane nozzle mix can be used with the majority of cutting torches including Saffire 5, 4 and 3, NM250, 400 and 500. Two part copper/brass.



Product Number	Nozzle Dia.	Plate Thick.	Order Code MUR-883		
143780	1/ ₃₂ "	6mm	-4880G	£7.46	£5.22
143781	³ /64"	12mm	-4881H	£7.83	£5.48
143782	1/ ₁₆ "	75mm	-4882J	£7.46	£5.22
143783	^{5/} 64"	100mm	-4883K	£7.46	£5.22
143784	^{3/} 32"	150mm	-4884L	£7.46	£5.22
143786	1/8"	300mm	-4886M	£7.83	£5.48

Page 1672

WELDING



Propane Heating Nozzles - P-H Fully compatible with most heavy-duty welding shanks and blowpipes. For use with blowpipes* 1143, 1144; Saffire NM250; Citogas NMC200. Up to 766,000Btu/h can be achieved from 5H when used on blowpipe with adaptor. *Use adaptor 120458.



Adaptors & Necks for Propane Nozzles

Neck



Description	Order Code CTL-885	List Price/1 I	Offer Price/1
Propane Mixer For Heavy Duty Shanks	-7153N	£16.95	£13.56
700mm Neck	-7152M	£27.15	£21.72

Acetylene Gouging Nozzles - A-GNM

Fully compatible with most heavy-duty welding shanks and blowpipes. Including 1144, 1143, 2010, Saffire 5, 4, 3, NM250, NM400, Citogas HDT200, NMC200.



			Order Code List Offer CTL-883 Price/1 Price/1
19	6 -11	8 - 11	-1212E £11.34 £7.94

Acetylene Heating Nozzles - A-HT

Fully compatible with most heavy-duty welding shanks including 1144, Saffire 5, 4, 3, Citogas HDT200.

Sizes 50 and 100 require A-HT mixer 2012.



ize (1000s	b) CTL-883	Price/1	Price/1
T 25 52	-1292V	£5.74	£4.02
T50 91	-1293W	£5.74	£4.02
T100 139	- 1294X	£5.74	£4.02
	IT 25 52 IT 50 91	T 25 52 -1292V T 50 91 -1293W	T 25 52 -1292V £5.74

Adaptors

For Propane Nozzles

Adaptor





Description	MUR-885		
Propane Mixer for Heavy Duty Shanks	-4308A	£32.86	£26.29

Acetylene Gouging Nozzles -A-GNM

Fully compatible with most heavy-duty welding shanks and blowpipes. Including 1144, 2010, Saffire 5, 4, 3, NM250, NM400, Citogas HDT200, NMC200.

Size 13 suitable for Saffire 4 and 3 only.



Size	Groove	Groove	Order Code	List	Offer
(mm)	Depth	Width	MUR-885	Price/1	Price/1
13	3 -9	6 - 8	-2709E	£15.66	£12.53
19	6 -11	8 - 11	-2710F	£15.66	£12.53

Adaptors and Necks for Acetylene Nozzles



Description	Order Code	List	Offer
	MUR-885	Price/1	Price/1
200mm Neck Heavy-Duty Mixer	-4314K -4290B		

Acetylene Heating Nozzles - A-HT

Fully compatible with most heavy-duty welding shanks including 1144, Saffire 5, 4, 3, Citogas HDT200. Sizes 50 and 100 require A-HT mixer 143525.



GAS WELDING & CUTTING 885

Propane Nozzles - P-H

Fully compatible with most heavy-duty welding shanks and blowpipes - For use with HD shanks and Saffire 5, 4, 3; Citogas HDT200 and use mixer 143758. Up to 766,000Btu/h can be achieved from 5H when used on 1144/1143 with adaptor.



Product Number	Size	Btu/h (1000s)	Order Code CTL-883	List Price/1	Offer Price/1
1217 1219 1221	ЗH	72-163 183-361 281-618	-1219K	£17.99	£12.59

Neck for Acetylene Nozzles

Mixer			Neck
Description	Order Code	List	Offer
	CTL-885	Price/1	Price/1
200mm Neck	-7150K		£5.42
300mm Neck	-7151L		£21.32
Heavy-Duty Mixer	-8012N		£10.39

French Chalk Holder

Slimline design sits comfortably in the hand or pocket. Prevents flat chalk sticks for breaking when marking out weld areas or cuts.

	ALC: NOT THE OWNER WATER OF THE OWNER	CO. ALTERNATION OF THE OWNER	A	
Product Number	For Chalk Size	Order Code CTL-885		Offer Price/1
1359	5 x 12mm	-7359D	£1.65	£1.32

Saffire Mk 4 Gas Economiser 1282575

The Murex Mk 4 Gas Economiser is a device that economises the use of gas used in welding operations up to a nozzle size of 25. During non-welding periods the blowpipe can be hung safely on the hooked lever, which operates the gas shut-off valves in the economiser.



10mm x ^{3/}8" BSP OXY/Fuel Gas Economiser

WELDING

40530 Allows the gas torch to be held on the hooked arm when not in use which shuts off gas supply to the torch. When unhooked, the torch can be immediately re-ignited from the pilot light without having to re-adjust the valves. Can save up to 50% gas wastage. 3/8" BSP fittings. List Offer Order Code Description Price/1 CTL-885 Price/1 £115.00 £92.00 -0242H Gas Economiser

Page 1673

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

GROUP **885** GAS WELDING & CUTTING

🔽 Hose VI 3 D) Sets

Oxy Acetylene

Oxygen (blue) and acetylene (red). Kink/crush resistant. 6 and 8mm (general use). 10mm (heavy duty/flame cutting). Supplied fully fitted complete with hose check valves.

Prices are for a set of 2 hoses

Hose Dia	Length	Fitting	Order Code KEN-885		
06mm	5m	3/8" - 1/4"	′′ - 1200K	£23.67	£18.94
06mm	10m	3/8" - 1/4	″ - 1220K	£31.67	£25.34
08mm	5m	3/8" - 3/8'	^{′′} -1260K	£25.68	£20.54
08mm	10m	3/8" - 3/8'	′′ - 1280 K	£48.62	£38.90
08mm	20m	3/8" - 3/8'	′′ -1300K	£75.12	£60.10
10mm	5m	3/8" - 3/8'	["] -1360K	£26.30	£21.04
10mm	10m	3/8" - 3/8'	′′ -1380K	£39.15	£31.32
10mm	20m	3/8" - 3/8"	" - 1400K	£65.76	£52.61

Gas Cylinder Wall Brackets

Tubular design with epoxy coated steelwork and bright zinc plated chains for securing cylinders. Suitable for cylinders up to 280mm in diameter.




Oxy Propane

Matched pairs of hose - one each for oxygen (blue) and propane

(orange). Kink and crush resistant. 8mm for general use. Supplied fully fitted complete with hose check valves.

Prices are for a set of 2 hoses

Hose Dia.	Length	Fitting	Order Code KEN-885 F	List Price/1	Offer Price/1
8mm	10m	3/8" - 3/8"	-1020K £	45.08	£36.06
8mm	20m	3/8" - 3/8"	-1040K £	65.24	£52.19
10mm	10m	3/8" - 3/8"	-1080K £	53.29	£42.63



Nozzle Cleaner Set

22 Prolongs the life of gas welding and cutting nozzles. High strength, needle type files housed in an anodised aluminium flip-up pocket case.



Price/1 Price/1 Number **KEN-883** each -2500K £4.25 £2.98 1216 20g

Pistol Type Spark Lighter

For easy and rapid single-handed ignition of welding and cutting torches. Metal bodied. Uses standard cigarette



Cup-Type Spark Lighter

For easy and rapid single-handed ignition of welding and cutting torches.

				\bigcirc
Style	Pack	Order Code	List	Offer
	Quantity	KEN-885	Price/1	Price/1
Cup	01	-7010K	£3.25	£2.60
Flints	10	-7020K	£2.16	£1.73

Triple Flint Type Spark Lighter

For easy and rapid single handed ignition of welding and cutting torches.

When one flint wears, turn the triangular head to use the next flint.

				\supset
Style	Pack	Order Code	List	Offer
	Quantity	KEN-885	Price/1	Price/1
Triple	1	-7110K	£3.36	£2.69
Flints	1 Head	-7120K	£1.20	£0.96



3060K

Robust, heavy gauge steel, welded construction, with two large diameter wheels and solid tyres. For use with oxygen and/or acetylene cylinders. 16" solid tyre.









Nozzle

Prolongs the life of gas welding and

Sizes Weight Order Code

For easy and rapid single-handed ignition

Metal bodied. Uses standard cigarette

89g

Cup-Type Spark Lighter

each

65g

Weight each

84g

Fits regulators, hoses, flashback

Weight each

252g

Combination Bottle Spanner

Weight Order Code

Weight Order Code

each MUR-885 Price/1

-5007L

each

20g

cutting nozzles. High strength,

needle-type files housed

Cleaner Set

List

£4.69

List

£5.87

List

£3.58

List

Price/1

£1.49

List

Price/1

£1.95

MUR-885 Price/1

-3220P

Order Code CTL-885

-7364H

Order Code CTL-885

-7363G

MUR-885 Price/1

-4391A

Offer

Price/1

£3.75

Offer

Price/1

£4.70

Offei

Price/1

£2.86

Offer Price/1

£1.19

Offer

Price/1

£1.56

MUREX

in an anodised

pocket case.

Product

torches.

Pistol Type

lighter flints.

Product

Number

SL2

Product

Number

SI 3

Valve Key

bottle valves

Drop forged.

Product

Number

1364

arrestors and

bottle valves.

Drop forged.

Product

Number

1363

Fits gas

Number (mm)

153391 0.5-2.7

Spark Lighters

of welding and cutting

aluminium flip-up

Blue Hoses for Oxygen

Bore	Hose Length	Fitting	Order Code MUR-885	List Price/1	Offer Price/1
			-2651F		
6.3mm	10m	3⁄8" - 3⁄8"	-2655G	£23.51	£18.81
10.0mm	20m	3⁄8" - 3⁄8"	-2660K	£41.82	£33.46

Red Hoses for Acetylene

		-			
Bore	Hose	Fitting	Order Code	List	Offer
Dore	Length	ritting	Order Code MUR-885	Price/1	Price/1
6.3mm	5m	3⁄8" - 1⁄4"	-2601A	£16.41	£13.13
10.0mm	10m	3/8" - 3/8"	-2609D	£28.39	£22.71



CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES All Prices Exclude V.A.T. © 2014



With twin bulk head gauges clearly displaying cylinder pressure and flow rate. Comply with EN ISO 2503.

0 - 4 bar Oxygen (Blue) type is suitable for medium cutting and welding applications. 0 - 10 bar Oxygen (Blue) type is suitable for most applications including heavy cutting and heating

A-1.5 Acetylene (Red) type is suitable for all cutting, heating and welding applications. ArC-35L Argon type is suitable for inert gases e.g. for use with Mig or Tig welders.



Saffire Indicator Type Regulators (not illustrated).

Series 1+ Single Stage

Gaugeless - with indicator to signal empty cvlinder.

Model Number	Gas Type	Rating	Order Code MUR-884	Offer Price/1
1282683	Oxygen	0-10 bar	-2602W	£53.96
1282686	Acetylen	e A-1.5	-1572H	£53.96
1282687	Propane	P-4	-1683J	£52.60

Series 1+ Single Stage

Model Number	Gas Type	Rating	Order Code MUR-884	Offer Price/1
1282681		0-4 bar	-2600T	£64.23
1282682	Oxygen	0-10 bar	-2601V	£67.44
1282685	Acetylene	e A-1.5	-1414G	£64.23
1282684			-2603X	£67.44

Series 2+ Multi-Stage Regulators

Twin-chambered to deliver constant pressure - even when cylinder is near empty. The Saffire 300 Series 2+ regulators are the flagship models of the Saffire range. These multi-stage regulators are fully 300 bar capable whilst retaining the sensitivity and accuracy necessary for precise control.

Model Number	Gas Type	Rating	Order Code MUR-884	e Offer 1 Price/1
1281209	Oxygen	0-4 bar	-2561M	£115.64
1281210	Oxygen	0-10 bar	-2562N	£121.42
1281211	Acetylene	e A-1.5	-3911K	£121.42

Saffire XL5 Flashback Arrestors

Give a high flow rate and are equipped with a large cylindrical flame

arresting element, an automatic reset non-return valve and a heat sensitive automatic cut-off. Should be used in conjunction with hose check valves. Offer Order Code List Gas Type MUR-884 Price/1 Price/1 Propane/Acetylene (red) -2908L £26.60 £22.88

Oxygen (blue)

-2909M £26.60 £22.88

Flashback Arrestors

Flashback arrestors are designed to offer complete protection, for both operator and equipment, combined with high flow performance and ease of use. Designed and manufactured to fully comply with BS EN 730-1, providing complete protection for all oxygen and fuel gas equipment requirements.

Resettable Flashback Arrestors GA-D99 Right hand - OXYGEN GA-D99 Left hand - PROPANE/ACETYLENE



Model Number	Gas Type	Order Code CTL-884	
GA-D99R	Oxygen	-2813D	£56.24
GA-D99L	Propane Acetylene	-2812C	£56.24

Automatic Flashback Arrestor

GA-D97 Right hand - OXYGEN. GA-D97 Left hand - PROPANE/ACETYLENE.



Flowmeter Argon Regulator

This flowmeter is ideal for Tig use. Just adjust the valve and the ball will hover against the required litres per min measurement mark. 0 - 14 lpm.

	and the second second	
Gas Type	Order Code List CTL-885 Price/2	
Flowmeter Argon Regulator	-7242H £35.53	3 £28.42

Saffire 36EC Flashback Arrestors

Conform to EN730. Sintered metal flame arresting element, non-return valve upstream of the flame arresting element, thermal and pressure sensitive cut-off. Reset button with 'pop-up' action indicating when a flashback has occurred.



Offer List Order Code MUR-884 Price/1 Price/1 I




GROUP GAS WELDING & CUTTING 885



Designed with 2 gauges to indicate cylinder contents and outlet pressure.

4.0 Bar Oxygen Regulator Full 300 bar capacity.

10.0 Bar Oxygen Regulator



Argon & Acetylene Regulators

Designed with two gauges to indicate cylinder contents and outlet pressure. Argon regulator outlet gauge is calibrated for flow 0 - 35lpm. Acetylene regulator has a calibrated flow rate of 0 - 1.5 bar with a full 250 bar capacity.

Features: Flow rates up to 80m³/h (2824 ft3/h) 300 bar capability. Features 2 gauges displaying cylinder contents and pressure



Bottom entry design suited for top outlet cylinder valves. Fitted with 1/4" parallel threaded gauges. Fitted with standard 3/8" BSP outlet. Fitted with 5/8" BSP inlet connections.

Gas	Order Code	List	Offer
Type	KEN-884	Price/1	Price/1
Acet. Regulator	-4200K	£55.28	
Argon Regulator	-4300K	£55.28	

Cylinder Adaptors for Side Entry Cylinders

Threaded female one end to connect to a regulator and male on the other end to fit into the gas cylinder. Suitable for side entry cylinders such as air products etc.

WELDING

Product Number		Order Code CTL-885	Offer Price/1
	90° Right Hand 90° Left Hand	-7265G -7266H	

Page 1675

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES All Prices Exclude V.A.T. © 2014