


**Mitutoyo 58mm
Diameter Dial**

Series 2

Conventional size, easy to read indicator for general applications.



**58mm
Diameter**

**UKAS
Calibration
Service
Available**

See Page 614

Product Number	Graduation	Travel	Reading	Weight each	Order Code MIT-325	List Price/1	Offer Price/1
2044S	0.01mm	5mm	0-100	131g	-3585W	£44.00	£38.72
2045FE	0.01mm	5mm	0-50-0	131g	-3586G	£45.00	£39.60
2046S	0.01mm	10mm	0-100	131g	-3587G	£31.60	£27.81
2047FE	0.01mm	10mm	0-50-0	131g	-3589G	£46.00	£40.48
2050FE	0.01mm	20mm	0-100	133g	-3590T	£61.00	£53.68
2052FE	0.01mm	30mm	0-100	135g	-3591G	£74.60	£65.65
2414S	0.001"	.5"	0-100	148g	-3772B	£59.30	£52.18
2415F	0.001"	.5"	0-50-0	148g	-3773B	£59.30	£52.18
2416F	0.001"	.1"	0-100	155g	-3774B	£59.30	£52.18
2417F	0.001"	.1"	0-50-0	155g	-3776B	£59.30	£52.18
2776F	0.0005"	.1"	0-50	165g	-3970A	£68.00	£59.84

Jewelled Type

Product Number	Graduation	Travel	Reading	Weight each	Order Code MIT-325	List Price/1	Offer Price/1
2901F	0.001mm	.16mm	80-0-80	150g	-3980R	£78.60	£69.17
2109F	0.001mm	1mm	0-100-0	150g	-3715A	£67.50	£59.40
2119S-10	0.01mm	5mm	0-100-0	160g	-3717P	£92.90	£81.75
2416F-10	0.001"	1"	0-100	155g	-3775T	£70.30	£61.86
2803F-10	0.0001"	.025"	0-5-0	155g	-3978D	£92.50	£81.40

Jewelled Type with Limit Hands & 5mm Stroke

Product Number	Graduation	Travel	Reading	Weight each	Order Code MIT-325	List Price/1	Offer Price/1
2358S-10	0.0001"	.5"	0-10		-3764A	£112.00	£98.56

52mm Diameter Dial Series 2 with Limit Hands & Rev. Counter
Reverse reading.

Product Number	Graduation	Travel	Reading	Weight each	Order Code MIT-325	List Price/1	Offer Price/1
2902S	0.01mm	10mm	0-100	120g	-3981G	£48.00	£42.24

2048S-10 Dial Indicator

Series 2

Conventional size, easy to read indicator for most general applications.

Accuracy: ± 15µm.

Measuring force: 1.4(N).



**GREEN
DIAL**

**58mm
Diameter**

**UKAS
Calibration
Service
Available**

See Page 614

Product Number	Graduation	Travel	Reading	Weight each	Order Code MIT-325	List Price/1	Offer Price/1
2048S-10	0.01mm	10mm	0-100	157g	-3590K	£56.40	£49.63

**OXFORD PRECISION Easy Read Dial Gauge
Plunger Type**

58mm (2 1/4") Diameter Dial

6 Jewel

Matt finish chromed housings and black oxidised limit hands. Shockproof mechanism. Fitted with 1/4" inside diameter stem. Manufactured to BS 907.



**58mm
Diameter**

JEWELLED



**Spares to suit Oxford
Plunger Type Gauges**

Description	Order Code KEN-301	Offer Price/1
Anvil - mm	-9400K	£3.69
Crystal Dial	KEN-398-9310K	£0.57

**UKAS
Calibration
Service
Available**

See Page 614

Graduation	Travel	Reading	Weight each	Order Code OXD-300	List Price/1	Offer Price/1
0.01mm	10mm	0-100	440g	-5500K	£45.64	£33.77
0.01mm	25mm	0-100	440g	-5520K	£51.33	£37.98

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

All Prices Exclude V.A.T. © 2014

38mm (1½") Diameter Dial Series 1 Rev. Counter



38mm Diameter

UKAS
Calibration
Service
Available

See Page 614

Product Number	Graduation	Travel	Reading	Weight each	Order Code	List Price/1	Offer Price/1
1411	0.001"	0.25"	0-50-0	83g	-1751A	£61.50	£54.12

41mm (1⅝") Diameter Dial Series 1

Water Resistant Type

Continuous dial.
Hardened stainless steel spindle. Machine ground rack gear for increased accuracy.



41mm Diameter

UKAS
Calibration
Service
Available

See Page 614

Product Number	Graduation	Travel	Reading	Weight each	Order Code	List Price/1	Offer Price/1
1044F60	0.01mm	5.0mm	0-100	85g	-0804T	£70.00	£61.60

41mm (1⅝") Diameter Dial Series 1 With Limit Hands & Rev. Counter



41mm Diameter

UKAS
Calibration
Service
Available

See Page 614

Product Number	Graduation	Travel	Reading	Weight each	Order Code	List Price/1	Offer Price/1
1013F	0.002mm	1.0mm	0-100-0	88g	-0532C	£90.00	£79.20
1044F10	0.01mm	5.0mm	0-100	86g	-0804K	£58.00	£51.04

Jewelled Type with Limit Hands & Rev. Counter



41mm Diameter

UKAS
Calibration
Service
Available

See Page 614

Product Number	Graduation	Travel	Reading	Weight each	Order Code	List Price/1	Offer Price/1
1040F	0.01mm	3.5mm	0-50	84g	-0710A	£60.00	£52.80
1041F	0.01mm	3.5mm	0-25-0	84g	-0800A	£60.00	£52.80
1044F	0.01mm	5.0mm	0-100	86g	-0804D	£42.00	£36.96
1045F	0.01mm	5.0mm	0-50-0	86g	-0805V	£46.00	£40.48

**OXFORD
PRECISION**

Easy Read Dial Gauges Plunger Type



58mm (2 1/4") Diameter Dial
Matt finish chromed housings
and black oxidised limit hands.
Fitted with 1/4" inside
diameter stem.
Manufactured to **BS 907**.



**58mm
Diameter**

Spares to suit Oxford Plunger Type Gauges

Description	Order Code KEN-301	Offer Price/1
Anvil - mm	-9400K	£3.69
Anvil - inch	-9410K	£3.69

Order Code			
Crystal Dial	KEN-398-9310K		£0.57

**UKAS
Calibration
Service
Available**

See Page 614

Graduation	Travel	Reading	Weight each	Order Code OXD-300	List Price/1	Offer Price/1
0.001"	0.5"	0-50-0	440g	-8100K	£52.26	£38.67
0.01mm	5mm	0-50-0	350g	-7850K	£47.78	£35.36
0.01mm	10mm	0-100	440g	-8500K	£44.21	£32.72
0.01mm	25mm	0-100	440g	-8520K	£46.52	£34.42

BATY®

Plunger Type Dial Test Indicators

58mm (2 1/4") Diameter Dial FM/FI Series

Precision plunger dial
indicators are suitable for
various applications in the
workshop or inspection
department. All units are
supplied with 8mm
stems, 3mm diameter
carbide ball anvil and
standard offset lug
backplate.

Accuracy: resolution
down to 0.001mm.
Calibration certificate
supplied with all
indicators reading better
than 0.1mm.



**58mm
Diameter**

**UKAS
Calibration
Service
Available**

See Page 614

Product Number	Graduation	Travel	Reading	Weight each	Order Code BAT-300	List Price/1	Offer Price/1
FM2	0.01mm	10mm	0-100	222g	-2164L	£42.00	£38.64
FM3	0.01mm	25mm	0-100	222g	-2165M	£52.00	£47.84
FM4	0.002mm	5mm	0-20/0-100	222g	-2166N	£62.00	£57.04
FM8	0.002mm	12mm	0-100/0-20	222g	-2170S	£105.00	£96.60
FI2	0.001"	0.5"	0-100	222g	-2152B	£42.00	£38.64
FI3	0.001"	1"	0-100	222g	-2153C	£52.00	£47.84
FI4	0.0005"	0.5"	0-50/0-25-0	222g	-2154D	£52.00	£47.84
FI5	0.0001"	0.2"	0-100/0-500	222g	-2155E	£79.00	£72.68

DIAL GAUGES


**KENNEDY®
QUALITY INDUSTRIAL TOOLING**

Easy Read Dial Gauges Plunger Type



**58mm (2 1/4")
Diameter Dial**
Easy Read Dial Gauges and
DTI's are designed for
countless applications
and available in two basic
styles. With shockproof
mechanisms and clear,
'Easy Read' dial for zero
setting. All models
are operational in both
directions.
Supplied in fitted cases
with accessories
storage space.

Matt finish chromed
housings and black
oxidised limit hands.
Fitted with 1/4" inside
centre back lug and 5/16"
diameter stem.
Manufactured to **BS 907**.



**58mm
Diameter**

Spares to suit Kennedy Plunger Type Gauges

Description	Order Code KEN-301	Offer Price/1
Anvil - mm	-9400K	£3.69
Anvil - inch	-9410K	£3.69

Order Code			
Crystal Dial	KEN-398-9310K		£0.57

**UKAS
Calibration
Service
Available**

See Page 614

Graduation	Travel	Reading	Weight each	Order Code KEN-300	List Price/1	Offer Price/1
0.001"	0.5"	0-50-0	440g	-7100K	£54.73	£40.50
0.001"	0.5"	0-100	440g	-7110K	£54.73	£40.50
0.0005"	0.5"	0-25-0	440g	-7120K	£54.73	£40.50
0.001"	1.0"	0-100	440g	-7160K	£55.78	£41.28
0.0005"	1.0"	0-50	440g	-7170K	£55.78	£41.28
0.01mm	10mm	0-100	440g	-7500K	£46.22	£34.20
0.01mm	25mm	0-100	440g	-7520K	£54.73	£40.50

**KENNEDY®
QUALITY INDUSTRIAL TOOLING**


Smile Dial Gauges Plunger Type



58mm (2 1/4") Diameter Dial
Matt finish chromed housings and black
oxidised limit hands. Jewelled.
Fitted with 1/4" inside
centre back lug
and 5/16" diameter stem.
Manufactured to **BS 907**.

JEWELLED

**58mm
Diameter**



Spares to suit Kennedy Plunger Type Gauges

Description	Order Code KEN-301	Offer Price/1
Anvil - mm	-9400K	£3.69

Order Code			
Crystal Dial	KEN-398-9310K		£0.57

**UKAS
Calibration
Service
Available**

See Page 614

Graduation	Travel	Reading	Weight each	Order Code KEN-300	List Price/1	Offer Price/1
0.01mm	10mm	0-100	440g	-5000K	£47.34	£35.03

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

All Prices Exclude V.A.T. © 2014

Mitutoyo 58mm Diameter Dial

Reverse Reading Type with Limit Hands

The indicator reads in the opposite direction to a standard model.

**REVERSE
READING**

**58mm
Diameter**



**UKAS
Calibration
Service
Available**

See Page 614

Product Number	Graduation	Travel	Reading	Weight each	Order Code	List Price/1	Offer Price/1
2923F-10	.0001"	.05"	0-5.0	155g	MIT-325 -3985D	£89.90	£79.11

Water Resistant Type with Limit Hands

**WATER
RESISTANT**

**58mm
Diameter**



**UKAS
Calibration
Service
Available**

See Page 614

Product Number	Graduation	Travel	Reading	Weight each	Order Code	List Price/1	Offer Price/1
2044F-60	0.01"	5mm	0-100	132g	MIT-325 -3585A	£70.00	£61.60
2046F-60	0.01"	10mm	0-100	132g	MIT-325 -3587T	£78.00	£68.64

Back Plunger Type with Rev. Counter Series 1

Perpendicular force permits easy reading from above. One revolution type incorporates a special shock absorbing mechanism for superior resistance to impact.



**UKAS
Calibration
Service
Available**

See Page 614

Product Number	Graduation	Travel	Reading	Weight each	Order Code	List Price/1	Offer Price/1
1160	0.01mm	5.0	0-100	85g	MIT-325 -1260E	£82.00	£72.16

With Limit Hands & Large Rev. Counter



**58mm
Diameter**

**UKAS
Calibration
Service
Available**

See Page 614

Product Number	Graduation	Travel	Reading	Weight each	Order Code	List Price/1	Offer Price/1
2310FE	0.01mm	10mm	0-100	150g	MIT-325 -3760A	£49.00	£43.12
2330S-10	0.01mm	30mm	0-100	150g	MIT-325 -3762C	£80.00	£70.40

Peak Retaining Type with Limit Hands

For applications where maximum indicator displacement needs to be recorded. The furthest travel is retained until released.

**PEAK
RETAINING**

**58mm
Diameter**



**UKAS
Calibration
Service
Available**

See Page 614

Product Number	Graduation	Travel	Reading	Weight each	Order Code	List Price/1	Offer Price/1
2046FE-80	.01mm	10mm	0-100	145g	MIT-325 -3588T	£80.00	£70.40

78mm (3") Diameter Dial

Series 3 with Spindle Cap & Rev. Counter

Limit hands, large size with back lug on centre. Ideal for greater viewing distances as dial is easier to read.

**78mm
Diameter**



**UKAS
Calibration
Service
Available**

See Page 614

Product Number	Graduation	Travel	Reading	Weight each	Order Code	List Price/1	Offer Price/1
3109F	0.001mm	1mm	0-100.0	245g	MIT-325 -4100A	£116.00	£102.08
3058F	0.01mm	50mm	0-100	265g	MIT-325 -4084K	£126.00	£110.88
3062F	0.01mm	10mm	0-100	480g	MIT-325 -4086K	£267.00	£234.96

OXFORD
PRECISION

Easy Read Dial Test Indicators

32mm Diameter Dial Lever Type

Supplied with dovetail fitting and 6 and 8mm spigot.
Matt finish chromed housing.



Spares to suit Oxford Dial Test Indicators

Description	Order Code KEN-301	Offer Price/1
Replacement Stylus	-9630K	£9.57
Universal Holder	-9840K	£32.16
	Order Code KEN-398	
1/4" Spigot - 6mm Stem	-0340K	£9.09
1/4" Spigot - 8mm Stem	-0350K	£9.09
32mm Crystal Dial	-9320K	£0.33

UKAS
Calibration
Service
Available

See Page 614

Graduation	Travel	Reading	Weight each	Order Code OXD-300	List Price/1	Offer Price/1
0.01mm	0.8mm	0-40-0	170g	-9020K	£62.14	£45.98

1 1/4" Dial Diameter



Spares to suit Oxford Dial Test Indicators

Description	Order Code KEN-301	Offer Price/1
Replacement Stylus	-9630K	£9.57
Universal Holder	-9840K	£32.16
	Order Code KEN-398	
1/4" Spigot - 6mm Stem	-0340K	£9.09
1/4" Spigot - 8mm Stem	-0350K	£9.09
32mm Crystal Dial	-9320K	£0.33

UKAS
Calibration
Service
Available

See Page 614

Graduation	Travel	Reading	Weight each	Order Code OXD-300	List Price/1	Offer Price/1
0.0005"	0.03"	0-15-0	170g	-9010K	£62.14	£45.98




KENNEDY
QUALITY INDUSTRIAL TOOLING

Easy Read Anti-Magnetic Dial Test Indicators

32mm (1 1/4") Diameter Dial Lever Type

Supplied with dovetail fitting and 6 and 8mm spigot. Matt finish chromed housing. Jewelled.



JEWELLED

Spares to suit Kennedy Dial Test Indicators

Description	Order Code KEN-301	Offer Price/1
Replacement Stylus	-9630K	£9.57
	Order Code KEN-398	
1/4" Spigot - 6mm Stem	-0340K	£9.09
1/4" Spigot - 8mm Stem	-0350K	£9.09
32mm Crystal Dial	-9320K	£0.33

UKAS
Calibration
Service
Available

See Page 614

Graduation	Travel	Reading	Weight each	Order Code KEN-300	List Price/1	Offer Price/1
0.0005"	0.03"	0-15-0	170g	-8010K	£73.04	£54.05
0.01mm	0.8mm	0-40-0	170g	-8020K	£70.52	£52.18

Mitutoyo 32mm Diameter Face

Series 513

9.5mm body for narrow lands between shoulders or in a bore. With jewelled bearings and precision miniature pivot bearings for almost friction-free movement of the contact point. Contact point is reversible by lever allowing measurement of the top or bottom surface of any workpiece. Bezel and dial face are fully adjustable.



UKAS
Calibration
Service
Available

See Page 614

- (1) c/w 2 extra contact points: .12" dia. and .04" dia.
(2) 513-504T is jewelled.

Product Number	Graduation	Travel	Reading	Weight each	Order Code MIT-325	List Price/1	Offer Price/1
513-101	0.001mm	0.14mm	0-70-0	280g	-4750A	£131.00	£115.28
513-103	0.002mm	0.20mm	0-100-0	204g	-4751B	£107.00	£94.16
513-117	0.01mm	0.80mm	0-40-0	204g	-4756G	£87.80	£77.26
513-118 ⁽¹⁾	0.001"	0.04"	0-20-0	208g	-4757H	£86.50	£76.12
513-504T ⁽²⁾	0.0002"	0.01"	0-5-0	208g	-4802L	£101.00	£88.88

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES


All Prices Exclude V.A.T. © 2014

Mitutoyo 39mm Diameter Face

Series 513

Large dial face for easy reading with the installed 2mm (.08") diameter point carbide tipped. These indicators are ruggedly housed within a satin chrome finished case. Bezel and dial are adjustable for easy zero setting with fully jewelled movements. Automatic reversible contact point is adjustable through 240°. The precision miniature pivot bearings give a frictionless movement of the contact point. One piece bezel of crystal design ensures resistance to water and dust.

Clock Only



UKAS Calibration Service Available


See Page 614

Product Number	Graduation	Travel	Reading	Stylus Length	Order Code MIT-325	List Price/1	Offer Price/1
513-405E	0.002mm	0.2mm	0-100-0	14.7mm	-4775E	£87.80	£77.26
513-424E	0.01mm	0.5mm	0-25-0	22.3mm	-4790E	£80.90	£71.19
513-414E	0.01mm	0.5mm	0-25-0	36.8mm	-4784E	£82.10	£72.25
513-404E	0.01mm	0.8mm	0-40-0	20.9mm	-4774E	£72.30	£63.62
513-415E	0.01mm	1.0mm	0-50-0	44.5mm	-4785E	£89.20	£78.50
513-403	0.0001"	0.008"	0-40-0	15.0mm	-4773B	£94.00	£82.72
513-402	0.0005"	0.03"	0-15-0	20.0mm	-4772A	£72.00	£63.36
513-412	0.0005"	0.03"	0-15-0	39.0mm	-4782A	£104.00	£91.52

Series 513 Sets

Contents:

1x dial test indicator, 2x dovetail stems, 1x swivel clamp with dovetail groove, 1x stem nut, 1x swivel clamp arm.



UKAS Calibration Service Available

See Page 614

Product Number	Graduation	Travel	Reading	Weight each	Order Code MIT-325	List Price/1	Offer Price/1
513-405T	0.002mm	0.2mm	0-100-0	162g	-4775T	£106.00	£93.28
513-424T	0.01mm	0.5mm	0-25-0	162g	-4790T	£99.70	£87.74
513-414T	0.01mm	0.5mm	0-25-0	170g	-4784T	£116.00	£102.08
513-404T	0.01mm	0.8mm	0-40-0	170g	-4774T	£87.50	£77.00
513-403T	0.0001"	0.008"	0-40-0	190g	-4773T	£125.00	£110.00
513-402T	0.0005"	0.03"	0-15-0	178g	-4772T	£102.00	£89.76
513-412T	0.0005"	0.03"	0-15-0	178g	-4782T	£125.00	£110.00

39mm Diameter Face - Vertical/Parallel Type

Series 513

Large dial face for easy reading with the installed 2mm (.08") diameter point carbide tipped. These indicators are ruggedly housed within a satin chrome finished case. Bezel and dial are adjustable for easy zero setting with fully jewelled movements. Automatic reversible contact point is adjustable through 240°. The precision miniature pivot bearings give a frictionless movement of the contact point. One piece bezel of crystal design ensures resistance to water and dust.

Vertical Type -

Comes in case with 8mm stem.



UKAS Calibration Service Available

See Page 614

Product Number	Graduation	Travel	Reading	Weight each	Order Code MIT-325	List Price/1	Offer Price/1
513-454T	0.01mm	0.8mm	0-40-0	170g	-4795T	£116.00	£102.08

Combistest Type - Comes in case with 8mm stem.



UKAS Calibration Service Available

See Page 614

Product Number	Graduation	Travel	Reading	Weight each	Order Code MIT-325	List Price/1	Offer Price/1
513-409T	0.002mm/ 0.0001"	0.2mm/ 0.0075"	0-100/ 0-38-0	186g	-4779T	£115.00	£101.20
513-406T	0.01mm/ 0.0005"	0.7mm/ 0.03"	0-35/ 0-15-0	178g	-4776T	£108.00	£95.04


Parallel Type - Sets

Comes in case with:

Holding bar 9 x 9 x 100mm. Swivel clamp (for Ø 4mm stem, Ø 8mm stem and dovetail mounting). Knurled clamp ring nut. Stem Ø 4mm, stem Ø 8mm. Stylus - hard chrome plated tip Ø 1mm. Stylus - carbide tip Ø 1mm. Stylus - Hard chrome plated tip Ø 3mm.

UKAS Calibration Service Available

See Page 614




Product Number	Graduation	Travel	Reading	Weight each	Order Code MIT-325	List Price/1	Offer Price/1
513-284GT	0.01mm	0.8mm	0-40-0	187g	-4815F	£92.50	£81.40

BATY® Lever Type Dial Test Indicators - Inch

The Baty HL series of lever type dial test indicators are top quality, Swiss-made precision instruments. Low inertia jewelled movements and rugged construction make them suitable for universal applications in the workshop and inspection.

HL Series

High sensitivity, repeatability and accuracy. Meet or exceed BS, DIN, Federal and other national standards. Anti-magnetic. Automatic reverse action stylus - hand always rotates clockwise. Adjustable bezel and hand for zeroing. Rugged, satin chrome finished body. Three dovetail mountings, top, back and front. Fully jewelled and geared movement. Precision ball bearing mounted, interchangeable carbide point swivels through 240°. Baty HL indicators are supplied with: 2mm diameter contact point - fitted, 1mm and 3mm diameter interchangeable contact points, contact point key, Dovetail stems 911 and 914 and tough plastic case.



UKAS
Calibration
Service
Available

See Page 614

Product Number	Reading	Range	Dial Diameter	Weight each	Order Code	List Price/1	Offer Price/1
HL6	0.0005"	0.03"	1 1/2"	114g	-2206F	£100.00	£92.00
HL8	0.0001"	0.08"	1 1/2"	114g	-2208H	£112.00	£103.04

TESA®

Rotating dial. Bi-directional measuring with automatic reversal. Patented shock absorber system. Insensitive to magnetic fields. Full metal construction giving exceptional robustness. Monobloc housing. Jewelled movement with seven rubies.

**EXTENDED
RANGE**



Inch



Metric



SWISS MADE

UKAS
Calibration
Service
Available

See Page 614

Product Number	Graduation	Travel	Range	Order Code	List Price/1	Offer Price/1
Inch						
1820006	0.0005"	0.03"	0-15-0	-2190F	£110.00	£110.00
1820011	0.0001"	0.008"	0-4-0	-2200M	£128.00	£128.00
Metric						
1810005	0.01mm	0.8mm	0-0.40	-2180E	£83.00	£83.00

VERDICT® 'Rapid' Dial Test Indicators

Dial face inclined to the workpiece surface to ensure good visual accessibility also incorporates a rear swivel spigot which enables centring without additional attachments. Dovetail clamping sides top and bottom. Automatic reversal movement. Dial swivels through 180° of arc and rotates for zero setting, hands travel in one direction. Jewelled with lever pivots mounted on ball bearings. 4mm (metric) or 1/4" (inch) diameter spigot.



T31



UKAS
Calibration
Service
Available

See Page 614

Model Number	Dial Dia.	Graduation	Travel	Reading	Order Code	List Price/1	Offer Price/1
T25	Metric 26.5mm	0.002mm	0.24mm	0-120-0	-7400A	£83.16	£76.51
T29	Metric 35mm	0.002mm	0.24mm	0-120-0	-7404E	£83.16	£76.51
T30	Metric 35mm	0.01mm	0.5mm	0-0.25-0	-7405F	£83.16	£76.51
T31	Metric 35mm	0.01mm	1.0mm	0-0.5-0	-7406G	£83.16	£76.51
T32	Metric 35mm	0.02mm	2.0mm	0-1.0-0	-7407H	£87.32	£80.33
T25	Inch 1 1/8"	0.0001"	0.01"	0-5-0	-7450K	£83.16	£76.51
T28	Inch 2"	0.0001"	0.01"	0-5-0	-7453N	£83.16	£76.51
T29	Inch 1 3/8"	0.0001"	0.01"	0-5-0	-7454P	£83.16	£76.51
T30	Inch 1 3/8"	0.0005"	0.02"	0-10-0	-7455Q	£83.16	£76.51
T31	Inch 1 3/8"	0.0005"	0.04"	0-20-0	-7456R	£83.16	£76.51
T32	Inch 1 3/8"	0.001"	0.08"	0-40-0	-7457S	£83.16	£76.51

Dual Reading 'Metrinch' Dial Test Indicators

The answer to metric conversion problems.



Metrinch 1



T34
Metrinch

UKAS
Calibration
Service
Available

See Page 614

Product Number	Graduation	Travel	Reading	Order Code	List Price/1	Offer Price/1
Metrinch 1						
	0.0005"	0.020"	0-10-0	-7120A	£98.38	£90.51
	0.01mm	0.44mm	0.22-0-0.22			
T34 Metrinch						
	0.0005"	0.020"	0-10-0	-7459V	£99.36	£91.41
	0.01mm	0.44mm	0.22-0-0.22			

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

All Prices Exclude V.A.T. © 2014

GROUP 300 DIAL GAUGES

VERDICT Dial Test Indicators

05. 'T' Series

Indicators have switch lever for reversing the direction of movement, mounted in ball bearings. Fitted with 4mm (metric)/ $\frac{1}{4}$ " (inch) dia. top spigot and holder body side clamp which accepts rods up to 6.5mm/0.256". Indicator body machined with dovetail to suit attachments.



UKAS
Calibration
Service
Available

See Page 614

Model Number	Dial Dia.	Graduation	Travel	Reading	Order Code	List Price/1	Offer Price/1
T1 Metric	25mm	0.01mm	0.8mm	0-0.40	-7001A	£71.28	£65.58
T2 Metric	35mm	0.01mm	0.8mm	0-0.40	-7003C	£71.28	£65.58
T3 Metric	50mm	0.005mm	0.8mm	0-0.40	-7005E	£81.00	£74.52
T6 Metric	35mm	0.01mm	1.6mm	0-0.80	-7009J	£74.52	£68.56
T8 Metric	26.5mm	0.01mm	0.5mm	0-0.25-0	-7058J	£78.84	£72.53
T1 Inch	1"	0.0005"	0.03"	0-15-0	-7020N	£71.28	£65.58
T2 Inch	1 $\frac{3}{8}$ "	0.0005"	0.03"	0-15-0	-7022Q	£71.28	£65.58
T3 Inch	2"	0.0001"	0.02"	0-10-0	-7024S	£81.00	£74.52
T6 Inch	2"	0.0005"	0.06"	0-30-0	-7028X	£74.52	£68.56
T8 Inch	1 $\frac{1}{8}$ "	0.0005"	0.02"	0-10-0	-7097L	£78.84	£72.53

Multi-Point Indicator

Main bodies are machined from high quality brass. Ratchet stylus are fitted and operated throughout 180° of arc. A switch lever is fitted for reversing movement and the dials are rotated for zero setting.



UKAS
Calibration
Service
Available

See Page 614

Model Number	Dial Dia.	Graduation	Travel	Reading	Order Code	List Price/1	Offer Price/1
G Inch	1 $\frac{3}{8}$ "	0.001"	0.10"	0-50-0	-7030Z	£74.52	£68.56

KENNEDY QUALITY INDUSTRIAL TOOLING

Dovetail Mounting Accessories

Spigot

$\frac{1}{4}$ " standard type.



Stem Diameter	Weight each	Order Code	Offer Price/1
4mm	20g	-0330K	£9.09
6mm	20g	-0340K	£9.09
8mm	20g	-0350K	£9.09



Dial Gauge Accessories

Replacement Anvils

For all Kennedy plunger type dial gauges. Steel.

Type	Weight each	Order Code	Offer Price/1
Metric	.082g	-9400K	£3.69
Inch	.082g	-9410K	£3.69

Universal Spigot

For lever type (not easy read).



Type	Weight each	Order Code	Offer Price/1
$\frac{1}{4}$ " ID	20g	-9840K	£32.16



Testers - Shore Scale - Digital Type

For testing rubber, plastic, leather and all other soft materials. Fast and easy to read. Large digital display. Portable. Use by hand or mounted on a stand. Supplied with a reference book. SPC data output. Zero setting. Preset - value input options. Auto display off. Electronic module protection to IP65, even with data output. Can be used in conjunction with Shore bench stand.

UKAS certification.

Conforms to **DIN 53 505**,

ATSM D2240 and ISO R/868 Standards.

Technical specification

Generic Resolution: 0.1.

Display range: 0-100.

Pressure foot: Ø 18mm.

Indenter diameter: 1.25mm.

Battery: Lithium 3V, CR2032.

Data output: RS232 combined with external power supply.

Shore 'A' Durometer

Indenter: blunt taper. Tip angle: 35°.

Shore 'D' Durometer Indenter: sharp point.

Tip angle: 30°.



Product Number	Display Type	Scale	Weight each	Order Code	Offer Price/1
DSA001	Digital	Shore 'A'	500g	BOW-326 -1650L	£481.50
DSD001	Digital	Shore 'D'	500g	-1651M	£481.50

Testers - Shore Scale - Analogue Type

Provide a fast and easy-to-read method of testing hardness of rubbers, plastics, leathers, perspex and other soft materials with analogue display in either Shore 'A' or 'D' scale.

Manufactured in accordance with

DIN 53 505, ASTM D2240,

ISO R/868 specifications.

Suitable for all flexible materials.

Features include:

Fast easy-to-read analogue display.

Simple hand held operation.

Optional bench stand. Available in Shore A or D.

Supplied with a

setting/reference book.

SPC data output available

on the digital model.



Product Number	Display Type	Scale	Weight each	Order Code	Offer Price/1
SHA0001	Analogue	Shore 'A'	650g	BOW-326 -1644J	£359.00
SHD0002		Shore 'D'	650g	-1645K	£359.00

Replacement Stylus

Tungsten carbide. Replacement stylus for all Kennedy lever type dial test indicators (except dual reading stylus for KEN-300-4000K).



Suitable for use with	Order Code	Offer Price/1
Old Style Stylus & Collar DTI's (2.0mm)	-9440K	£9.11
New Style Easy Read DTI's	-9630K	£9.57