ENGRAVING TOOLS/COLD CHISELS & PRY BARS 504/505



Model 741

With heavy duty, continuous rated motor.

Motor rating: continuous. Points supplied: A2, A4, A5 and A8.



Product Number	Voltage	Weight each	Order Code BUR-504	Offer Price/1
741-7070	240	1.00kg	-1635L	£37.49
741-7087	110	1.00kg	-1635R	£37.49

Engraving Points for Record Power Engraver

- For glass and steel. Solid carbide. A2
- **A4** For hardened steel. Carbide tipped.
- Α5 For soft metals and alloys.
- A6 & Ball points for metal embossing, hammering and leather work. A7
- **A8** Abrasive point for frosting glass and smoothing.
- **A80** Diamond point for fine glass engraving.

Product Number	Voltage	Weight each	Order Code BUR-504	Offer Price/1
740-0119	A2	50g	-1620R	£4.99
740-0041	A4	50g	-1614C	£5.83
740-0058	A5	50g	-1615E	£4.99
740-0065	A6/A7	50g	-1616G	£4.99
740-0072	Á8	50g	-1618L	£4.99
740-0102	A80	50g	-1619N	£13.33

Yonus Electric Pencil

Used to etch metal for easy identification. Six settings allow use on softer metals without damaging the workpiece. Needles are made from a special heat resisting

Weight

each

0.80kg

2.49kg

0.05kg

tungsten alloy to retain sharpness and avoid welding to the workpiece.

Settings: Alter the position of the contact plugs on the transformer to change the depth of the etching.

Application	Position				
Very Fine Fine Medium Medium Heavy Heavy Very Heavy	3 & 2 1 & 2 4 & 2 2 & 4 2 & 4 1				
Description					

Pencil Only	
Pencil & transformer	
Spare Needle	

F

14/11	2545 (1997)	-		
			aKomus Teste Mars	1
*		Use 2 & 3 fr 1 & 2 1 & 3	E INSTRUCTIONS e Vary Fore Writing Fore Madium Manyy Pleavy Vary Hanny	
8	6	Lames Mag	muq & Co. Lod.	0100
	Order C		Of Pric	
	-110:	2B	£76	.34

-1001A

-1304D

CENNEDY Scutch Holders -**Carbon Steel**

Used for chasing out and general masonry work.

		a serie proteine.	a liste analysi and	
Width x Length	Octagon	Order Code	List	Offer
(mm)	(mm)	KEN-505	Price/1	Price/1
25 x 200	18	-6860K	£9.17	£6.79
38 x 200	18	-6870K	£11.28	£8.35
Detachable Bit For scutch chisels and hammers.			Le server	
Comb Type	Width	Order Code	List	Offer
	(mm)	KEN-505	Price/100	Price/100
Wide/Coarse	25	-9130K	£33.23	£24.59
	38	-9140K	£47.62	£35.24
Plain/Drove	25	-9230K	£31.70	£23.46
	38	-9240K	£42.65	£31.56

Protector Sleeves

Contoured high impact resistant plastic grips redirects the force of miss-hits safely away from your hands preventing injury.



GROUPS

Suitable for use with octagonal cold chisels.

To Suit Octagon Size	Length (mm)	Order Code KEN-505	List Price/1	Offer Price/1
13mm	120	-9040K	£3.66	£2.71
16mm	120	-9050K	£3.66	£2.71
19mm	120	-9060K	£3.66	£2.71
22mm	120	-9070K	£3.66	£2.71

Nail **Puller**

Used for pulling nails which are either protruding or buried. Hammer action sleeve drives jaws into wood around nail. The pivoting jaw ensures a tighter grip the harder the pull.

5		n auren a	* BARC		
Model	Length	Weight	Order Code	List	Offer
Number	(mm)	each	BAH-565	Price/1	Price/1
B-36	200	kg	-0036K	£48.34	£41.57
B-38	110	2.20kg	-1001Z	£96.43	£82.93

FatMax **Utility Bars**

The FatMax Utility Bar is 4 tools in 1 and can be used for prying, splitting, board bending and hammering. Manufactured from a single piece of forged tempered steel bar for increased strength and durability. The serrated jaws are ideal for grabbing common sizes of timber and decking, a bevelled nail slot for pulling and prying nails and polished hammer face.

Fisher		red grip for e ol, even whe	nsures excel n wet.	lent comfort
Overall Length	Jaw Capacity	Order Code STN-585	List Price/1	Offer Price/1
60mm (18")	45mm (1 ^{3/} 4")	-5540B	£36.14	£26.38

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES All Prices Exclude V.A.T. © 2014

4

£160.40

£16.50



Page 879



KENNEDY A Mus m monthos 505-162

KENNEDY A was in restance 505-324

KENNEDY A wat in monitore 505-486

Manufactured from high quality octagonal chrome vanadium steel with a ground cutting edge, in accordance with **BS 3066**. For use on brickwork, masonry and cold metals.

Flat

Used for cutting and chipping cold metals and brickwork.

Flat Chisel Set



Number		Order Code	List	Offer
of Piece		KEN-505	Price/1	Price/1
3	6 x 150, 12 x 200 & 18 x 255	-7150K	£7.77	£5.28
3	12 x 150, 18 x 200 & 25 x 255	-7160K	£10.20	£6.94

Brick Bolster - Chrome Vanadium

Used for splitting bricks.



Flooring - Chrome Vanadium

Used for prising floorboards and cutting part of the board prior to lifting.



Pitching - Chrome Vanadium

TOOLS

HAND

For removing excess stone and facing, bevelled on one side.

	_			
Width x Length (mm)	Octagon (mm)	Order Code KEN-505	List Price/1	Offer Price/1
50 x 212	18	-6920K	£11.85	£8.77
62 x 212	22	-6930K	£15.71	£11.63

Width x Length (mm)	Octagon (mm)	Order Code KEN-505	List Price/1	Offer Price/1
6 x 100	6	-1600K	£1.94	£1.44
6 x 150	6	-1620K	£2.04	£1.51
9 x 125	9	-2410K	£2.14	£1.58
9 x 150	9	-2460K	£2.24	£1.66
12 x 150	9	-3220K	£2.24	£1.66
12 x 200	9	-3240K	£2.35	£1.74
12 x 255	9	-3260K	£2.74	£2.03
12 x 305	9	-3280K	£2.95	£2.18
16 x 150	12	-4020K	£2.65	£1.96
16 x 200	12	-4040K	£2.94	£2.18
18 x 200	16	-4840K	£3.77	£2.79
18 x 230	16	-4850K	£4.08	£3.02
18 x 255	16	-4860K	£4.08	£3.02
18 x 305	16	-4870K	£4.40	£3.26
18 x 455	16	-4890K	£5.97	£4.42
25 x 200	22	-6440K	£5.27	£3.90
25 x 230	22	-6450K	£5.72	£4.23
25 x 255	22	-6460K	£6.03	£4.46
25 x 305	22	-6470K	£6.44	£4.77
25 x 355	22	-6480K	£7.20	£5.33
25 x 455	22	-6490K	£8.50	£6.29

Half Round - Chrome Vanadium

Used for channelling concrete floors.

Width x Length (mm)	Octagon (mm)	Order Code KEN-505	List Price/1	Offer Price/1
6 x 150	12	-6620K	£3.48	£2.58
18 x 200	18	-6640K	£5.91	£4.37

Cross Cut - Chrome Vanadium

Used for channelling brickwork.

Width x Length	Octagon	Order Code	List	Offer
(mm)	(mm)	KEN-505	Price/1	Price/1
6 x 150	12	-6720K	£3.96	£2.93
9 x 200	18	-6740K	£5.11	£3.78

Diamond Point - Chrome Vanadium

Used for channelling brickwork.

Width x Length (mm)	Octagon (mm)	Order Code KEN-505	List Price/1	Offer Price/1
8 x 200	18	-6840K	£5.91	£4.37

Plugging - Chrome Vanadium

For removing cement mortar from between bricks.

	-	Parameter		
Width x Length (mm)	Octagon (mm)	Order Code KEN-505	List Price/1	Offer Price/1
5 x 255	16	-7100K	£6.32	£4.68



CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

All Prices Exclude V.A.T. © 2014

Contractor Flat Cold Chisels



Manufactured from high quality octagonal chrome vanadium steel with a ground cutting edge, in accordance with BS 3066. For use on brickwork, masonry and cold metals.



Contractor Cross Cut Chisel

Chrome vanadium - used for channelling brickwork.

22

				ESAFE. 505-1260K
Width x Length (mm)	Octagon (mm)	Order Code SSF-505	List Price/1	Offer Price/1
6 x 150	12	-1260K	£2.76	£1.99

-1210K

£6.16

£4.44

Contractor Brick Bolster Chis

25 x 305 c/w guard

Chrome vanadiu used for splitting

> (mm) 75 x 230 75 x 230 c/w g 100 x 230

100 x 230 c/w guard

lster Chisels			(MAYER DARFIE)	
ome vanadium - d for splitting bricks	5.			
Width x Length	Octagon	Order Code	List	Offer
(mm)	(mm)	SSF-505	Price/1	Price/1
75 x 230	22	-1300K	£5.94	£4.28
5 x 230 c/w guard		-1310K	£7.59	£5.46

-1320K

-1330K

Contractor Electricians' Floor Chisels

22

Chrome vanadium hardened and tempered cutting edge. For cutting the tongue in tongued and grooved floorboards.

£6.58

£8.23

£4.74

£5.93

Width x Length	Octagon	Order Code	List	Offer
(mm)	(mm)	SSF-505	Price/1	Price/1
55 x 230	16	-1360K	£3.93	£2.83
55 x 230 c/w guard		-1370K	£5.27	£3.79

Plastic Glazing Shovel

Solid shock-proof plastic, easy-grip handle glazing paddle that helps lever double glazed units into position.

glazie positi doubl wedg		ever glass in al for installi its and push ito			NEW
	/el Blade Vidth	Overall Length	Order Code CTL-907	List Price/1	Offer Price/1
6	8mm	258mm	-1647F	£2.66	£2.66

COLD CHISELS & PRY BARS Wrecking & 3.1 **Pry Bars**

Manufactured from heat treated carbon steel. Ideal for dismantling timber constructions, opening packing cases and removing nails (depending on the type of bar).

Chisel and V-Notch Wrecking Bar

For general dismantling and stripping applications, within a wide range of industries.

Length	Order Code KEN-505	List Price/1	Offer Price/1
450mm	-7180K	£10.09	£7.47
600mm	-7240K	£11.26	£8.33
750mm	-7300K	£12.62	£9.34

Chisel and Point Crowbar For heavy duty work.

Contraction of the local division of the loc		ALL STREET, DOLLARS, DOLLARS, STREET, ST.	
Length	Order Code	List	Offer
x Width	KEN-505	Price/1	Price/1
900 x 25mm	-7360K	£12.66	£9.37
1200 x 28mm	-7480K	£18.58	£13.75
1500 x 32mm	-7600K	£26.93	£19.93

Heel and Point Crowbar For heavy duty dismantling.

	Contraction of the American Street, St		Conception of the local division of the loca
Length	Order Code	List	Offer
x Width	KEN-505	Price/1	Price/1
900 x 25mm	-7690K	£13.94	£10.32
1200 x 25mm	-7720K	£19.54	£14.46
1500 x 32mm	-7750K	£29.74	£22.01

Super Lever Pry Bars Multi purpose. Can be used as a

nail lifter, pry bar, adze or lever.

			23
Length	Order Code	List	Offer
x Width	KEN-505	Price/1	Price/1
325 x 33mm	-8200K	£4.85	£3.59
375 x 33mm	-8250K	£4.85	£3.59

Combination Sets Containing one wrecking bar and

one pry bar 2 PIECES				3
Number of Pieces	Contents	Order Code KEN-505	List Price/1	Offer Price/1
2	450mm Wrecking Bar, 325mm Pry Bar	-8750K	£13.46	£9.15
2	600mm Wrecking Bar 375mm Pry Bar	-8760K	£14.51	£9.87

Fatmax™ Wrecking Bar

Forged, from high-carbon steel able to withstand 975 ft-lbs. of bending momentum. Tri-lobe design increases strength, durability and ease of use. High-visibility, powder-coated finish.

l					600
l		1000	The Forth Max	the statement	
		Slotted claw and be and performance.	velled ends im	prove function	ality
	Product Number	Over Length	Order Code STN-585	List Price/1	Offer Price/1
	1-55-101 1-55-102 1-55-104	356mm (15") 610mm (24") 915mm (36")	-5540K -5540P -5540W	£13.42 £16.52 £20.64	£9.80 £12.06 £15.07

12" Wonderbar® Pry Bar

Forged, high carbon steel for increased strength and durability. Heattreated for increased durability. Polished and bevelled cutting edges. Contoured bar makes pulling nails, prying, lifting and scraping easier. Bevelled nail slot at both ends. High visibility,

powder-coated i Blade width:	finish.			
44mm, 1 ^{3/} 4".				
Overall length:				
314mm, 123/8"				
Product	Overall	Order Code	List	Offer
Number	Length	STN-585	Price/1	Price/1
1-55-555 3	314mm (123⁄8")	-5555R	£8.48	£6.19



GROUP

HAND TOOLS

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES All Prices Exclude V.A.T. © 2014

GROUP **505** COLD CHISELS & PRY BARS

Heavy Duty Pry Bars

Manufactured from forged carbon heat treated steel with ground points. These traditional designs are ideal for use by

tradesman in any industrial environment.

Rolling Head

Suitable for use in confined spaces.

Length	Order Code	List	Offer
x Width	KEN-505	Price/1	Price/1
150 x 10mm	-8400K	£3.38	£2.50
300 x 13mm	-8420K	£6.15	£4.55
450 x 16mm	-8440K	£9.53	£7.05

Line Type

Angled blade provides greater leverage.


Length	Order Code	List	Offer
x Section	KEN-505	Price/1	Price/1
400 x 16mm	-8520K	£9.07	£6.71
600 x 20mm	-8560K	£13.01	£9.63

Rolling Head Set



14

PIECES



Number	Contents	Order Code	List	Offer
of Pieces		KEN-505	Price/1	Price/1
2	400mm Line Type 600mm Line Type	-8770K	£19.88	£13.52


Chisel & YAMOTO **Punch** Set

Chrome Vanadium Steel

Contents:

Pin punches: 3/16" x 6", 3/32" x 41/4", 1/8" x 43/4", 3/16" x 51/4" and 1/4" x 53/4

Centre punches: $\frac{5}{32}$ " x 5". Chisels: $\frac{1}{2}$ " x 6", $\frac{5}{8}$ " x $\frac{6}{2}$ ", $\frac{3}{4}$ " x $\frac{7}{2}$ " and $\frac{7}{8}$ " x 8". Taper punches: $\frac{3}{16}$ " x 10", $\frac{7}{32}$ " x 10", $\frac{5}{16}$ " x 10" and $\frac{3}{8}$ " x 10".



Plastic Handled Pry Bars



Made from square section chrome vanadium with ground points. Impact resistant plastic handles offer a more comfortable and secure grip to make these pry bars user friendly. Handles are oil and acid resistant. Suitable for a wide range of general duty applications within the packing, automotive, maintenance and assembly industries.

Straight Blade

For general duty usage



Blade Length	Order Code	List	Offer
x Width	KEN-505	Price/1	Price/1
300 x 10mm	-8300K	£13.14	£9.72
450 x 13mm	-8320K	£20.14	£14.90

Curved Blade

The curved blade provides greater leverage.

Blade Length	Order Code	List	Offer
x Width	KEN-505	Price/1	Price/1
300 x 10mm	-8340K	£12.52	£9.26
450 x 13mm	-8360K	£20.14	£14.90
600 x 13mm	-8380K	£24.18	£17.89

Sets Number Offer List Contents **KEN-505** of Pieces Price/1 Price/1 300mm Straight 300mm Curved 3 -8330K £41.24 £28.04 450mm Curved 450mm Curved 2 -8390K £39.87 £27.11 600mm Curved


Spot Weld Chisel & Bar

The Right Angled Seam Chisel and L Bar has been specially designed by Kennedy Tools for the separation of hard to reach spot welds and bonded panels as well as coping with the many traditional uses for pry and wrecking bars.

Features & benefits

- Easily separates hard-to-reach spot welded or bonded panels.
- Sharpened on three edges, the sharp end allows for penetration between the panels and both side edges allow for side impact to
- drive the panels apart without damage. • 90° end for use in hard-to-reach pinchweld areas.
- Made from a super tough alloy steel.
- Will save the technician up to 15 minutes per panel replacement.

The Right Angled Rascal Bar with three sharpened edges is designed to allow two-directional hammer use on quarter panels, rockers and any other pinchweld. The sharp end allows for penetration between the panels and the two lower edges allows for side impact to drive the panels apart. The chisel tip can be used for starting seam separation.





CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

All Prices Exclude V.A.T. © 2014