




**Chrome Molybdenum Impact Sockets & Accessories**

Manufactured from high quality chrome molybdenum steel. Black oxidised finish with permanent laser etched markings.

**1/4" Drive Metric, Standard Length, 6-Point**  
Conform to: **DIN 3129.**



Socket (mm)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
6	A	13.0	10.0	6.0	23.0	15g	-0640K	£6.61	£4.36
7	A	13.0	11.3	6.0	23.0	15g	-0650K	£6.61	£4.36
8	A	13.0	12.5	7.0	23.0	15g	-0660K	£6.61	£4.36
9	A	13.0	13.8	7.0	23.0	15g	-0670K	£6.61	£4.36
10	A	13.0	15.0	7.0	23.0	17g	-0680K	£6.61	£4.36
11	A	13.0	16.3	8.0	23.0	20g	-0690K	£6.61	£4.36
12	B	13.0	17.0	8.0	23.0	17g	-0700K	£6.61	£4.36
13	B	13.0	18.8	8.0	23.0	22g	-0710K	£6.61	£4.36
14	B	13.0	20.0	8.0	23.0	20g	-0720K	£6.61	£4.36

**1/4" Drive Reducers & Adaptors**

Male Drive x Female Drive	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
3/8" x 1/4"	40g	-7380K	£14.62	£9.65
1/4" x 3/8"	40g	-7400K	£17.19	£11.35

**3/8" Drive Metric, Standard Length, 6-Point**  
Conform to: **DIN 3129.**

Socket (mm)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
6	A	19.0	11.0	4.0	30.0	35g	-1240K	£7.11	£4.69
7	A	19.0	12.5	8.0	30.0	40g	-1250K	£7.11	£4.69
8	A	19.0	13.8	8.0	30.0	40g	-1260K	£7.11	£4.69
9	A	19.0	15.0	8.0	30.0	40g	-1270K	£7.11	£4.69
10	A	19.0	16.0	8.0	30.0	40g	-1280K	£7.11	£4.69
11	A	19.0	17.5	9.0	30.0	40g	-1290K	£7.11	£4.69
12	B	19.0	19.0	9.0	30.0	40g	-1300K	£7.11	£4.69
13	A	22.0	20.0	9.0	30.0	55g	-1310K	£7.11	£4.69
14	A	22.0	21.0	9.0	30.0	55g	-1320K	£7.11	£4.69
15	B	22.0	22.0	11.0	30.0	55g	-1330K	£7.16	£4.73
16	C	22.0	24.0	11.0	30.0	60g	-1340K	£7.70	£5.08
17	C	22.0	25.0	11.0	30.0	60g	-1350K	£7.70	£5.08
18	C	22.0	26.0	11.0	30.0	60g	-1360K	£7.80	£5.15
19	C	22.0	27.5	11.0	30.0	70g	-1370K	£8.11	£5.35
20	C	22.0	28.0	12.0	30.0	70g	-1380K	£8.27	£5.46
21	C	22.0	30.0	13.0	30.0	70g	-1390K	£8.27	£5.46
22	C	24.0	32.0	13.0	30.0	85g	-1400K	£8.27	£5.46

**3/8" Drive Reducers & Adaptors**

Male Drive x Female Drive	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
3/8" x 1/4"	40g	-7380K	£14.62	£9.65
1/4" x 3/8"	40g	-7400K	£17.19	£11.35
1/2" x 3/8"	70g	-7410K	£17.19	£11.35
3/8" x 1/2"	70g	-7420K	£18.18	£12.00



**1/4" Drive Extension Bars**

Length (mm)	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
50 (2")	24g	-7490K	£14.15	£9.34
100 (4")	43g	-7495K	£15.57	£10.28

**3/8" Drive Inch Size, Standard Length, 6-Point**  
Conform to: **SAE, USA Federal Standard GGG-W-660A.**

Socket (inch)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
1/4"	A	19.0	11.0	4.0	30.0	30g	-1430K	£7.23	£4.77
5/16"	A	19.0	12.5	8.0	30.0	30g	-1440K	£7.96	£5.25
3/8"	A	19.0	14.5	8.0	30.0	35g	-1460K	£7.96	£5.25
7/16"	A	19.0	17.0	9.0	30.0	35g	-1470K	£7.96	£5.25
1/2"	B	19.0	19.0	9.0	30.0	35g	-1480K	£7.96	£5.25
9/16"	B	20.0	20.0	9.0	30.0	40g	-1490K	£7.96	£5.25
5/8"	B	24.0	24.0	11.0	30.0	70g	-1500K	£7.96	£5.25
11/16"	B	24.0	24.0	11.0	30.0	70g	-1510K	£7.96	£5.25
3/4"	B	26.0	26.0	11.0	30.0	80g	-1520K	£7.96	£5.25

**3/8" Drive BSW Size, Standard Length, 6-Point**  
Conform to: **SAE, USA Federal Standard GGG-W-660A.**

Socket (inch)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
3/8"	A	22.0	26.5	21.0	33.5	66g	-1620K	£8.18	£5.40
7/16"	A	22.0	30.0	18.0	34.0	78g	-1630K	£9.80	£6.47

**3/8" Drive Extension Bars**

Length (mm)	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
50 (2")	24g	-7500K	£11.21	£7.40
100 (4")	43g	-7510K	£17.76	£11.72


**HAND TOOLS**

**IMPACT SOCKETS - 3/8" SQUARE DRIVE**



Manufactured from high quality chrome molybdenum steel. Black oxidised finish with permanent laser etched markings.

**3/8" Drive Metric, Deep Length, 6-Point**  
Conform to: **DIN 3129.**



Socket (mm)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
7	A	19.0	12.5	12.0	65.0	75g	-1700K	£10.85	£7.16
8	A	19.0	13.8	12.0	65.0	80g	-1710K	£10.85	£7.16
10	A	19.0	16.0	12.0	65.0	80g	-1720K	£10.85	£7.16
11	A	19.0	17.5	25.0	65.0	80g	-1730K	£10.85	£7.16
12	B	19.0	19.0	25.0	65.0	90g	-1740K	£10.85	£7.16
13	A	22.0	20.0	25.0	65.0	120g	-1750K	£10.85	£7.16
14	A	22.0	21.0	25.0	65.0	120g	-1650K	£10.85	£7.16
15	B	22.0	22.0	25.0	65.0	120g	-1760K	£10.85	£7.16
16	C	22.0	24.0	25.0	65.0	140g	-1770K	£10.85	£7.16
17	C	22.0	25.0	25.0	65.0	140g	-1780K	£11.19	£7.39
18	C	22.0	26.0	25.0	65.0	150g	-1790K	£11.19	£7.39
19	C	22.0	27.5	25.0	65.0	170g	-1800K	£11.19	£7.39
21	C	22.0	30.0	25.0	65.0	185g	-1820K	£11.19	£7.39

**3/8" Drive Inch Size, Deep Length, 6-Point**  
Conform to: **SAE, USA Federal Standard GGG-W-660A.**

Socket (inch)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
3/8"	A	19.0	14.5	12.0	65.0	80g	-1840K	£10.36	£6.84
7/16"	A	19.0	17.0	25.0	65.0	80g	-1850K	£10.36	£6.84
1/2"	B	19.0	19.0	25.0	65.0	90g	-1860K	£10.36	£6.84
9/16"	B	20.0	20.0	25.0	65.0	100g	-1870K	£10.36	£6.84
3/4"	B	26.0	26.0	25.0	65.0	100g	-1880K	£11.07	£7.31


**3/8" Drive BSW, Deep Length, 6-Point**  
Conform to: **SAE, USA Federal Standard GGG-W-660A.**

Socket (inch)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
3/8"	A	22.0	26.5	42.5	57.5	126g	-1910K	£11.92	£7.87



**Square Drive Impact Extractor Sockets**  
Extracts rounded, seized or painted right hand threaded fasteners, the reverse spiral flutes are designed to bite into seized nuts and bolts providing greater grip for extraction. The ejector pin is to drive out the fasteners from sockets, once removed.

**Contents:** 10, 11, 12, 13, 14, 15, 16, 17 and 19mm extractor sockets plus ejector pin.



**Replacement Ejector Pin**

Product Number	Sizes (mm)	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
SSE10M	10 - 19	660g	-9800K	£55.50	£29.97
To Suit	Weight each	Order Code KEN-583	List Price/1	Offer Price/1	
SSE10M	11g	-7960K	£2.67	£1.76	



**Hex Driver Impact Sockets 3/8" Sq. Dr.**

**3/8" Hexagon sizes:** 4, 5, 6, 7, 8, 10 and 12mm.  
Conforms to **DIN 3129.**



Size (mm)	Overall Length	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
4	50mm	40g	-1960K	£6.89	£4.55
5	50mm	45g	-1962K	£6.89	£4.55
6	50mm	45g	-1964K	£6.89	£4.55
7	50mm	45g	-1966K	£6.89	£4.55
8	50mm	50g	-1968K	£6.89	£4.55
10	50mm	60g	-1970K	£6.89	£4.55
12	50mm	70g	-1972K	£6.89	£4.55

**7 Piece Set**  
Contents as above.

**7 PIECES**



Number of Pieces	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
7	550g	-9820K	£40.95	£22.11

**Impact Socket Set**

**3/8" Standard length:** metric 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 and 22mm.

**Standard length:** A/F 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4".

**Deep metric:** 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 and 21mm.

**39 PIECES**



Number of Pieces	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
39	3.50kg	-9810K	£136.00	£73.44

**Individual Extractor Sockets**



Size (mm)	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
10	33g	-1980K	£6.78	£4.47
11	34g	-1981K	£6.78	£4.47
12	35g	-1982K	£6.78	£4.47
13	36g	-1983K	£6.78	£4.47
14	37g	-1984K	£6.78	£4.47
15	51g	-1985K	£6.78	£4.47
16	57g	-1986K	£7.33	£4.84
17	68g	-1987K	£7.33	£4.84
19	85g	-1989K	£7.33	£4.84


**HAND TOOLS**





Manufactured from high quality chrome molybdenum steel. Black oxidised finish with permanent laser etched markings.

**1/2" Drive Metric, Standard Length, 6-Point**  
Conform to: **DIN 3129.**



**Style A**

**Style B**

**Style C**

Socket (mm)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
9	A	25.0	12.0	12.0	38.0	90g	-2010K	£8.18	£5.40
10	A	25.0	17.5	12.0	38.0	90g	-2020K	£8.18	£5.40
11	A	25.0	18.7	12.0	38.0	95g	-2030K	£8.27	£5.46
12	A	25.0	20.0	12.0	38.0	100g	-2040K	£8.41	£5.55
13	A	25.0	21.0	12.0	38.0	100g	-2050K	£8.41	£5.55
14	A	25.0	22.5	12.0	38.0	100g	-2060K	£8.69	£5.74
15	A	30.0	23.7	12.0	38.0	140g	-2070K	£8.71	£5.75
16	A	30.0	25.0	12.0	38.0	140g	-2080K	£9.01	£5.95
17	A	30.0	26.0	13.0	38.0	140g	-2090K	£9.01	£5.95
18	A	30.0	27.5	13.0	38.0	140g	-2100K	£9.01	£5.95
19	A	30.0	28.7	13.0	38.0	140g	-2110K	£9.63	£6.36
20	B	30.0	30.0	13.0	38.0	140g	-2120K	£10.79	£7.12
21	B	30.0	30.0	13.0	38.0	130g	-2130K	£11.10	£7.33
22	C	30.0	32.0	13.0	38.0	140g	-2140K	£11.94	£7.88
23	C	30.0	32.0	13.0	38.0	140g	-2150K	£12.29	£8.11
24	C	30.0	35.0	20.0	45.0	180g	-2160K	£12.88	£8.50
26	C	30.0	38.0	22.0	50.0	200g	-2180K	£14.44	£9.53
27	C	30.0	38.7	22.0	50.0	310g	-2190K	£15.05	£9.93
28	C	30.0	40.0	22.0	50.0	230g	-2200K	£21.64	£14.28
30	C	30.0	42.0	22.0	50.0	230g	-2220K	£22.95	£15.15
32	C	30.0	44.0	28.0	50.0	250g	-2230K	£23.79	£15.70
36	C	30.0	49.0	28.0	50.0	250g	-2250K	£24.51	£16.18



**1/2" Drive Inch Size, Standard Length, 6-Point**  
Conform to: **SAE, USA Federal Standard GGG-W-660A.**

Socket (inch)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
3/8"	A	22.0	16.0	12.0	38.0	70g	-2270K	£8.18	£5.40
7/16"	A	22.0	18.0	12.0	38.0	70g	-2280K	£8.41	£5.55
1/2"	A	22.0	20.0	12.0	38.0	70g	-2290K	£8.41	£5.55
9/16"	A	24.0	22.0	12.0	38.0	80g	-2300K	£8.41	£5.55
5/8"	B	25.0	25.0	12.0	38.0	85g	-2320K	£8.71	£5.75
11/16"	B	26.0	26.0	13.0	38.0	90g	-2330K	£8.61	£5.68
3/4"	B	28.0	28.0	13.0	38.0	100g	-2340K	£9.03	£5.96
13/16"	B	30.0	30.0	13.0	38.0	125g	-2350K	£10.41	£6.87
7/8"	B	32.0	32.0	13.0	38.0	150g	-2360K	£11.63	£7.68
15/16"	B	34.0	34.0	13.0	38.0	170g	-2370K	£12.24	£8.08
1"	B	36.0	36.0	14.0	38.0	190g	-2380K	£14.96	£9.87
1 1/16"	B	38.0	38.0	16.0	40.0	205g	-2390K	£15.57	£10.28
1 1/8"	C	38.0	40.0	16.0	40.0	235g	-2400K	£16.93	£11.17
1 3/16"	C	38.0	42.0	16.0	40.0	255g	-2410K	£18.51	£12.22
1 1/4"	C	38.0	44.0	18.0	40.0	270g	-2420K	£22.13	£14.61

**1/2" Drive BSW Size, Standard Length, 6-Point**  
Conform to: **SAE, USA Federal Standard GGG-W-660A.**

Socket (BSW)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
5/16"	A	30.0	25.0	12.0	38	140g	-2510K	£8.84	£5.83
3/8"	A	30.0	27.5	13.0	38	140g	-2520K	£8.84	£5.83
7/16"	B	30.0	30.0	13.0	38	140g	-2530K	£11.57	£7.64
1/2"	C	30.0	35.0	20.0	45	190g	-2540K	£12.95	£8.55
9/16"	C	30.0	38.0	22.0	50	210g	-2550K	£14.20	£9.37
5/8"	C	30.0	40.0	22.0	50	305g	-2560K	£17.80	£11.75
11/16"	C	30.0	44.0	28.0	50	305g	-2570K	£18.38	£12.13
3/4"	C	30.0	44.0	28.0	50	305g	-2580K	£27.06	£17.86

**Impact Socket Sets**

The sockets are manufactured from the highest quality chrome molybdenum steel which is clearly laser etched with the size for easy and rapid identification. Tough, impact-resistant carry case. Conforms to: **Metric DIN 3129, Inch SAE USA Federal Standard GGG-W-660A.**

**9 Piece Set - Metric**

Standard length: 10, 12, 13, 14, 17, 19, 24, 27 and 30mm.

**1/2"** **9** **PIECES**



Number of Pieces	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
9	1.70kg	-9870K	£56.75	£30.65

**18 Piece Set - Metric**

Standard length: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 26, 27, 30 and 32mm.

**1/2"** **18** **PIECES**



Number of Pieces	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
18	3.40kg	-9860K	£116.00	£62.64

**HAND TOOLS**

**KENNEDY** Chrome Molybdenum Impact Sockets  
QUALITY INDUSTRIAL TOOLING

Manufactured from high quality chrome molybdenum steel. Black oxidised finish with permanent laser etched markings.



1/2" Drive Reducers & Adaptors

Male Drive x Female Drive	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
1/2" x 3/8"	70g	-7410K	£17.19	£11.35
3/8" x 1/2"	70g	-7420K	£18.18	£12.00
3/4" x 1/2"	175g	-7430K	£22.30	£14.72
1/2" x 3/4"	335g	-7440K	£29.63	£19.56




Universal Ball Joint

Male Drive x Female Drive	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
1/2" x 1/2"	140g	-7840K	£48.05	£31.71



1/2" Drive Metric, Deep Length, 6-Point  
Conform to: DIN 3129.



Style A

Style B

Style C

Socket (mm)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
10	A	25.0	17.5	14.0	78.0	170g	-2600K	£16.25	£10.73
11	A	25.0	18.7	14.0	78.0	170g	-2610K	£16.25	£10.73
12	A	25.0	20.0	14.0	78.0	175g	-2620K	£16.25	£10.73
13	A	25.0	21.0	14.0	78.0	180g	-2630K	£16.25	£10.73
14	A	25.0	22.5	17.0	78.0	210g	-2640K	£16.25	£10.73
15	A	30.0	23.7	17.0	78.0	200g	-2650K	£16.86	£11.13
16	A	30.0	25.0	17.0	78.0	200g	-2660K	£17.29	£11.41
17	A	30.0	26.0	17.0	78.0	260g	-2670K	£17.51	£11.56
18	A	30.0	27.5	17.0	78.0	270g	-2680K	£17.29	£11.41
19	A	30.0	28.7	19.0	78.0	260g	-2690K	£17.29	£11.41
21	B	30.0	30.0	24.0	78.0	260g	-2700K	£18.58	£12.26
22	C	30.0	32.0	24.0	78.0	290g	-2710K	£19.86	£13.11
23	C	30.0	32.0	24.0	78.0	290g	-2720K	£19.86	£13.11
24	C	30.0	35.0	24.0	78.0	290g	-2730K	£19.86	£13.11
27	C	30.0	38.7	24.0	78.0	330g	-2740K	£24.24	£16.00
28	C	30.0	40.0	54.0	78.0	350g	-2750K	£28.89	£19.07
30	C	30.0	42.0	54.0	78.0	450g	-2760K	£30.61	£20.20
32	C	30.0	44.0	54.0	78.0	370g	-2770K	£31.74	£20.95

1/2" Drive Extension Bars

Length (mm)	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
125 (5")	230g	-7520K	£23.77	£15.69
150 (6")	270g	-7530K	£18.20	£12.01
250 (10")	445g	-7540K	£33.40	£22.04
300 (12")	620g	-7550K	£43.90	£28.97
380 (15")	740g	-7560K	£50.40	£33.26



Hub Nut Impact Socket Set - 7 Piece

These extra deep sockets are six point single hexagon with a black oxidised finish and conform to DIN 3129, Inch SAE and USA Federal Standard GGG-W-660A.

Impact resistant storage case.

Socket sizes: 29, 30, 32, 34, 35, 36 and 38mm.



7 PIECES

Number of Pieces	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
7	5.3kg	-9888K	£127.95	£69.09

1/2" Drive Inch Size, Deep Length, 6-Point

Conform to: SAE, USA Federal Standard GGG-W-660A.

Socket (inch)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
3/8"	A	22.0	16.0	14.0	78.0	140g	-2780K	£17.56	£11.59
7/16"	A	22.0	18.0	14.0	78.0	160g	-2790K	£17.56	£11.59
1/2"	A	22.0	20.0	14.0	78.0	200g	-2800K	£17.78	£11.73
9/16"	A	24.0	22.0	17.0	78.0	180g	-2810K	£18.61	£12.28
5/8"	B	24.0	24.0	17.0	78.0	210g	-2820K	£18.92	£12.49
11/16"	B	26.0	26.0	17.0	78.0	190g	-2830K	£19.32	£12.75
3/4"	B	28.0	28.0	19.0	78.0	235g	-2840K	£20.80	£13.73
13/16"	B	30.0	30.0	24.0	78.0	260g	-2850K	£21.35	£14.09
7/8"	B	32.0	32.0	24.0	78.0	290g	-2860K	£22.47	£14.83
15/16"	B	34.0	34.0	24.0	78.0	340g	-2870K	£23.12	£15.26
1"	B	36.0	36.0	24.0	78.0	340g	-2880K	£26.85	£17.72
1 1/16"	B	38.0	38.0	24.0	78.0	440g	-2890K	£30.08	£19.85
1 1/8"	C	38.0	40.0	54.0	78.0	410g	-2900K	£30.08	£19.85

1/2" Drive BSW Size, Deep Length, 6-Point

Conform to: SAE, USA Federal Standard GGG-W-660A.

Socket (BSW)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
5/16"	A	30.0	25.0	17.0	78	200g	-2910K	£17.26	£11.39
3/8"	A	30.0	27.5	17.0	78	250g	-2920K	£18.00	£11.88
7/16"	B	30.0	30.0	24.0	78	300g	-2930K	£19.60	£12.94
1/2"	C	30.0	35.0	24.0	78	360g	-2940K	£23.45	£15.48
9/16"	C	30.0	38.7	54.0	78	440g	-2950K	£26.24	£17.32
5/8"	C	30.0	40.0	54.0	78	480g	-2960K	£27.16	£17.93
11/16"	C	30.0	44.0	54.0	78	500g	-2970K	£33.67	£22.22
3/4"	C	30.0	44.0	54.0	78	450g	-2980K	£39.65	£26.17

7 Piece Set - Deep Metric

10, 13, 14, 17, 19, 24 and 30mm.



Number of Pieces	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
7	2.20kg	-9880K	£73.75	£39.83

CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES

All Prices Exclude V.A.T. © 2014



**GROUP 583 IMPACT SOCKETS - 1/2" SQUARE DRIVE**

**KENNEDY** Impact Wheel Nut Sockets  
QUALITY INDUSTRIAL TOOLING

**Socket sizes:** 17, 19 and 21mm.  
Colour coded for easy identification.  
Can be used with retainer rings or pins.



Size (mm)	Overall Length	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
17	85mm	225g	-3080K	£12.17	£8.03
19	85mm	225g	-3082K	£13.04	£8.61
21	85mm	255g	-3084K	£13.79	£9.10

**3 Piece Set**  
Contains one of each size 17, 19 and 21mm.



**3 PIECES**



Number of Pieces	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
3	895g	-9886K	£34.95	£18.87

**Impact Hexagon Bit Drivers**

**Hexagon sizes:** 6, 7, 8, 10, 12, 14, 15, 17, 18 and 19mm.



Size (mm)	Overall Length	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
6	75mm	95g	-3010K	£8.21	£5.42
7	75mm	95g	-3012K	£8.21	£5.42
8	75mm	105g	-3014K	£8.21	£5.42
10	75mm	120g	-3016K	£8.21	£5.42
12	75mm	130g	-3018K	£8.35	£5.51
14	75mm	150g	-3020K	£8.52	£5.62
15	75mm	155g	-3022K	£8.72	£5.76
17	75mm	175g	-3024K	£9.24	£6.10
18	75mm	195g	-3026K	£9.32	£6.15
19	75mm	200g	-3028K	£10.11	£6.67

**10 Piece Set**  
Contains one of each size 6mm to 19mm as shown left.



**10 PIECES**



Number of Pieces	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
10	1.76kg	-9882K	£78.50	£42.39

**Impact TX Bit Driver Sockets**


**TX drivers:** T40, T45, T47, T50, T55, T60 and T70.



Size	Overall Length	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
T40	55mm	80g	-3060K	£12.33	£8.14
T45	55mm	80g	-3062K	£12.33	£8.14
T47	55mm	85g	-3064K	£12.33	£8.14
T50	55mm	85g	-3066K	£12.33	£8.14
T55	55mm	90g	-3068K	£12.33	£8.14
T60	55mm	95g	-3070K	£12.66	£8.36
T70	55mm	105g	-3072K	£12.66	£8.36

**16 Piece Set Contents:**  
**TX drivers (length 55mm):** T40, T45, T47, T50, T55, T60, T70.  
**TX sockets:** E10, E11, E12, E14, E16, E18, E20, E22, E24.  
Conform to **DIN 3129**. Supplied in tough, impact-resistant plastic storage case.

**16 PIECES**



Number of Pieces	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
16	1.91kg	-9884K	£159.00	£85.86

**Impact TX Sockets**



Size	Overall Length	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
E10	40mm	70g	-3040K	£12.34	£8.14
E11	40mm	70g	-3042K	£12.34	£8.14
E12	40mm	70g	-3044K	£12.34	£8.14
E14	45mm	75g	-3046K	£12.34	£8.14
E16	45mm	75g	-3048K	£12.34	£8.14
E18	45mm	75g	-3050K	£12.68	£8.37
E20	45mm	115g	-3052K	£12.68	£8.37
E22	45mm	140g	-3054K	£12.68	£8.37
E24	45mm	145g	-3056K	£12.68	£8.37


**HAND TOOLS**



**KENNEDY** Chrome Molybdenum  
QUALITY INDUSTRIAL TOOLING Impact Sockets

Manufactured from high quality chrome molybdenum steel. Black oxidised finish with permanent laser etched markings.

**3/4" Drive Metric, Standard Length, 6-Point**  
Conform to: **DIN 3129.**



Socket (mm)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
16	A	44.0	27.0	12.0	50.0	350g	-3090K	£18.92	£12.49
17	A	44.0	31.0	12.0	50.0	405g	-3100K	£18.92	£12.49
18	A	44.0	32.0	12.0	50.0	400g	-3110K	£18.92	£12.49
19	A	44.0	33.0	14.0	50.0	405g	-3120K	£18.92	£12.49
20	A	44.0	34.0	16.0	50.0	400g	-3130K	£18.92	£12.49
21	A	44.0	35.0	16.0	50.0	415g	-3140K	£18.92	£12.49
22	A	44.0	37.0	16.0	50.0	410g	-3150K	£18.92	£12.49
23	A	44.0	38.0	16.0	50.0	410g	-3160K	£18.92	£12.49
24	A	44.0	39.0	16.0	50.0	415g	-3170K	£18.92	£12.49
25	A	44.0	40.0	16.0	50.0	400g	-3180K	£22.67	£14.96
26	A	44.0	41.0	16.0	50.0	400g	-3190K	£22.67	£14.96
27	A	44.0	43.0	16.0	54.0	435g	-3200K	£23.62	£15.59
28	B	44.0	44.0	23.0	54.0	400g	-3210K	£23.62	£15.59
29	C	44.0	45.0	23.0	54.0	410g	-3220K	£23.62	£15.59
30	C	44.0	47.0	23.0	54.0	440g	-3230K	£23.62	£15.59
32	C	44.0	49.0	23.0	56.0	470g	-3240K	£23.62	£15.59
33	C	44.0	51.0	23.0	56.0	510g	-3250K	£23.62	£15.59
34	C	44.0	52.0	23.0	56.0	515g	-3260K	£23.62	£15.59
35	C	44.0	53.0	23.0	56.0	515g	-3270K	£30.47	£20.11
36	C	44.0	54.0	23.0	56.0	520g	-3280K	£30.47	£20.11
38	C	44.0	57.0	24.0	58.0	590g	-3300K	£33.57	£22.16
41	C	44.0	60.0	24.0	58.0	630g	-3310K	£36.06	£23.80
42	C	44.0	62.0	24.0	58.0	650g	-3320K	£39.57	£26.12
46	C	44.0	67.0	27.0	63.0	655g	-3330K	£40.58	£26.78
47	C	44.0	68.0	32.0	68.0	1150g	-3340K	£47.12	£31.10
50	C	44.0	71.0	35.0	72.0	1200g	-3350K	£59.52	£39.28


**3/4" Drive Inch Size, Standard Length, 6-Point**  
Conform to: **SAE, USA Federal Standard GGG-W-660A.**

Socket (inch)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
5/8"	A	38.0	27.5	12.0	50	250g	-3360K	£22.38	£14.77
11/16"	A	38.0	29.0	12.0	50	250g	-3370K	£25.49	£16.82
3/4"	A	38.0	30.0	14.0	50	240g	-3380K	£22.37	£14.76
13/16"	A	38.0	32.0	16.0	52	250g	-3390K	£23.71	£15.65
7/8"	A	38.0	34.0	16.0	52	265g	-3400K	£23.71	£15.65
15/16"	A	38.0	36.0	16.0	52	270g	-3410K	£24.16	£15.95
1"	C	38.0	40.0	16.0	52	300g	-3420K	£24.52	£16.18
1 1/16"	C	38.0	40.0	16.0	52	285g	-3430K	£24.51	£16.18
1 1/8"	B	42.0	42.0	20.0	52	300g	-3440K	£25.65	£16.93
1 3/16"	B	44.0	44.0	20.0	52	390g	-3450K	£27.36	£18.06
1 1/4"	B	44.0	44.0	20.0	52	370g	-3460K	£28.86	£19.05
1 5/16"	C	44.0	47.0	23.0	56	415g	-3470K	£34.29	£22.63
1 3/8"	C	44.0	50.0	23.0	56	470g	-3480K	£36.51	£24.10
1 7/16"	C	44.0	51.0	23.0	56	475g	-3490K	£38.92	£25.69
1 1/2"	C	44.0	53.0	23.0	56	635g	-3500K	£40.33	£26.62
1 5/8"	C	44.0	58.0	27.0	62	610g	-3520K	£45.10	£29.77
1 11/16"	C	44.0	63.5	27.0	62	630g	-3530K	£51.66	£34.10
1 3/4"	C	44.0	65.0	27.0	62	770g	-3540K	£60.03	£39.62
1 13/16"	C	44.0	67.0	32.0	68	795g	-3550K	£59.04	£38.97
1 7/8"	C	44.0	68.0	32.0	68	940g	-3560K	£59.93	£39.55

**3/4" Drive BSW Size, Standard Length, 6-Point**  
Conform to: **SAE, USA Federal Standard GGG-W-660A.**

Socket (BSW)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
9/16"	A	44.0	41.0	16.0	50	300g	-3620K	£26.42	£17.44
11/16"	C	44.0	49.0	23.0	56	350g	-3640K	£30.84	£20.35
3/4"	C	44.0	51.0	23.0	56	490g	-3650K	£36.08	£23.81
7/8"	C	44.0	57.0	24.0	58	630g	-3670K	£41.95	£27.69
1"	C	44.0	62.0	24.0	58	300g	-3690K	£51.38	£33.91
1 1/8"	C	44.0	68.0	32.0	68	335g	-3710K	£63.61	£41.98
1 1/4"	C	44.0	71.0	35.0	72	1200g	-3720K	£77.17	£50.93

**3/4" Drive Metric, Deep Length, 6-Point**  
Conform to: **DIN 3129.**



Socket (mm)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
17	A	44.0	31.0	20.0	95.0	605g	-3810K	£35.40	£23.36
18	A	44.0	32.0	20.0	95.0	610g	-3820K	£35.40	£23.36
19	A	44.0	33.0	23.0	95.0	625g	-3830K	£35.40	£23.36
21	A	44.0	35.0	23.0	95.0	630g	-3850K	£35.40	£23.36
22	A	44.0	37.0	23.0	95.0	650g	-3860K	£35.40	£23.36
24	A	44.0	39.0	51.0	95.0	660g	-3880K	£35.40	£23.36
25	A	44.0	40.0	51.0	95.0	735g	-3890K	£35.40	£23.36
26	A	44.0	41.0	51.0	95.0	420g	-3900K	£35.40	£23.36
27	A	44.0	43.0	62.0	95.0	420g	-3910K	£35.40	£23.36
28	B	44.0	44.0	62.0	95.0	450g	-3920K	£35.40	£23.36
30	C	44.0	47.0	62.0	95.0	750g	-3940K	£35.40	£23.36
32	C	44.0	49.0	62.0	95.0	860g	-3960K	£35.40	£23.36
33	C	44.0	51.0	62.0	95.0	850g	-3970K	£40.83	£26.95
34	C	44.0	52.0	62.0	95.0	850g	-3980K	£44.65	£29.47
36	C	44.0	54.0	62.0	95.0	880g	-4000K	£52.77	£34.83
38	C	44.0	57.0	60.0	95.0	930g	-4020K	£57.69	£38.08
41	C	44.0	60.0	60.0	95.0	1100g	-4050K	£61.14	£40.35
42	C	44.0	62.0	60.0	95.0	1150g	-4060K	£63.27	£41.76
46	C	44.0	67.0	58.0	95.0	1200g	-4100K	£63.99	£42.23
47	C	44.0	68.0	58.0	95.0	1300g	-4110K	£65.97	£43.54

**3/4" Drive Inch Size, Deep Length, 6-Point**  
Conform to: **SAE, USA Federal Standard GGG-W-660A.**

Socket (inch)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
3/4"	A	38.0	30.0	23.0	85.0	400g	-4160K	£37.04	£24.45
7/8"	A	38.0	34.0	23.0	85.0	430g	-4180K	£36.83	£24.31
15/16"	A	38.0	36.0	41.0	85.0	425g	-4190K	£36.83	£24.31
1"	C	38.0	40.0	41.0	85.0	425g	-4200K	£36.90	£24.35
1 1/16"	C	38.0	40.0	52.0	85.0	425g	-4210K	£38.31	£25.28
1 1/8"	B	42.0	42.0	52.0	85.0	520g	-4220K	£39.52	£26.08
1 3/16"	B	44.0	44.0	52.0	85.0	520g	-4230K	£43.32	£28.59
1 1/4"	C	44.0	49.0	52.0	85.0	530g	-4240K	£46.15	£30.46
1 5/16"	C	44.0	50.0	52.0	85.0	595g	-4250K	£52.70	£34.78
1 7/16"	C	44.0	51.0	52.0	85.0	600g	-4270K	£63.51	£41.92
1 1/2"	C	44.0	57.0	60.0	95.0	700g	-4280K	£69.77	£46.05
1 7/8"	C	44.0	68.0	58.0	95.0	800g	-4340K	£94.28	£62.22

**3/4" Drive BSW Size, Deep Length, 6-Point**  
Conform to: **SAE, USA Federal Standard GGG-W-660A.**

Socket (BSW)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
3/4"	C	44.0	51.0	62.0	95	440g	-4450K	£56.29	£37.15
13/16"	C	44.0	54.0	62.0	95	450g	-4460K	£57.37	£37.86
7/8"	C	44.0	57.0	60.0	95	500g	-4470K	£61.93	£40.87

**CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES**

All Prices Exclude V.A.T. © 2014

**HAND TOOLS**



**KENNEDY** *Chrome Molybdenum Impact Sockets*  
QUALITY INDUSTRIAL TOOLING



Manufactured from high quality chrome molybdenum steel. Black oxidised finish with permanent laser etched markings.

**3/4" Drive Reducers & Adaptors**

Male Drive x Female Drive	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
3/4" x 1/2"	175g	-7430K	£22.30	<b>£14.72</b>
1/2" x 3/4"	335g	-7440K	£29.63	<b>£19.56</b>
1" x 3/4"	175g	-7450K	£44.02	<b>£29.05</b>



**Universal Ball Joint**

Male Drive x Female Drive	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
3/4" x 3/4"	640g	-7860K	£92.11	<b>£60.79</b>



**Retaining Rings**

Supplied with pins

To Suit Outside Dia.	Square Drive	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
38 - 44mm	3/4"	8g	-8200K	£2.82	<b>£1.86</b>
48 - 54mm	3/4"	16g	-8210K	£2.82	<b>£1.86</b>
46 - 58mm	1"	16g	-8300K	£3.09	<b>£2.04</b>
62mm	1"	18g	-8310K	£3.09	<b>£2.04</b>
78 - 86mm	1"	31g	-8320K	£3.09	<b>£2.04</b>



**7 Piece Set - Metric**

Standard length: 19, 24, 27, 30, 32, 36 and 46mm.



**7 PIECES**



Number of Pieces	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
7	4.20kg	-9890K	£125.75	<b>£67.91</b>

**3/4" Drive Extension Bars**



Length (mm)	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
100 (4")	470g	-7570K	£48.21	<b>£31.82</b>
150 (6")	810g	-7580K	£51.89	<b>£34.25</b>
230 (9")	900g	-7600K	£64.70	<b>£42.70</b>
250 (10")	1350g	-7610K	£74.33	<b>£49.06</b>
300 (12")	1500g	-7620K	£74.82	<b>£49.38</b>
400 (15 3/4")	1900g	-7640K	£84.03	<b>£55.46</b>

**1" Drive Metric, Standard Length, 6-Point**

Conform to: DIN 3129.



Socket (mm)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
21	A	54.0	37.5	17.0	58.0	675g	-5050K	£32.10	<b>£21.19</b>
22	A	54.0	40.0	17.0	58.0	790g	-5060K	£32.10	<b>£21.19</b>
24	A	54.0	42.0	17.0	58.0	680g	-5080K	£32.10	<b>£21.19</b>
25	A	54.0	43.0	17.0	58.0	670g	-5090K	£32.10	<b>£21.19</b>
26	A	54.0	44.5	17.0	58.0	660g	-5100K	£32.10	<b>£21.19</b>
27	A	54.0	46.0	17.0	58.0	695g	-5110K	£32.10	<b>£21.19</b>
28	A	54.0	47.0	17.0	58.0	670g	-5120K	£32.10	<b>£21.19</b>
29	A	54.0	48.0	19.0	60.0	725g	-5130K	£32.10	<b>£21.19</b>
30	A	54.0	50.0	21.0	60.0	730g	-5140K	£32.10	<b>£21.19</b>
32	A	54.0	52.0	21.0	60.0	715g	-5160K	£32.10	<b>£21.19</b>
33	A	54.0	53.0	21.0	60.0	715g	-5170K	£32.10	<b>£21.19</b>
34	B	54.0	55.0	21.0	62.0	720g	-5180K	£32.10	<b>£21.19</b>
35	B	54.0	55.0	21.0	62.0	740g	-5190K	£34.76	<b>£22.94</b>
36	B	54.0	56.0	30.0	65.0	740g	-5200K	£36.94	<b>£24.38</b>
37	B	54.0	59.0	30.0	65.0	720g	-5210K	£36.94	<b>£24.38</b>
38	B	54.0	59.0	30.0	65.0	780g	-5220K	£36.94	<b>£24.38</b>
41	B	54.0	63.0	31.0	67.0	900g	-5250K	£40.29	<b>£26.59</b>
42	B	54.0	64.0	36.0	74.0	1100g	-5260K	£40.29	<b>£26.59</b>
46	B	54.0	69.0	36.0	74.0	1050g	-5290K	£49.61	<b>£32.74</b>
47	B	54.0	72.0	36.0	74.0	1000g	-5300K	£46.27	<b>£30.54</b>
48	B	54.0	73.0	36.0	74.0	1000g	-5310K	£46.27	<b>£30.54</b>
50	B	54.0	74.0	42.0	80.0	1300g	-5330K	£61.57	<b>£40.64</b>
52	B	54.0	77.0	44.0	84.0	1500g	-5350K	£71.49	<b>£47.18</b>
55	B	54.0	80.0	44.0	84.0	1600g	-5380K	£75.69	<b>£49.96</b>
56	B	54.0	81.0	44.0	84.0	1750g	-5390K	£79.01	<b>£52.15</b>
60	B	54.0	86.0	44.0	87.0	1800g	-5430K	£89.42	<b>£59.02</b>
65	B	54.0	92.0	46.0	90.0	2100g	-5460K	£123.00	<b>£81.18</b>
70	B	54.0	99.0	51.0	96.0	2400g	-5480K	£126.00	<b>£83.16</b>
75	B	86.0	104.0	52.0	98.0	3500g	-5500K	£160.00	<b>£105.60</b>
80	B	86.0	109.0	52.0	100.0	3700g	-5520K	£194.00	<b>£128.04</b>
85	B	86.0	115.0	52.0	100.0	3800g	-5530K	£225.00	<b>£148.50</b>
90	B	86.0	119.0	55.0	105.0	3800g	-5550K	£274.00	<b>£180.84</b>
95	B	86.0	130.0	55.0	105.0	3900g	-5570K	£299.00	<b>£197.34</b>
100	B	86.0	140.0	55.0	105.0	3900g	-5580K	£308.00	<b>£203.28</b>

**1" Drive Inch Size, Standard Length, 6-Point**

Conform to: SAE, USA Federal Standard GGG-W-660A.

Socket (inch)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
7/8"	A	51.0	39.0	17.0	58.0	700g	-5610K	£31.68	<b>£20.91</b>
15/16"	A	51.0	40.0	17.0	58.0	505g	-5620K	£33.53	<b>£22.13</b>
1"	A	51.0	42.0	17.0	58.0	680g	-5630K	£33.91	<b>£22.38</b>
1 1/16"	A	51.0	44.0	17.0	58.0	710g	-5640K	£34.05	<b>£22.47</b>
1 1/8"	A	51.0	46.0	19.0	58.0	550g	-5650K	£35.40	<b>£23.36</b>
1 3/16"	A	51.0	48.0	21.0	60.0	550g	-5660K	£35.93	<b>£23.71</b>
1 1/4"	B	51.0	51.0	21.0	60.0	570g	-5670K	£36.45	<b>£24.06</b>
1 5/16"	C	52.0	53.0	21.0	62.0	680g	-5680K	£39.06	<b>£25.78</b>
1 7/16"	C	52.0	56.0	26.0	62.0	680g	-5700K	£45.48	<b>£30.02</b>
1 1/2"	C	52.0	58.0	26.0	62.0	700g	-5710K	£47.70	<b>£31.48</b>
1 9/16"	C	52.0	58.0	26.0	62.0	680g	-5720K	£50.18	<b>£33.12</b>
1 5/8"	C	52.0	61.5	26.0	62.0	680g	-5730K	£53.67	<b>£35.42</b>
1 11/16"	C	52.0	65.0	27.0	64.0	1100g	-5740K	£58.65	<b>£38.71</b>
1 3/4"	C	58.0	66.0	27.0	64.0	1000g	-5750K	£61.05	<b>£40.29</b>
1 13/16"	C	58.0	68.0	27.0	64.0	1000g	-5760K	£62.40	<b>£41.18</b>
1 7/8"	C	58.0	70.0	28.0	66.0	1500g	-5770K	£63.43	<b>£41.86</b>
2"	C	58.0	74.0	31.0	70.0	1700g	-5790K	£80.13	<b>£52.89</b>
2 1/16"	C	58.0	75.0	31.0	70.0	1200g	-5800K	£81.40	<b>£53.72</b>
2 1/8"	C	58.0	78.0	31.0	70.0	1400g	-5810K	£84.29	<b>£55.63</b>
2 3/16"	C	62.0	80.0	32.0	72.0	1600g	-5820K	£89.16	<b>£58.85</b>
2 1/4"	C	62.0	84.0	34.0	75.0	1600g	-5830K	£98.25	<b>£64.85</b>
2 3/8"	C	62.0	87.0	35.0	78.0	1700g	-5850K	£120.00	<b>£79.20</b>
2 1/2"	C	62.0	91.0	36.0	80.0	1900g	-5870K	£137.00	<b>£90.42</b>
2 9/16"	C	62.0	93.0	36.0	80.0	1900g	-5880K	£140.00	<b>£92.40</b>
2 5/8"	C	62.0	95.0	38.0	82.0	1900g	-5890K	£150.00	<b>£99.00</b>
2 3/4"	C	62.0	98.0	40.0	85.0	2000g	-5910K	£202.00	<b>£133.32</b>
2 13/16"	C	62.0	100.0	40.0	87.0	2100g	-5920K	£197.00	<b>£130.02</b>
3"	C	86.0	106.0	52.0	98.0	2300g	-5950K	£239.00	<b>£157.74</b>
3 1/8"	C	86.0	109.0	52.0	100.0	3700g	-5970K	£263.00	<b>£173.58</b>
3 1/2"	C	86.0	125.0	52.0	105.0	3800g	-6000K	£343.00	<b>£226.38</b>

**1" Drive BSW Size, Standard Length, 6-Point**

Conform to: SAE, USA Federal Standard GGG-W-660A.

Socket (BSW)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
1 1/16"	A	54.0	52.0	21.0	60	900g	-6080K	£38.73	<b>£25.56</b>
3/4"	B	54.0	55.0	21.0	62	700g	-6090K	£40.10	<b>£26.47</b>
13/16"	B	54.0	56.0	30.0	65	700g	-6100K	£47.31	<b>£31.22</b>
1"	B	54.0	64.0	36.0	74	700g	-6130K	£60.07	<b>£39.65</b>
1 1/8"	B	54.0	73.0	36.0	74	800g	-6140K	£66.53	<b>£43.91</b>
1 1/4"	B	54.0	77.0	44.0	84	1500g	-6150K	£84.07	<b>£55.49</b>
1 1/2"	B	54.0	86.0	44.0	87	1800g	-6170K	£126.00	<b>£83.16</b>

**HAND TOOLS**

# IMPACT SOCKETS - 1" & 1 1/2" SQUARE DRIVE




## Chrome Molybdenum Impact Sockets & Accessories

Manufactured from high quality chrome molybdenum steel. Black oxidised finish with permanent laser etched markings.

### 1" Drive Metric, Deep Length, 6-Point

Conform to: **DIN 3129.**




Socket (mm)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
23	A	54.0	41.0	21.0	100.0	1100g	<del>-6250K</del>	£49.61	<b>£32.74</b>
24	A	54.0	42.0	21.0	100.0	1100g	<del>-6260K</del>	£49.61	<b>£32.74</b>
27	A	54.0	46.0	23.0	100.0	1200g	<del>-6290K</del>	£52.33	<b>£34.54</b>
28	A	54.0	47.0	23.0	100.0	1200g	<del>-6300K</del>	£52.83	<b>£34.87</b>
30	A	54.0	50.0	50.0	100.0	1200g	<del>-6320K</del>	£53.24	<b>£35.14</b>
32	A	54.0	52.0	50.0	100.0	1200g	<del>-6340K</del>	£54.15	<b>£35.74</b>
33	A	54.0	53.0	50.0	100.0	1200g	<del>-6350K</del>	£52.84	<b>£34.87</b>
34	B	54.0	55.0	50.0	100.0	1200g	<del>-6360K</del>	£52.84	<b>£34.87</b>
36	B	54.0	56.0	64.0	100.0	1200g	<del>-6380K</del>	£54.15	<b>£35.74</b>
37	B	54.0	57.0	64.0	100.0	1250g	<del>-6390K</del>	£75.76	<b>£50.00</b>
38	B	54.0	59.0	64.0	100.0	1300g	<del>-6400K</del>	£73.25	<b>£48.35</b>
41	B	54.0	63.0	64.0	100.0	1300g	<del>-6430K</del>	£75.76	<b>£50.00</b>
42	B	54.0	64.0	64.0	100.0	1300g	<del>-6440K</del>	£75.76	<b>£50.00</b>
46	B	54.0	69.0	62.0	100.0	1500g	<del>-6480K</del>	£93.23	<b>£61.53</b>
50	B	54.0	74.0	62.0	100.0	1600g	<del>-6520K</del>	£93.23	<b>£61.53</b>
52	B	54.0	77.0	60.0	100.0	1600g	<del>-6540K</del>	£95.18	<b>£62.82</b>
55	B	54.0	80.0	60.0	100.0	2600g	<del>-6570K</del>	£148.00	<b>£97.68</b>
56	B	54.0	81.0	65.0	105.0	2600g	<del>-6580K</del>	£148.00	<b>£97.68</b>
60	B	54.0	86.0	77.0	120.0	2600g	<del>-6630K</del>	£148.00	<b>£97.68</b>
65	B	54.0	92.0	80.0	125.0	2600g	<del>-6660K</del>	£252.00	<b>£166.32</b>
70	B	54.0	99.0	80.0	125.0	2700g	<del>-6680K</del>	£252.00	<b>£166.32</b>
75	B	86.0	109.0	87.0	135.0	2700g	<del>-6700K</del>	£252.00	<b>£166.32</b>
80	B	86.0	109.0	87.0	135.0	2800g	<del>-6720K</del>	£277.00	<b>£182.82</b>

### Universal Ball Joint



Male Drive x Female Drive	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
1" x 1"	640g	<del>-7880K</del>	£122.00	<b>£80.52</b>

### 1" Drive Reducers & Adaptors



Male Drive x Female Drive	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
3/4" x 1"	335g	<del>-7460K</del>	£51.67	<b>£34.10</b>
1 1/2" x 1"	670g	<del>-7480K</del>	£132.00	<b>£87.12</b>

### 1" Drive Extension Bars



Length (mm)	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
100 (4")	590g	<del>-7650K</del>	£63.06	<b>£41.62</b>
150 (6")	610g	<del>-7660K</del>	£75.43	<b>£49.78</b>
200 (8")	1000g	<del>-7680K</del>	£92.96	<b>£61.35</b>
250 (10")	2100g	<del>-7690K</del>	£121.00	<b>£79.86</b>
300 (12")	2500g	<del>-7700K</del>	£104.00	<b>£68.64</b>
380 (15")	2600g	<del>-7720K</del>	£187.00	<b>£123.42</b>

### 1" Drive Inch Size, Deep Length, 6-Point

Conform to: **SAE, USA Federal Standard GGG-W-660A.**

Socket (inch)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
1"	A	54.0	42.0	21.0	100.0	1100g	<del>-6760K</del>	£56.71	<b>£37.43</b>
1 1/4"	A	84.0	46.0	23.0	100.0	1200g	<del>-6770K</del>	£58.09	<b>£38.34</b>
1 1/8"	A	54.0	46.0	23.0	100.0	1200g	<del>-6780K</del>	£58.47	<b>£38.59</b>
1 3/16"	A	51.0	48.0	40.0	90.0	1200g	<del>-6790K</del>	£59.93	<b>£39.55</b>
1 1/4"	B	51.0	51.0	40.0	90.0	1200g	<del>-6800K</del>	£61.59	<b>£40.65</b>
1 5/16"	C	52.0	53.0	40.0	90.0	1000g	<del>-6810K</del>	£64.33	<b>£42.46</b>
1 3/8"	C	52.0	54.0	40.0	90.0	1000g	<del>-6820K</del>	£64.63	<b>£42.66</b>
1 1/2"	C	52.0	58.0	54.0	92.0	1000g	<del>-6840K</del>	£73.45	<b>£48.48</b>
1 9/16"	C	52.0	60.0	54.0	92.0	1000g	<del>-6850K</del>	£80.22	<b>£52.95</b>
1 5/8"	C	52.0	61.5	54.0	92.0	1000g	<del>-6860K</del>	£84.56	<b>£55.81</b>
1 11/16"	C	52.0	65.0	54.0	92.0	1000g	<del>-6870K</del>	£87.12	<b>£57.50</b>
1 3/4"	C	58.0	66.0	54.0	92.0	1000g	<del>-6880K</del>	£99.83	<b>£65.89</b>
1 13/16"	C	58.0	68.0	54.0	92.0	1000g	<del>-6890K</del>	£99.98	<b>£65.99</b>
1 7/8"	C	58.0	70.0	54.0	92.0	1000g	<del>-6900K</del>	£112.00	<b>£73.92</b>
1 15/16"	B	54.0	74.0	52.0	100.0	1000g	<del>-6910K</del>	£125.00	<b>£82.50</b>
2"	C	58.0	74.0	54.0	95.0	2400g	<del>-6920K</del>	£126.00	<b>£83.16</b>
2 1/16"	C	58.0	75.0	54.0	95.0	1580g	<del>-6930K</del>	£133.00	<b>£87.78</b>
2 1/8"	C	58.0	78.0	60.0	100.0	1790g	<del>-6940K</del>	£154.00	<b>£101.64</b>
2 3/16"	C	62.0	80.0	60.0	100.0	2400g	<del>-6950K</del>	£154.00	<b>£101.64</b>
2 1/4"	C	62.0	84.0	60.0	100.0	2070g	<del>-6960K</del>	£171.00	<b>£112.86</b>
2 5/16"	C	62.0	86.0	62.0	105.0	2400g	<del>-6970K</del>	£189.00	<b>£124.74</b>
2 3/8"	C	62.0	87.0	62.0	105.0	2400g	<del>-6980K</del>	£198.00	<b>£130.68</b>
2 7/16"	C	62.0	89.0	67.0	110.0	2600g	<del>-6990K</del>	£260.00	<b>£171.60</b>
2 1/2"	C	62.0	91.0	67.0	110.0	2600g	<del>-7000K</del>	£260.00	<b>£171.60</b>
2 5/8"	C	62.0	95.0	75.0	120.0	3020g	<del>-7020K</del>	£307.00	<b>£202.62</b>
2 3/4"	C	62.0	98.0	78.0	124.0	3060g	<del>-7040K</del>	£307.00	<b>£202.62</b>
2 7/8"	C	62.0	102.0	80.0	128.0	2900g	<del>-7060K</del>	£344.00	<b>£227.04</b>
2 15/16"	C	86.0	104.0	85.0	135.0	3000g	<del>-7070K</del>	£344.00	<b>£227.04</b>
3"	C	86.0	106.0	85.0	135.0	3000g	<del>-7080K</del>	£344.00	<b>£227.04</b>
3 1/8"	B	86.0	109.0	87.0	135.0	3000g	<del>-7100K</del>	£432.00	<b>£285.12</b>

### 1" Drive BSW Size, Deep Length, 6-Point

Conform to: **SAE, USA Federal Standard GGG-W-660A.**

Socket (BSW)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	List Price/1	Offer Price/1
		D2	D1	L2	L				
3/4"	A	54.0	53.0	50.0	100	1500g	<del>-7150K</del>	£66.03	<b>£43.58</b>
1 3/8"	B	54.0	81.0	65.0	105	1500g	<del>-7220K</del>	£184.00	<b>£121.44</b>
1 1/2"	B	54.0	86.0	77.0	120	2000g	<del>-7230K</del>	£243.00	<b>£160.38</b>
1 3/4"	B	54.0	99.0	80.0	155	2500g	<del>-7250K</del>	£285.00	<b>£188.10</b>

### 7 Piece Impact Socket Set

Socket sizes: 27, 30, 32, 33, 36, 41 and 46mm.



**7 PIECES**

Number of Pieces	Weight each	Order Code KEN-583	List Price/1	Offer Price/1
7	5.95kg	<del>-9920K</del>	£305.00	<b>£164.70</b>

### 1 1/2" Drive Metric Size, Standard Length, 6-Point

Conform to: **SAE, USA Federal**

**Standard GGG-W-660A.**

Socket (mm)	Style	Dimensions (mm)				Weight each	Order Code KEN-583	Offer Price/1
		D2	D1	L2	L			
30		54.0	56.0	21.0	78.0		<del>-8430K</del>	<b>£59.44</b>
32		86.0	58.0	22.0	78.0		<del>-8432K</del>	<b>£61.88</b>
33		86.0	60.0	22.0	78.0		<del>-8433K</del>	<b>£61.88</b>
36		86.0	64.0	24.0	78.0		<del>-8436K</del>	<b>£61.88</b>
38		86.0	66.0	26.0	80.0		<del>-8438K</del>	<b>£61.88</b>
41		86.0	70.0	28.0	80.0		<del>-8441K</del>	<b>£61.88</b>
46		86.0	76.0	30.0	84.0		<del>-8446K</del>	<b>£61.88</b>
48		86.0	79.0	32.0	87.0		<del>-8448K</del>	<b>£61.88</b>
50		86.0	81.0	32.0	87.0		<del>-8450K</del>	<b>£61.88</b>
52		86.0	83.0	34.0	87.0		<del>-8452K</del>	<b>£61.88</b>
55		86.0	87.0	37.0	90.0		<del>-8455K</del>	<b>£61.88</b>
56		86.0	88.0	37.0	92.0		<del>-8456K</del>	<b>£61.88</b>
60		86.0	94.0	39.0	95.0		<del>-8460K</del>	<b>£78.54</b>
65		86.0	100.0	42.0	100.0		<del>-8465K</del>	<b>£91.74</b>
70		86.0	106.0	46.0	105.0		<del>-8470K</del>	<b>£98.34</b>
75		86.0	112.0	49.0	108.0		<del>-8475K</del>	<b>£122.10</b>
80		86.0	119.0	53.0	115.0		<del>-8480K</del>	<b>£147.84</b>
85		86.0	125.0	56.0	118.0		<del>-8485K</del>	<b>£170.94</b>
95		95.0	137.0	61.0	123.0		<del>-8495K</del>	<b>£214.50</b>

**CONTRACT PRICES AVAILABLE FOR VOLUME PURCHASES**

All Prices Exclude V.A.T. © 2014