



## Spill pallet DENIOS base-line, for up to 2 x 1000 litre IBCs

**base-line**  
by DENIOS

The cost-effective alternative for legally-compliant storage.

- Quick delivery
- Forklift pockets for internal transport
- Welded steel design
- Approved for the storage of substances in all water-polluting classes
- Sealing test with material certificate



**£ 699.00**  
**BEST price**



### ACCESSORIES



Dispensing tray, galvanised, ensures liquids flow back into the spill pallet, Order no. 114-566-J9, £ 75.50



Spill pallet covers, for 1 IBC, Order no. 136-466-J9, £ 142.00



Galvanised splashguard, for spill pallets with a width of 1350 mm, Order no. 114-567-J9, £ 229.00

Galvanised splashguard, for spill pallets with a width of 2680 mm, Order no. 114-568-J9, £ 277.00



Plastic spill pallet insert, for spill pallets L x W (mm): 1350 x 1300

Order no. 114-434-J9, £ 594.00



Plastic spill pallet insert, for spill pallets L x W (mm): 2680 x 1300

Order no. 114-437-J9, £ 756.00



All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines

**i** DENIOS base-line - your basic equipment for the storage of hazardous substances.



Available immediately!



Also approved for the storage of flammable liquids (H224-226)



**base-line**  
by DENIOS



	Spill pallet DENIOS base-line, for up to 2 x 1000 litre IBCs	
	1	2
Storage capacity for 1000 litre IBCs		
Sump capacity [l]	1120	1200
Overall load capacity [kg]	1500	3000
External dimensions W x D x H [mm]	1350 x 1300 x 915	2680 x 1300 x 480
Order number powder coated	255-183-J9	255-184-J9
Price / Item(s)	£ 699.00	£ 798.00



## Spill pallets DENIOS classic-line with dispensing area, for 1 x 1000 litre IBC

With dispensing area for increased safety when dispensing and filling. Optimised foot design simplifies handling using a pallet truck or forklift and makes internal transport easy.

- With dispensing area
- With dispensing platform for use as dispensing or dosing station
- For storing aggressive media such as acids and alkalis the spill pallets can be fitted with a highly resistant inlay in polyethylene (PE)
- Welded design - safe and long lasting
- Optimum corrosion protection with high-quality galvanising or paint
- Approved for storing water-polluting substances
- Sealing test with material certificate

**i** DENIOS classic-line - solutions for every application, e.g. storing up to 3 IBC on a spill pallet, protecting large surface areas or dispensing and dosing hazardous substances.



We recommend the use of plastic spill pallets to store aggressive chemicals

From page **86**

**classic-line**  
by DENIOS



Features	Spill pallets DENIOS classic-line with dispensing area, for 1 x 1000 litre IBC	
	With grid	With dispensing platform
Sump capacity [l]	1100	1100
Overall load capacity [kg]	1800	1800
External dimensions W x D x H [mm]	1350 x 1650 x 710	1350 x 1650 x 1180
Order number powder coated	259-383-J9	259-385-J9
<b>Price / Item(s)</b>	<b>£ 683.00</b>	<b>£ 863.00</b>
Order number galvanized	259-384-J9	259-386-J9
<b>Price / Item(s)</b>	<b>£ 819.00</b>	<b>£ 996.00</b>

### ACCESSORIES

Order number Galvanised splashguard, for spill pallets with a width of 1350 mm	114-567-J9
<b>Price / Item(s)</b>	<b>£ 229.00</b>
Order number Plastic spill pallet insert, for spill pallets L x W (mm): 1350 x 1650	114-433-J9
<b>Price / Item(s)</b>	<b>£ 616.00</b>
Order number dispensing tray	114-566-J9
<b>Price / Item(s)</b>	<b>£ 75.50</b>



All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines

DENIOS warranty 5 years

## Spill pallets DENIOS classic-line, for 1 x 1000 litre IBC

Especially space-saving design. Optimised foot design simplifies handling using a pallet truck or forklift and makes internal transport easy.

- Can support for dispensing tasks available as an option
- With dispensing platform for use as dispensing or dosing station
- For storing aggressive media such as acids and alkalis the spill pallets can be fitted with a highly resistant inlay in polyethylene (PE)
- Welded design - safe and long lasting
- Optimum corrosion protection with high-quality galvanising or paint
- Approved for storing water-polluting substances
- Sealing test with material certificate



### ORDER AT THE SAME TIME

Covers, Order no. 136-466-J9, £ 142.00

- Protection against dirt and the weather
- High-quality fabric cover
- Integral A4 document pocket



100 mm ground clearance

## classic-line by DENIOS



Features	Spill pallets DENIOS classic-line, for 1 x 1000 litre IBC	
	With grid	With dispensing platform
Sump capacity [l]	1120	1120
Overall load capacity [kg]	1800	1800
External dimensions W x D x H [mm]	1350 x 1300 x 915	1350 x 1300 x 1385
Order number powder coated	259-387-J9	259-389-J9
Price / Item(s)	£ 782.00	£ 948.00
Order number galvanised	259-388-J9	259-390-J9
Price / Item(s)	£ 927.00	£ 1,073.00

### ACCESSORIES

Order number Galvanised splashguard, for spill pallets with a width of 1350 mm	114-567-J9
Price / Item(s)	£ 229.00
Order number Plastic spill pallet insert, for spill pallets L x W (mm): 1350 x 1300	114-434-J9
Price / Item(s)	£ 594.00
Order number dispensing tray	114-566-J9
Price / Item(s)	£ 75.50



## Spill pallets DENIOS classic-line with dispensing area, for up to 2 x 1000 litre IBCs

With dispensing area for increased safety when dispensing and filling. The optimised foot design simplifies handling using a pallet truck or forklift and makes internal transport easy.

- With dispensing area
- With dispensing platform for use as dispensing or dosing station
- For storing aggressive media such as acids and alkalis the spill pallets can be fitted with a highly resistant inlay in polyethylene (PE)
- Welded design - safe and long lasting
- Optimum corrosion protection with high-quality galvanising or paint
- Approved for storing flammable liquids (H224-226) and substances in all water-polluting classes
- Sealing test with material certificate



### classic-line by DENIOS



	Spill pallets DENIOS classic-line with dispensing area, for up to 2 x 1000 litre IBCs		
	With grid	With dispensing platform	With two drum mounts
Features	1295	1295	1295
Sump capacity [l]	3600	3600	3600
Overall load capacity [kg]	2680 x 1650 x 415	2680 x 1650 x 885	2680 x 1650 x 885
External dimensions W x D x H [mm]	259-391-J9	259-393-J9	259-395-J9
Order number powder coated	<b>£ 977.00</b>	<b>£ 1,139.00</b>	<b>£ 1,317.00</b>
Price / Item(s)	259-392-J9	259-394-J9	259-396-J9
Order number galvanised	<b>£ 1,114.00</b>	<b>£ 1,294.00</b>	<b>£ 1,457.00</b>
Price / Item(s)			

#### ACCESSORIES

Order number Galvanised splashguard, for spill pallets with a width of 2680 mm	114-568-J9
<b>Price / Item(s)</b>	<b>£ 277.00</b>
Order number Plastic spill pallet insert, for spill pallets L x W (mm): 2680 x 1650	114-436-J9
<b>Price / Item(s)</b>	<b>£ 797.00</b>



All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines

DENIOS warranty

5 years

## Spill pallets DENIOS classic-line, for up to 2 x 1000 litre IBCs

Suitable for storing 2 IBCs. Optimised foot design simplifies handling using a pallet truck or forklift and makes internal transport easy.

- Can support for dispensing tasks available as an option
- With dispensing platform for use as dispensing or dosing station
- For storing aggressive media such as acids and alkalis the spill pallets can be fitted with a highly resistant inlay in polyethylene (PE)
- Welded design - safe and long lasting
- Optimum corrosion protection with high-quality galvanising or paint
- Approved for storing flammable liquids (H224-226) and substances in all water-polluting classes
- Sealing test with material certificate

Earthing cables for safety when dispensing



from  
£ 853.00

Can support optionally available



**classic-line**  
by DENIOS



Features	Spill pallets DENIOS classic-line, for up to 2 x 1000 litre IBCs		
	With grid	With dispensing platform	With two drum mounts
Sump capacity [l]	1200	1200	1200
Overall load capacity [kg]	3600	3600	3600
External dimensions W x D x H [mm]	2680 x 1300 x 480	2680 x 1300 x 950	2680 x 1300 x 950
Order number powder coated	259-397-J9	259-399-J9	259-401-J9
<b>Price / Item(s)</b>	<b>£ 853.00</b>	<b>£ 1,058.00</b>	<b>£ 1,232.00</b>
Order number galvanized	259-398-J9	259-400-J9	259-402-J9
<b>Price / Item(s)</b>	<b>£ 1,025.00</b>	<b>£ 1,156.00</b>	<b>£ 1,336.00</b>

### ACCESSORIES

Order number dispensing tray	114-566-J9
<b>Price / Item(s)</b>	<b>£ 75.50</b>
Order number Galvanised splashguard, for spill pallets with a width of 2680 mm	114-568-J9
<b>Price / Item(s)</b>	<b>£ 277.00</b>
Order number Plastic spill pallet insert, for spill pallets L x W (mm): 2680 x 1300	114-437-J9
<b>Price / Item(s)</b>	<b>£ 756.00</b>



## Spill pallets DENIOS classic-line, for up to 3 x 1000 litre IBCs

Suitable for storing 3 IBCs. The optimised foot design simplifies handling using a pallet truck or forklift and makes internal transport easy.

- Can support for dispensing tasks available as an option
- With dispensing platform for use as dispensing or dosing station
- For storing aggressive media such as acids and alkalis the spill pallets can be fitted with a highly resistant inlay in polyethylene (PE)
- Welded design - safe and long lasting
- Optimum corrosion protection with high-quality galvanising or paint
- Approved for storing flammable liquids (H224-226) and substances in all water-polluting classes
- Sealing test with material certificate



## classic-line

by DENIOS



	Spill pallets DENIOS classic-line, for up to 3 x 1000 litre IBCs			
Features	With grid	With dispensing platform	With two drum mounts	With three dispensing platforms
Sump capacity [l]	1270	1270	1270	1270
Overall load capacity [kg]	5400	5400	5400	5400
External dimensions W x D x H [mm]	3280 x 1300 x 420	3280 x 1300 x 890	3280 x 1300 x 890	3280 x 1300 x 890
Order number powder coated	259-403-J9	259-405-J9	259-407-J9	259-409-J9
<b>Price / Item(s)</b>	<b>£ 1,758.00</b>	<b>£ 1,955.00</b>	<b>£ 2,147.00</b>	<b>£ 2,296.00</b>
Order number galvanized	259-404-J9	259-406-J9	259-408-J9	259-410-J9
<b>Price / Item(s)</b>	<b>£ 1,897.00</b>	<b>£ 2,142.00</b>	<b>£ 2,246.00</b>	<b>£ 2,513.00</b>

### ACCESSORIES

Order number dispensing tray	114-566-J9
<b>Price / Item(s)</b>	<b>£ 75.50</b>
Order number Plastic spill pallet insert, for spill pallets L x W (mm): 3280 x 1300	180-335-J9
<b>Price / Item(s)</b>	<b>£ 948.00</b>



All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines

DENIOS warranty

5 years

## Spill pallets DENIOS classic-line, for up to 10 x 1000 litre IBCs

Especially large spill pallet with up to 15.5 m<sup>2</sup> storage area. Ideal as a storage or dispensing area. Easy to load and unload thanks to low height.

- Simple to load thanks to low height and optional access ramp
- Welded design in steel - safe and long lasting
- Galvanised for optimum corrosion protection
- Approved for storing flammable liquids (H224-226) and substances in all water-polluting classes
- Sealing test with material certificate



Storage area: approx. 2 m<sup>2</sup>



Storage area: approx. 6 m<sup>2</sup>



Storage area: approx. 11 m<sup>2</sup>



## classic-line

by DENIOS

	①	②	③	④
<b>Spill pallets DENIOS classic-line, for up to 10 x 1000 litre IBCs</b>				
Sump capacity [l]	350	650	2000	2050
	Approx. 2 m <sup>2</sup>	Approx. 6 m <sup>2</sup>	Approx. 11 m <sup>2</sup>	Approx. 15.5 m <sup>2</sup>
Storage capacity	205 litre drums		1000 litre IBC	
Number	3	12	4	10
Surface	galvanized	galvanized	galvanized	galvanized
Overall load capacity [kg]	1800	6500	10000	15000
External dimensions W x D x H [mm]	2082 x 1028 x 235	2906 x 2204 x 150	5028 x 2082 x 150	6028 x 2669 x 150
Order number galvanized	138-089-J9	138-090-J9	138-091-J9	236-418-J9
Price / Item(s)	£ 1,123.00	£ 1,944.00	£ 3,129.00	£ 4,369.00

### ACCESSORIES



Steel ramp, hot dip galvanized, height adjustable from 150 to 270 mm, dimensions W x D (mm): 1035 x 900, Order no. 126-133-J9, £ 309.00