

**PolyCompact - The cost-effective sump pallet for nearly all chemicals**

- For the safe storage of up to four 205 litre drums or small containers
  - Approved for the storage of various acids and alkalis
  - Manufactured from environmentally-friendly polyethylene
- 2 versions available - for 2 and 4 drums

*Ribbed surface provides a non-slip area for safe loading, with internal drain channel*

**from £ 432.00**

PolyCompact sump pallet type PC 4-200 for up to four 205 litre drums

*Rigid structure, shock and impact proof*

*Easy to clean*

*With new innovative fluid management - complete sump pallet with hollow body*



**i** For your safety all Polyethylene sump pallets are tested to a load carrying capacity four times greater than their safe working load, in accordance with European regulations.



All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines



### PolyCompact sump pallet

- One-piece spill pallet with ribbed surface ensures container stability
- Highly resistant to oils, acids, alkali and other aggressive substances
- Edging all around holds Euro or chemical pallets snug and secure
- Drain channels direct escaping liquids safely into the retention area.
- With forklift pockets for pallet truck or forklift transport
- Sturdy design with good impact and shock resistance even under high temperature variations
- Manufactured from environmentally friendly polyethylene (PE)
- Designed for storing up to 4 x 205 litre drums

**GREAT PRICE**

**£ 363.00**

Order no. 122-833-J9

Spill pallet model PolyCompact PC 2-200 for up to two 205 litre drums and/or small containers



PolyCompact sump pallet type PC 2-200 for up to two 205 litre drums, Order no. 122-833-J9, £ 363.00



PolyCompact sump pallet type PC 4-200 for up to four 205 litre drums.

#### The individual containment solution:

Small leakages of up to a maximum of five litres flow down the internal drain channel into the central collection chamber. This is easy to empty. Larger volumes of liquid pass through openings in the outer edge to the internal spill pallet collection chamber, which forms one piece with the loading surface. The liquid is retained there and can then be sucked out / pumped out.



**£ 432.00**

Order no. 122-834-J9

Storage capacity for 205 litre drums	2	4
Sump capacity [l]	220	412
Overall load capacity [kg]	450	1000
External dimensions W x D x H [mm]	850 x 1290 x 380	1290 x 1290 x 380
Order number	122-833-J9	122-834-J9
Price / Item(s)	£ 363.00	£ 432.00



**Store 2 drums quickly, simply and safely!**

- Completely sealed, made without seams using an injection moulding process
- Corrosion proof and easy to clean
- Highly resistant to oils, acids, alkali and other aggressive substances
- Sturdy design with good impact and shock resistance even under high temperature variations
- Easy to move thanks to integral forklift pockets
- Manufactured from environmentally friendly polyethylene (PE)



**from £ 179.00**

Spill pallet PolySafe EUROLINE model F2-200 W  
without grid for 1 x 205 litre drum and/or small  
containers, Order no. 227-273-J9, £ 179.00

**ORDER AT THE SAME TIME**

**Stainless steel grid lifter (2 parts = 1 pack).**

- Robust design in chemically resistant stainless steel

**£ 47.00**Order no.  
215-854-J9

Spill pallet PolySafe EUROLINE model F2-200 W with  
galvanised grid for up to 2 x 205 litre drums,  
Order no. 228-156-J9, £ 229.00



Spill pallet PolySafe EUROLINE model F2-200 W with PE grid,  
Order no. 228-157-J9, £ 259.00



All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines

DENIOS warranty

5 years

PolySafe EUROLINE for 205 litre drums

1

## PolySafe EUROLINE - the compact solution for safely storing your drums



Mobile spill pallet PolySafe EUROLINE F2-200 F with easy to manoeuvre castors, sturdy handle and galvanised grid, Order no. 228-160-J9, £ 385.00



Mobile spill pallet PolySafe Euroline F2-200 F with easy to manoeuvre castors and sturdy handle, Order no. 228-158-J9, £ 289.00

### ACCESSORIES

Load securing set, includes a safety strap and support for 2 drums, Order no. 229-527-J9, £ 94.00



Mobile spill pallet PolySafe EUROLINE F2-200 F with easy to manoeuvre castors, sturdy handle and PE grid, Order no. 228-159-J9, £ 432.00

Model	F2-200 W			F2-200 F		
Design	Stationary			Mobile		
Storage capacity for 205 litre drums	1	2		1	2	
Sump capacity [l]	240					
Overall load capacity [kg]	760			620		
External dimensions W x D x H [mm]	865 x 1245 x 350	865 x 1245 x 375		865 x 1245 x 1060		
Grid	without	galvanized	plastic	without	galvanized	plastic
Order number	227-273-J9	228-156-J9	228-157-J9	228-158-J9	228-160-J9	228-159-J9
Price / Item(s)	£ 179.00	£ 229.00	£ 259.00	£ 289.00	£ 385.00	£ 432.00





## PolySafe EUROLINE - the compact solution for safely storing your drums

- Completely sealed, made without seams using an injection moulding process
- Corrosion proof and easy to clean

NEW

**from £ 268.00**

Spill pallet PolySafe EUROLINE model F4-200 W for up to 3 x 205 litre drums - without grid for direct storage of chemical pallets

Rigid structure,  
shock and impact  
proof

Made from environmentally  
friendly polyethylene

With recesses as standard,  
therefore accessible by high lift  
truck for easy loading and transport

Completely sealed, made without seams  
using an injection moulding process



All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines

## Store 4 drums quickly, simply and safely

- Highly resistant to oils, acids, alkali and other aggressive substances
- Sturdy design with good impact and shock resistance even under high temperature variations
- Easy to move thanks to integral forklift pockets
- For the safe and legally compliant storage of 205 litre drums and/or small containers
- Manufactured from environmentally friendly polyethylene (PE)



### ACCESSORIES

#### Grid lifter


- For ergonomic and safe lifting of grids onto sumps and into storage containers

£ 47.00

Order no.  
215-854-J9



Stainless steel grid lifter  
(2 parts = 1 pack).



Spill pallet PolySafe EUROLINE model F4-200 W with galvanised grid for up to 4 x 205 litre drums

£ 334.00

Order no. 216-661-J9



Model	F4-200 W		
Storage capacity for 205 litre drums	4		
Sump capacity [l]	295		
Overall load capacity [kg]	950		
External dimensions W x D x H [mm]	1235 x 1235 x 275		
Grid	without	galvanized	plastic
Order number	216-659-J9	216-661-J9	216-660-J9
Price / Item(s)	£ 268.00	£ 334.00	£ 364.00





## PolySafe ECO - the universal solution for drums and small containers

- Compact design, manufactured seamlessly and water tight
- Corrosion proof and easy to clean

- For 1 drum holding 205 litres and/or small containers



Sump pallet type PolySafe ECO 1-200, with a galvanized grid, for 1 x 205 litre drum and/or small containers, Order no. 162-311-J9, £ 223.00



Sump pallet type PolySafe ECO 1-200, with PE grid, for 1x 205 litre drum and/or small containers, Order no. 162-309-J9, £ 256.00

- For 2 drums



Spill pallet Model PolySafe ECO 2-200



Drums delivered on pallets can be placed directly on the spill pallet - no time-consuming relocation necessary

**i** For your safety, General Construction Approval is required for all spill pallets in polyethylene. In order to obtain this, the safety of the spill pallet must be tested with a load 4 times their normal load capacity.

Up to  
6 t  
test load



All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines

DENIOS warranty

5 years

## Plastic sumps

1

- Highly resistant to oils, acids, alkali and other aggressive substances
- Sturdy design with good impact and shock resistance even under high temperature variations
- Forklift pockets in the base of the spill pallet enable it to be safely transported and loaded by drum lifters, pallet trucks and forklifts



Sump pallet type PolySafe ECO 2-200, with a PE grid, for 2 x 205 litre drums, Order no. 162-286-J9, £ 289.00



Sump pallet type PolySafe ECO 2-200 for 2 x 205 litre drums, with galvanized grid, Order no. 162-287-J9, £ 239.00



PolySafe ECO spill pallet for 2 x 205 litre drums, complete with PE pallet as standing surface, Order no. 160-729-J9, £ 315.00

	①	②	③	④	⑤	⑥
<b>Sump capacity [l]</b>	245		270			
Overall load capacity [kg]	400	300	600	800	600	600
External dimensions W x D x H [mm]	760 x 910 x 500	760 x 910 x 525	900 x 1300 x 350	900 x 1300 x 350	900 x 1300 x 375	900 x 1300 x 470
Grid	galvanized	plastic	without	galvanized	plastic	plastic pallets
Order number	162-311-J9	162-309-J9	252-581-J9	162-287-J9	162-286-J9	160-729-J9
Price / Item(s)	£ 223.00	£ 256.00	£ 152.00	£ 239.00	£ 289.00	£ 315.00





## PolySafe ECO - the universal solution for drums and small containers

- For safe storage of 205 litre drums or small containers



PolySafe ECO spill pallet for precise storage of chemical pallets

**£ 219.00**

Order no. 252-584-J9

Drums delivered on pallets can be placed directly on the spill pallet - no time-consuming relocation necessary

- For 4 drums



Sump pallet type PolySafe ECO 4-200 for 4 x 205 litre drums with a galvanised grid, Order no. 162-290-J9, £ 417.00



①

②

③

④

Sump capacity	405			
Overall load capacity [kg]	1000	1600	1000	1000
External dimensions W x D x H [mm]	1300 x 1300 x 350	1300 x 1300 x 350	1300 x 1300 x 375	1300 x 1300 x 470
Grid	without	galvanised	plastic	plastic pallets
Order number	252-584-J9	162-290-J9	162-289-J9	160-730-J9
Price / Item(s)	£ 219.00	£ 417.00	£ 469.00	£ 482.00



All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines

DENIOS  
warranty

5  
years

- Highly resistant to oils, acids, alkali and other aggressive substances
- Sturdy design with good impact and shock resistance even under high temperature variations
- Forklift pockets in the base of the spill pallet enable it to be safely transported and loaded by drum lifters, pallet trucks and forklifts
- With identical height, can be combined with 2 drum spill pallets model PolySafe ECO

#### L-ring drums

See page  
**275**



PolySafe ECO spill pallets for 2 or 4 x 205 litre drums, shown here with a PE grid as a base, are ideal for combining as they have identical heights and widths

#### Drum pumps

See page  
**292**



#### ACCESSORIES

##### PE drum mount optional

- With 180° rotation for 60- and 200-litre drums
- External dimensions  
W x D x H (mm):  
475 x 620 x 390



Order no. 114-904-J9, £ 94.00



PolySafe spill pallet Model ECO 4-200  
complete with PE-pallet as storage surface,  
Order no. 160-730-J9, £ 482.00






## PolySafe ECO - the Universal solution for your requirements

- Compact design, manufactured seamlessly and water tight
- Corrosion proof and easy to clean
- Highly resistant to oils, acids, alkalis and other aggressive substances
- Sturdy design with good impact and shock resistance even under high temperature variations




PolySafe ECO spill pallet 4x1 EP for 4 x 205 litre drums in a row on Euro pallet, with galvanised grid, Order no. 236-312-J9, £ 442.00

**NEW****from £ 363.00**

PolySafe ECO spill pallet for direct storage of 2 Euro pallets in a row with 4 x 205 litre drums, Order no. 236-310-J9, £ 363.00

Spill pallet PolySafe ECO 4x1 EP with plastic grid for 2 Euro pallets in a row with drums and / or small containers, Order no. 236-311-J9, £ 482.00

**Drum lifters**See page  
**346**

Storage capacity - Euro pallets	2		
Sump capacity	520		
Overall load capacity [kg]	1200	1600	1200
External dimensions W x D x H [mm]	2520 x 900 x 350		
Grid	without	galvanized	plastic
Order number	236-310-J9	236-312-J9	236-311-J9
Price / Item(s)	£ 363.00	£ 442.00	£ 482.00



All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines

**DENIOS**  
warranty

**5**  
years

**Polyethylene sump pallets, 250 and 450 litres**

1



PolySafe ECO spill pallet 2x2 EP for 4 x 205 litre drums next to each other on 2 Euro pallets, with plastic grid, Order no. 236-314-J9, £ 507.00

**£ 384.00**

Order no. 236-313-J9



PolySafe ECO spill pallet 2x2 EP for direct storage of 2 Euro pallets next to each other with up to 4 x 205 litre drums



PolySafe ECO spill pallet 2x2 EP for 4 x 205 litre drums next to each other on 2 Euro pallets, with galvanised grid, Order no. 236-315-J9, £ 449.00




**DENSORB Safety Cabinet with Roll of absorbent material**

See page  
**400**

## ACCESSORIES

### Grid lifter

- For ergonomic and safe lifting of grids onto sumps and into storage containers
- Suitable for all types of grid in steel, stainless steel and plastic



**£ 47.00**

Order no.  
215-854-J9

**Stainless steel grid lifter**  
(2 parts = 1 pack).

Storage capacity - Euro pallets	2		
Sump capacity	440		
Overall load capacity [kg]	1200	1600	1200
External dimensions W x D x H [mm]	1720 x 1300 x 350		
Grid	without	galvanized	plastic
Order number	236-313-J9	236-315-J9	236-314-J9
Price / Item(s)	£ 384.00	£ 449.00	£ 507.00





## A spill pallet with variety: sits flat, on feet or on rails

- Sturdy design with good impact and shock resistance even under high temperature variations
- Highly resistant to oils, acids, alkali and other aggressive substances

- Easy to clean
- Manufactured from environmentally friendly polyethylene (PE)

**from £ 162.00**



Sump pallet PolySafe Euro type W2-200 for putting containers directly into, Order no. 114-843-J9, £ 162.00



Spill pallet model PolySafe Euro W-200 with polyethylene grid for up to 2 x 205 litre drums, Order no. 114-847-J9, £ 284.00



Spill pallet model PolySafe Euro W-200 with galvanised grid for up to 2 x 205 litre drums, Order no. 114-845-J9, £ 239.00

## ORDER ACCESSORIES AT THE SAME TIME

### Polyethylene (PE) drum mounts

- With 180° rotation for 60- and 200-litre drums
- External dimensions W x D x H (mm): 475 x 620 x 390
- Manufactured from environmentally friendly polyethylene (PE)



**£ 94.00**

Order no.  
114-904-J9



### Covers

- Protection against dirt and the weather
- High-quality fabric cover
- Integral A4 document pocket
- External dimensions  
W x D x H (mm): 1280 x 870 x 1100

**£ 94.00**

Order no.  
136-463-J9



All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines

DENIOS warranty

5 years

PolySafe Euro for 205 litre drums

1



Sump pallet type PolySafe Euro K 2-200 with runners and galvanized grid, for the storage of up to 2 x 205 litre drums, Order no. 114-871-J9, £ 256.00



Sump pallet type PolySafe Euro K 2-200 with runners, for putting small containers directly into, Order no. 110-164-J9, £ 189.00

Even more great offers in the shop!

denios.shop/deals

from £ 189.00



Sump pallet type PolySafe Euro K 2-200 with runners and PE grid, Order no. 114-874-J9, £ 305.00



Sump pallet type PolySafe Euro F2-200 with feet and PE grid, Order no. 114-853-J9, £ 305.00



Sump pallet type PolySafe Euro F2-200 with galvanized grid for storing up to 2 x 205 litre drums, Order no. 114-851-J9, £ 258.00



Sump pallet type PolySafe Euro F2-200 for putting small containers directly into, Order no. 110-165-J9, £ 189.00

Design	W-200 - Spill pallet			F-200, with feet			K-200, with runners		
Storage capacity for 205 litre drums	1	2		1	2		1	2	
Sump capacity [l]	230								
Overall load capacity [kg]	500								
External dimensions W x D x H [mm]	830 x 1235 x 320	830 x 1235 x 345		830 x 1240 x 420	830 x 1240 x 445		830 x 1240 x 420	830 x 1240 x 445	
Grid	without	galvanized	plastic	without	galvanized	plastic	without	galvanized	plastic
Order number	114-843-J9	114-845-J9	114-847-J9	110-165-J9	114-851-J9	114-853-J9	110-164-J9	114-871-J9	114-874-J9
Price / Item(s)	£ 162.00	£ 239.00	£ 284.00	£ 189.00	£ 258.00	£ 305.00	£ 189.00	£ 256.00	£ 305.00





from £ 212.00

Sump pallet type PolySafe PSW 2.2 In blue, for 6 carboys  
each holding 60 litres, Order no. 114-794-J9, £ 212.00

- Without base feet, for flat storage on the floor or on wooden pallets
- Highly resistant to oils, acids, alkali and other aggressive substances

PolySafe sump pallets are manufactured from environmentally friendly polyethylene and have a high chemical resistance to acids and alkali. Sump pallets are placed onto wooden pallets for storing drums or for transporting them within the workplace. One drum holding 205 litres, and small containers can be placed directly into the sump without the use of a grid, but PolySafe sump pallets are equipped with either a galvanized or a polyethylene grid and are ideally used for storing more than one drum each holding 205 litres, or used together with a drum mount to function as a drum dispensing station.



Sump pallet type PolySafe PSW 2.2  
In yellow, with  
galvanized grid for 2 x  
205 litre drums,  
Order no. 132-775-J9,  
£ 334.00

Sump pallet type PolySafe PSW 2.2 In blue,  
with polyethylene grid for up to 2 x 205 litre  
drums or for small containers,  
Order no. 114-805-J9,  
£ 369.00



Sump pallet type PolySafe PSW 2.2 In  
blue, with galvanized grid and drum  
mount FB 1 for 1 x 205 litre drum.

SET PRICE

£ 385.00

Order no. 114-807-J9

## ORDER AT THE SAME TIME

### Covers

- Protection against dirt and the weather
- High-quality fabric cover
- Integral A4 document pocket



Cover for spill pallets with 2 x 205 litre  
drums, external dimensions W x D x H (mm):  
1280 x 870 x 1100

£ 94.00

Order no.  
136-463-J9

Cover for spill pallets with 4 x 205 litre drums,  
external dimensions W x D x H (mm):  
1260 x 1260 x 1100

£ 122.00

Order no.  
136-465-J9

Model	PSW 2.2		
Storage capacity for 205 litre drums	1	2	
Sump capacity [l]	225		
Overall load capacity [kg]	800		
External dimensions W x D x H [mm]	845 x 1240 x 285		845 x 1240 x 310
Grid	without	galvanized	plastic
Order number Blue	114-794-J9	114-790-J9	114-805-J9
Price / Item(s)	£ 212.00	£ 312.00	£ 369.00
Order number yellow	132-774-J9	132-775-J9	132-776-J9
Price / Item(s)	£ 239.00	£ 334.00	£ 395.00





All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines

DENIOS warranty

5 years

Polyethylene sump pallets, 225 litres

1

£ 496.00

Order no. 114-820-J9



PolySafe sump pallet type PSW 2.4 in blue, with polyethylene grid for 4 x 205 litre drums.

£ 412.00

Order no. 114-808-J9



Spill pallet model PolySafe PSW 2.4 blue, with galvanised grid for 4 x 205 litre drums.



Spill pallet model PolySafe PSW 2.4 in blue, Order no. 114-810-J9, £ 334.00



Spill pallet model PolySafe PSW 2.4 in yellow, with galvanised grid for 4 x 205 litre drums, Order no. 132-778-J9, £ 449.00



PolySafe sump pallet type PSW 2.4 Sump in yellow, Order no. 132-777-J9, £ 359.00

## ORDER AT THE SAME TIME

### PE drum mount optional

- Manufactured from environmentally friendly polyethylene (PE)
- With 180° rotation for 60- and 200-litre drums

Order no. 114-904-J9, £ 94.00



... this side up for 60 litre drums



... this side up for 205 litre drums

Model	PSW 2.4		
Storage capacity for 205 litre drums	1	4	
Sump capacity [l]	270		
Overall load capacity [kg]	1600		
External dimensions W x D x H [mm]	1240 x 1240 x 210		1240 x 1240 x 235
Grid	without	galvanized	plastic
Order number Blue	114-810-J9	114-808-J9	114-820-J9
Price / Item(s)	£ 334.00	£ 412.00	£ 496.00
Order number yellow	132-777-J9	132-778-J9	132-779-J9
Price / Item(s)	£ 359.00	£ 449.00	£ 517.00

### Drum pumps

See page  
292







## PolySafe PSP 2.2 - A denios best-seller

- With integral forklift pockets for pallet truck or forklift transport
- Highly resistant to oils, acids, alkali and other aggressive substances



**£ 459.00**

Order no. 114-801-J9

Sump PolySafe PSP 2.2, blue, with PE grid for two 205 litre drums or small containers.



**£ 358.00**

Order no. 132-780-J9

Spill pallet Model PolySafe PSP 2.2 yellow, for direct storage of 6 x 60 litre carboys or small containers for example.

Model	PSP 2.2		
Storage capacity for 205 litre drums	1	2	
Sump capacity [l]	225		
Overall load capacity [kg]	800		
External dimensions W x D x H [mm]	845 x 1240 x 350	845 x 1240 x 375	
Grid	without	galvanized	plastic
Order number Blue	114-796-J9	114-798-J9	114-801-J9
Price / Item(s)	£ 325.00	£ 415.00	£ 459.00
Order number yellow	132-780-J9	132-781-J9	132-782-J9
Price / Item(s)	£ 358.00	£ 442.00	£ 496.00



Spill pallet model PolySafe PSP 2.2 blue, with galvanised grid for 2 x 205 litre drums.

**£ 415.00**

Order no. 114-798-J9

## ORDER AT THE SAME TIME

### Covers

- Protection against dirt and the weather
- High-quality fabric cover
- Integral A4 document pocket



Cover for spill pallets with 2 x 205 litre drums, external dimensions W x D x H (mm): 1280 x 870 x 1100.

**£ 94.00**

Order no.  
136-463-J9

Cover for spill pallets with 4 x 205 litre drums, external dimensions W x D x H (mm): 1260 x 1260 x 1100

**£ 122.00**

Order no.  
136-465-J9



All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines

DENIOS warranty

5 years

Polyethylene sump pallets, 225 to 420 litres

1

## PolySafe PSP 2.4 - For 4 drums

- With integral forklift pockets for pallet truck or forklift transport
- Highly resistant to oils, acids, alkali and other aggressive substances



**£ 486.00**

Order no. 123-671-J9

Spill pallet model PolySafe PSP 2.4 blue, with galvanised grid for 4 x 205 litre drums.



**£ 385.00**

Order no. 114-812-J9

PolySafe sump pallet type PSP 2.4 in blue, for up to 9 x 60 litre carboys.



Spill pallet model PolySafe PSP 2.4 in yellow, Order no. 132-783-J9, £ 417.00



**£ 578.00**

Order no. 132-785-J9

Spill pallet model PolySafe PSP 2.4 yellow, with PE grid, for 4 x 205 litre drums

Model	PSP 2.4		
Storage capacity for 205 litre drums	1	4	
Sump capacity [l]		270	
Overall load capacity [kg]		1600	
External dimensions W x D x H [mm]	1240 x 1240 x 270	1240 x 1240 x 295	
Grid	without	galvanised	plastic
Order number Blue	114-812-J9	123-671-J9	114-817-J9
Price / Item(s)	£ 385.00	£ 486.00	£ 553.00
Order number yellow	132-783-J9	132-784-J9	132-785-J9
Price / Item(s)	£ 417.00	£ 509.00	£ 578.00



**PolySafe premium sump pallet - highest quality with extreme stability**

- Clever design for maximum safety and long life
- High stability with especially thick material
- Suitable for heavy loads

These sump pallets, manufactured from environmentally friendly polyethylene (PE), are ideally suited to the storage of various acids and alkalis, as well as oils, noncombustible cleaning chemicals, etc.

## ■ For 2 drums

**£ 354.00**

Order no. 148-301-J9



Sump pallet type PolySafe premium PP 2-200 for 2 x 205 litre drums.  
Sump capacity: 250 litres

## ■ For 4 drums

**£ 526.00**

Order no. 148-302-J9



Model PolySafe premium PP 4-200, for up to 4 x 205 litre drums, ideal  
for dispensing acids and alkalis, containment volume 450 litres



Stable storage surface for safe  
storage of 1000 litre containers, drums  
and small containers. The openings  
in the storage surface and on the tray  
edge allow liquid to drain safely into  
the retention space

Storage capacity for 205 litre drums	2	4
Sump capacity	324	553
Overall load capacity [kg]	880	1250
External dimensions W x D x H [mm]	1430 x 1030 x 385	1430 x 1430 x 455
Order number	148-301-J9	148-302-J9
Price / Item(s)	£ 354.00	£ 526.00

**Bunded drum trolley**

In polyethylene (PE) for taking a standing 205 litre drum. The drum is secured to the drum trolley with a tension belt and can then be transported. The drum trolley ensures safe filling with liquids over the integral spill pallet (volume: 225 litres).

**£ 536.00**

Order no. 113-260-J9



Size W x D x H (mm): 1800 x 800 x 550  
including handle and safety strap

**Drum lifters**From page  
**346**

For safe storage of large quantities of hazardous substances in accordance with regulations, DENIOS offers IBC sump pallets manufactured from polyethylene and steel. All IBC sump pallets feature a collection volume of at least 1100 litres that can absorb the entire contents of an IBC container in the case of emergency.

### Polyethylene IBC sump pallets

- Suitable for storing aggressive chemicals, such as ferric sulphate, hydrazine, battery acid, sodium chloride, oil, hydrochloric acid and citric acid
- Provide absolute protection against corrosion by not incorporating any steel parts
- Easy to clean and low maintenance
- For your safety - all DENIOS sump pallets are designed to pass a heavy load test that imposes 4 times safe working load



### Steel IBC sump pallets

- The safe storage of hazardous and flammable materials in accordance with regulations, such as acetone, ethanol, bio-diesel, gasoline, oil, toluene and methylene chloride
- Available with high-quality polyurethane paint or hot dip galvanized versions for long-term protection against corrosion
- Low sump pallets are available for easier loading
- Steel sump pallets can be fitted with additional PE liners
- The splash guard protects the surrounding area and people from residue splashes and spillage



Are you only storing or also dispensing?

Each of the DENIOS IBC sump pallets can be equipped with additional features. Practical dispensing systems and effective grid systems allow you to choose equipment according to your individual requirements. The ground clearance of the sump pallets means loading by forklift is possible. Integrated forklift pockets facilitate internal transportation





## IBC-Station Basic, a wide range of options

- Spill pallet with high chemical resistance
- With forklift pockets for transport by pallet truck or forklift
- Storage mount in polyethylene with upturned edges to prevent IBC slipping



Detail: IBC station Basic model R with enlarged spill pallet and integrated area for dispensing guarantees that this process can be carried out safely

RECOMMENDED BY PROFESSIONALS

**£ 709.00**

Order no. 137-015-J9

IBC sump pallet type Basic R version, with dispensing area



All IBC Basic stations are also available in blue, for the same price

### ACCESSORIES

#### Extension tap for IBC

- Length (mm): 250



**£ 24.00**

Order no. 117-254-J9



Available in 2 colours





All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines

The DENIOS IBC-station type Basic offers all-round safety. Benefit from high resistance to oils, acids, alkalis and many other aggressive substances ensuring legally compliant storage of your hazardous materials. Protect the environment, the soil and groundwater.

- Take advantage of the sturdy construction of this sump in environmentally friendly polyethylene (PE) with wall thickness of up to 8 mm. The product's construction and high levels of impact resistance and shock resistance ensure a long efficient life in daily use.

#### TOP PRODUCT

**£ 664.00**

Order no. 136-402-J9



Platforms can be bought individually upon request.

**£ 375.00**

Order no. 136-140-J9



IBC Station Basic Model S - one IBC with up to 1000 litre volume is safely stored on the supplied storage mount.



Type S - as compact storage station

Model R - combined storage and dispensing station with loading areas in polyethylene for dispensing drums

Model	S - for storage	R - for storing and dispensing
Sump capacity [l]	1197	1250
External dimensions W x D x H [mm]	1380 x 1575 x 760	1380 x 1800 x 760
Overall load capacity [kg]	2000	
Order number yellow	137-038-J9	137-015-J9
Order number Blue	136-402-J9	136-403-J9
Price / Item(s)	£ 664.00	£ 709.00





## ECO model IBC sump pallet, maximum flexibility for storing IBCs and drums

- Ideal for storing 1 x IBC or small containers
- For the optimum storage of various acids and alkali as well as oils and non flammable cleaning chemicals
- Total corrosion protection, manufactured entirely from polyethylene (PE)

These spill pallets manufactured from environmentally friendly polyethylene (PE) are ideally suited to the storage of various acids and alkalis, as well as oils, non-flammable cleaning chemicals etc. They have integrated pockets (W = 210 mm) for transporting or loading by pallet truck or forklift truck.

The spill pallets are extremely resilient.

Each space on the station has 2000 kg load capacity (depending on the weight of the container) for storing liquids with a maximum specific weight of up to 1.8 T.



Stable storage surface for safe storage of 1000 litre containers, drums and small containers. The openings in the storage surface and on the tray edge allow liquid to drain safely into the retention space.

ECO 1 model IBC sump pallet, with an acid-resistant PE floor space, sump capacity 1,100 litres

**£ 649.00**

Order no. 148-303-J9



The fork pockets allow the IBC sump pallet to be loaded efficiently with manual stackers or fork lifts.



IBC station ECO may also be used for the safe storage of 205 litre drums.

Storage capacity for 1000 litre IBCs	1	2	
Loading surface	plastic	without	plastic
Sump capacity [l]	1100		
Overall load capacity [kg]	2000	4000	
External dimensions W x D x H [mm]	1430 x 1430 x 965	2260 x 1430 x 720	2260 x 1430 x 745
Weight [kg]	96	95	141
Order number	148-303-J9	149-460-J9	149-461-J9
Price / Item(s)	£ 649.00	£ 899.00	£ 998.00

### ACCESSORIES



Height adjustable dispensing tray for safe, clean dispensing operations at IBC stations, with practical space for lids, funnels, gloves and cloths for example.

**£ 182.00**

Order no.  
236-741-J9



All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines

DENIOS  
warranty

5  
years

## Polyethylene IBC sump pallets

1



The fork pockets allow the IBC sump pallet to be loaded efficiently with manual stackers or fork lifts


Up to  
16 t  
test load

General Construction Approval is required for all spill pallets in polyethylene. In order to obtain this, the safety of the spill pallet must be tested with a load 4 times their normal load capacity. This test is carried out by the Deutsches Institut für Bautechnik (DIBt) in Berlin. Spill pallets from DENIOS have successfully passed this loading test.

IBC sump pallet model ECO 2 without pallet, for holding 2 x 1000 litre IBCs directly; while the sump is not split the sump volume meets current UK guidelines.

**£ 899.00**

Order no. 149-460-J9



IBC Station Model ECO 2, with acid resistant storage surfaces for 2 x 1000 litre containers (IBC), containment volume 1100 litres

**£ 998.00**

Order no. 149-461-J9



IBC

See page  
**270-271**



IBC station model ECO 2 with acid resistant PE loading surfaces for holding up to 2 x 1000 litre containers, drums or smaller containers





IBC Station EURO-1R with protected dispensing area, catching possible drips safely and reliably in the sump pallet, including a grid cover storage area made from Polyethylene (PE), Order no. 193-539-J9, £ 998.00

## IBC Sump Pallets Euro, excellent value for money

- Safe storage of IBCs
- Spill pallet with high chemical resistance against many oils, acids and alkali
- Total corrosion protection, manufactured entirely from polyethylene (PE)
- Sturdy design with good impact and shock resistance even under high temperature variations
- Also suitable for storing drums and other types of containers
- Integrated forklift pockets allows lifting by forklift or high lift truck from 2 sides



## ACCESSORIES

### Dispensing tray for IBC stations



Height adjustable dispensing tray for safe, clean dispensing operations at IBC stations, with practical space for lids, funnels, gloves and cloths for example

£ 182.00

Order no.  
236-741-J9

Up to  
16 t  
test load

General Construction Approval is required for all spill pallets in polyethylene. In order to obtain this, the safety of the spill pallet must be tested with a load 4 times their normal load capacity. This test is carried out by the Deutsches Institut für Bautechnik (DIBt) in Berlin. Spill pallets from DENIOS have successfully passed this loading test.

**i** Euro-s type as compact storage station  
Euro-r type as combined storage and dispensing station

Model	EURO-1S			EURO-1R			EURO-2R			EURO-3R		
Storage capacity for 1000 litre IBCs	1			2			3			3		
Sump capacity [l]	1100			1256			1750			1750		
Overall load capacity [kg]	2000			4000			6000			6000		
External dimensions W x D x H [mm]	1280 x 1660 x 870	1280 x 1660 x 895	1280 x 1910 x 860	1280 x 1910 x 885	2460 x 1800 x 460	2460 x 1800 x 485	3640 x 1800 x 450	3640 x 1800 x 475				
Grid	without	galvanized	plastic	without	galvanized	plastic	without	galvanized	plastic	without	galvanized	plastic
Order number	193-534-J9	193-538-J9	193-537-J9	193-536-J9	193-540-J9	193-539-J9	195-376-J9	195-377-J9	195-378-J9	222-468-J9	222-469-J9	222-470-J9
Price / Item(s)	£ 698.00	£ 898.00	£ 998.00	£ 798.00	£ 969.00	£ 998.00	£ 998.00	£ 1,198.00	£ 1,298.00	£ 1,298.00	£ 1,698.00	£ 1,898.00



All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines

DENIOS  
warranty

5  
years

## ACCESSORIES

### Extension tap for IBC

- Length (mm): 250



£ 24.00


Order no.  
117-254-J9

### IBC lid opener

- Ring wrenches for conveniently opening IBC screw caps
- In galvanised steel
- Available in 2 sizes

DN 150,  
Order no. 185-786-J9, £ 78.00

DN 225,  
Order no. 185-787-J9, £ 84.00



IBC sump pallet EURO-2R,  
including grids, manufactured  
from galvanized steel.,  
Order no. 195-377-J9, £ 1,198.00

from £ 998.00

IBC station EURO-2R with storage space on  
grid made from Polyethylene (PE) for two IBCs,  
Order no. 195-378-J9, £ 1,298.00



IBC Station EURO-3R, for direct storage of  
3 IBCs on the dome, Order no. 222-468-J9,  
£ 1,298.00







## IBC sump pallet Mono/Duo - with large flat grid surface

- Spill pallet in polyethylene (PE) with high chemical resistance against oils, acids and alkali
- Sturdy design with good impact and shock resistance even under high temperature variations
- Drums and IBCs can be stored together

### Type S - as compact storage station

- Forklift pockets guarantee these spill pallets can be transported safely by a pallet truck or forklift truck

**from £ 1,186.00**



IBC station Model Mono S, with  
either PE or galvanised grid



As the IBC Station Mono is especially deep, dispensing can also be carried out from the IBC stored inside. To do this the front segment of the three-part grid is temporarily removed to give access to the protected dispensing area.



## ORDER AT THE SAME TIME

### Extension tap for IBC

- Length (mm): 250



**£ 24.00**


Order no.  
117-254-J9

### IBC lid opener

- Ring wrenches for conveniently opening IBC screw caps
- In galvanised steel
- Available in 2 sizes

DN 150,  
Order no. 185-786-J9,  
£ 78.00

DN 225,  
Order no. 185-787-J9,  
£ 84.00





All sumps are fully compliant with HSE legislation and environmental pollution prevention guidelines

Store up to 2 IBCs (or 8 x 205 litre drums) on this sturdy, seamless spill pallet manufactured from polyethylene (PE) with a containment volume of 1000 litres and high resistance to oils, acids and alkali.



Certified and approved. The highest levels of environmental protection and safety.

denios.shop/certificates



**BESTSELLER**

**£ 1,508.00**

Order no. 251-554-J9

IBC station Duo S with galvanised grid and integrated forklift pockets (W = 210 mm) for safe handling with lifting equipment

## ACCESSORIES

### Dispensing tray for IBC stations

Height adjustable dispensing tray for safe, clean dispensing operations at IBC stations, with practical space for lids, funnels, gloves and cloths for example.



**£ 182.00**

Order no.  
236-741-J9



IBC-Station Duo S, mit PE-Gitterrost, Order no. 251-557-J9, £ 1,263.00

Model	Mono S for storing		Duo S for storing	
Storage capacity for 1000 litre IBCs	1		2	
Sump capacity [l]	1050			
Overall load capacity [kg]	2000		4000	
External dimensions W x D x H [mm]	1980 x 1370 x 690	1980 x 1370 x 720	2530 x 1320 x 580	2530 x 1320 x 610
Grid	galvanized	plastic	galvanized	plastic
Order number	251-556-J9	251-550-J9	251-554-J9	251-557-J9
Price / Item(s)	£ 1,186.00	£ 1,407.00	£ 1,508.00	£ 1,879.00