



Ball peen hammer



- forged carbon steel head, hardened and tempered
- fibreglass handle

YATO	Lb (oz)	L (mm)	A (mm)	H (mm)	
YT-4515	0.5(8oz)	280	26	80	6/36
YT-4516	1(16oz)	315	34	100	6/24
YT-4517	1.5(24oz)	370	36	115	6/12
YT-4518	2(32oz)	380	40	125	6/12

Ball peen hammer



- forged carbon steel head, hardened and tempered
- hickory handle

YATO	Lb (oz)	L (mm)	A (mm)	H (mm)	
YT-4519	0.5(8oz)	295	26	80	6/36
YT-4520	1(16oz)	335	35	100	6/24
YT-4521	1.5(24oz)	360	36	115	6/12
YT-4522	2(32oz)	380	40	125	6/12

Machinist hammer


DIN 1041



YATO	m (g)	L (mm)	A (mm)	H (mm)	
YT-4501	100	260	15	82	12/120
YT-4502	200	280	19	95	6/60
YT-4503	300	300	23	105	6/60
YT-4504	400	310	25	112	6/48
YT-4505	500	320	27	118	6/36
YT-4506	600	330	29	122	6/36
YT-4507	800	350	33	135	6/24
YT-4508	1000	360	36	135	6/24
YT-4509	1500	380	42	145	6/12
YT-4510	2000	400	47	155	6/12

Safety stoning hammer

DIN 6475



YATO	m (g)	L (mm)	A (mm)	H (mm)	
YT-4550	1000	260	40	95	6/24
YT-4551	1250	260	43	100	6/24
YT-4552	1500	280	45	110	6/12
YT-4553	2000	300	50	120	6/12

Claw hammer



- forged carbon steel head, hardened and tempered
- hickory handle

YATO	m (g)(oz)	L (mm)	A(mm)	H (mm)	
YT-4523	225(8oz)	290	25	110	6/36
YT-4524	370(13oz)	310	32	120	6/24
YT-4525	450(18oz)	335	30	135	6/24
YT-4526	570(20oz)	329	34	135	6/18
YT-4527	680(24oz)	383	34	140	6/12

Claw hammer

FORGED CARBON STEEL HEAD (HARDENED AND TEMPERED) HIGH QUALITY STEEL HANDLE



- drop forged, mirror polished head
- tubular steel handle with 2 colour TPR handle

YATO	m (g)	L (mm)	A (mm)	H (mm)	
YT-4560	450	318	30	130	6/24

Mason's hammer, type R

FORGED CARBON STEEL HEAD (HARDENED AND TEMPERED) HIGH QUALITY STEEL HANDLE



- drop forged, mirror polished head
- tubular steel handle with 2 colour TPR grip

YATO	m (g)	L (mm)	A (mm)	H (mm)	
YT-4563	600	315	23x23	170	6/24

Roofing hammer

FORGED CARBON STEEL HEAD (HARDENED AND TEMPERED) HIGH QUALITY STEEL HANDLE



- drop forged, mirror polished head

YATO	m (g)	L (mm)	A (mm)	H (mm)	
YT-4571	600	331	25x25	165	6/24

Roofing hammer

FORGED CARBON STEEL HEAD (HARDENED AND TEMPERED) HIGH QUALITY STEEL HANDLE



- drop forged, mirror polished head
- tubular steel handle with 2 colour TPR grip

YATO	m (g)	L (mm)	A (mm)	H (mm)	
YT-4561	600	318	25x25	165	6/24

Plasterer's hatchet

FORGED CARBON STEEL HEAD (HARDENED AND TEMPERED) HIGH QUALITY STEEL HANDLE



- drop forged, mirror polished head
- tubular steel handle with 2 colour TPR grip

YATO	m (g)	L (mm)	A (mm)	H (mm)	
YT-4564	600	315	25x20	175	6/24

Mason's hammer, type R

FORGED CARBON STEEL HEAD (HARDENED AND TEMPERED) HIGH QUALITY STEEL HANDLE



- drop forged, mirror polished head

YATO	m (g)	L (mm)	A (mm)	H (mm)	
YT-4573	600	315	25x24	158	6/24

Mason's hammer, type B

FORGED CARBON STEEL HEAD (HARDENED AND TEMPERED) HIGH QUALITY STEEL HANDLE



- drop forged, mirror polished head
- steel handle with 2 colour TPR grip

YATO	m (g)	L (mm)	A (mm)	H (mm)	
YT-4562	600	315	24x23	200	6/24

Claw hammer

FORGED CARBON STEEL HEAD (HARDENED AND TEMPERED) HIGH QUALITY STEEL HANDLE



- drop forged, mirror polished head

YATO	m (g)	L (mm)	A (mm)	H (mm)	
YT-4570	450	315	30	130	6/24

Plasterer's hatchet

FORGED CARBON STEEL HEAD (HARDENED AND TEMPERED) HIGH QUALITY STEEL HANDLE



- drop forged, mirror polished head

YATO	m (g)	L (mm)	A (mm)	H (mm)	
YT-4574	600	315	45x22	117	6/24

Welding hammer



YATO	size(mm)	
YT-4571S	300	6/24

Rubber mallet with wooden handle



• wooden handle, white (30%)-black (35%) head

YATO	m(g)	L(mm)	∅ (mm)	
YT-4600	230	259	44	12/48
YT-4601	340	291	49	12/48
YT-4602	370	300	50	6/36
YT-4603	580	341	58	6/36
YT-4604	780	341	63	6/36
YT-4605	980	345	72	6/24

PU & Nylon heads mallet

PU NYLON



• exchangeable PU and NYLON head
• zinc head base with hickory handle

YATO	m(g)	L(mm)	∅ (mm)	
YT-4630	150	250	22.0	6/48
YT-4631	250	280	28.0	6/36
YT-4632	340	315	35.0	6/36
YT-4633	660	350	45.0	6/24
YT-4634	1340	380	60.0	4/16

Sledge hammer



YATO	m(g)	L(mm)	
YT-45535	2LB	291	6/24
YT-45536	3LB	352	6/12
YT-45537	4LB	420	6/12
YT-45538	6LB	790	6
YT-45539	8LB	794	4
YT-45540	10LB	800	4
YT-45541	12LB	882	4
YT-45542	14LB	885	4
YT-45543	16LB	890	2
YT-45544	18LB	892	2
YT-45545	20LB	894	2
YT-45546	24LB	905	2

Rubber mallet with fibreglass, TPR handle



YATO	m(g)	L(mm)	∅ (mm)	
YT-4594	440	340	50	6/36

Nylon head for mallet

NYLON HARD TWARDA

SLIDING CARD



YATO	m(g)	∅ (mm)	for	
YT-4640	11.0	22.0	YT-4630	6/60
YT-4641	20.0	28.0	YT-4631	6/60
YT-4642	35.0	35.0	YT-4632	6/60
YT-4643	69.0	45.0	YT-4633	6/60
YT-4644	139.0	60.0	YT-4634	6/60

Dead blow mallet

PU



• neon black

YATO	m(g)	L(mm)	∅ (mm)	
YT-4620	740	300	44.5	4/24
YT-4622	900	336	53.5	4/24
YT-4623	1300	350	59.0	3/12

Dead blow mallet

NYLON



YATO	m(g)	L(mm)	∅ (mm)	
YT-4624	265	318	30.0	10/40
YT-4625	430	350	40.0	6/36
YT-4626	490	348	45.0	6/36

PU head for mallet

PU SOFT MIEKKA

SLIDING CARD



YATO	m(g)	∅ (mm)	for	
YT-4635	11.0	22.0	YT-4630	6/60
YT-4636	20.0	28.0	YT-4631	6/60
YT-4637	35.0	35.0	YT-4632	6/60
YT-4638	69.0	45.0	YT-4633	6/60
YT-4639	139.0	60.0	YT-4634	6/60

Wood chisel

CrV 60 HRC 56-62



- wooden handle, CrV50 blade
- HRC 56-62

DOUBLE BUSTER

YATO	size (mm)	
YT-6241	8	10/60
YT-6242	10	10/60
YT-6243	12	10/60
YT-6244	14	10/60
YT-6245	15	10/60
YT-6246	16	10/60
YT-6247	18	10/60
YT-6248	20	10/60
YT-6249	22	10/60
YT-6251	25	10/60
YT-6253	28	10/60
YT-6256	35	10/60
YT-6258	38	10/60

Wood chisel set

4 PCS CrV 60 HRC 58-60



DOUBLE BUSTER

YATO	size (mm)	
YT-6260	10	5/20
	16	
	20	
	25	

Wood chisel

CrV 60 HRC 56-62



- chrome vanadium, double colour plastic handle
- plastic rack with sharpening stone, logo and size laser printed on blade

YATO	size (mm):	
YT-6261	6	6/24

Cold chisel with protection

76x267 mm CrV



PLASTIC HANGER



YATO	L(mm)	
YT-4701	267	4/24

Cold chisel with protection

25x300 mm CrV



PLASTIC HANGER



- 25 x 19 x 300 mm. CrV steel, black finished
- double colour handle with soft grip

YATO	L(mm)	
YT-4700	300	4/24

Go-through pry bar set

4 PCS CrV



YATO	size (mm)	L(mm)	
YT-4730	6x6	198	2/6
	10x10	304	
	10.5x10.5	456	
	12x12	608	

Punch with protection

300 mm CrV



- 19 x 300 mm, crv steel, black finished
- double colour handle with soft grip

PLASTIC HANGER



YATO	L(mm)	
YT-4705	300	4/24

Chisel and punch set

6 PCS CHISEL 12x30 mm 15x30 mm 18x30 mm CRV PUNCH 24x150 mm 24x150 mm 24x150 mm



PLASTIC HANGER



- 180 mm, crv steel black finished
- yato logo embossed on grip, yato logo and size laser printed on blade

YATO	L(mm)	
YT-4710	180	10/20

Go-through pry bar

CrV



YATO	size (mm)	L(mm)	
YT-47302	10x10	304	10/20

Hexagonal wrecking bar


Mn 65



YATO	size (mm)	
YT-46800	400x18	6/12
YT-46801	450x18	6/12
YT-46802	600x18	6/12
YT-46803	750x18	6/12
YT-46804	900x18	5/10

Punch


CrV



YATO	L(mm)	A(mm)	B(mm)	
YT-47141	150	1.5	6	20/120
YT-47142	150	3	8	20/120
YT-47143	150	4	8	20/120
YT-47144	150	5	8	20/120
YT-47145	150	6	10	20/120
YT-47146	150	8	10	20/120

Punch

CrV



YATO	L(mm)	A(mm)	B(mm)	
YT-47150	100	6	10	20/120
YT-47151	112	8	12	20/120

Crow bar

Mn 65


NEW



YATO	L(mm)	A(mm)	B(mm)	C(mm)	
YT-46831	400	25	16	40	6/24
YT-46832	600	28	20	40	6/12
YT-46833	800	28	22	40	6/12
YT-46834	1000	28	22	40	1/6
YT-46835	1200	39	25	45	1/6
YT-46836	1500	39	25	45	1/6

Taper punch


CrV



YATO	L(mm)	A(mm)	B(mm)	
YT-47152	140	2	10	20/120

Chisel

CrV



YATO	L(mm)	A(mm)	B(mm)	
YT-47147	142	10	8	20/120
YT-47148	152	12	10	20/120
YT-47149	172	16	12	20/120

Axe

DIN 513 7294 GENUINE HICKORY



YATO	m (g)	L(mm)	
YT-8001	600	360	24
YT-8002	800	380	20
YT-8003	1000	430	12
YT-8004	1250	710	12
YT-8005	1400	710	12
YT-8006	1600	810	12

Chisel set

6 PCS 150 mm CrV 6150



YATO	L(mm)	
YT-47121	150	6/24

Chisel set

3 PCS CrV HEX



YATO		
YT-4711	370	6/24

Chisel and punch set

6 PCS CHISEL: 10x102 10x102 10x102 PUNCH: 10x40 10x40 10x40 CrV PLASTIC HANGER

- 6 pcs: CrV steel
- black finished; yato logo laser printed on each blade

YATO		
YT-4712	480	6/24

12 PCS CENTER PUNCH: 90 DEGR. 6 mm 8 mm CrV PIN PUNCH: 1.5 mm 3 mm 4 mm 5 mm 6 mm 8 mm SOLID PUNCH: 2 mm COLD CHISEL: 10 mm 13 mm 16 mm PLASTIC HANGER

YATO		
YT-4714	1000	10/20

Mini cold chisel and punch set

3 PCS 125 mm CrV COLD CHISEL: 10 mm PIN PUNCH: 3 mm SOLID PUNCH: 3 mm

YATO		
YT-4713	190	10/60

Pin punch

150 mm CrV 60 PIN DIAMETER: Ø3.8 mm SLIDING CARD

• CrV 60, pin punch, chrome plated, mirror finish, total length: 150mm
• pin diameter: 3.8mm, pin length: 40mm, hex shank: 9.4mm

YATO	L (mm)	
YT-4690	150	20/120

Center punch

120 mm CrV 60 TAPER POINT END SLIDING CARD

• CrV 60, pin punch, chrome plated, mirror finish, total length: 120mm
• hex shank: 9.4mm, taper - point end

YATO	L (mm)	
YT-4692	120	20/120

Cape chisel

130 mm CrV 60 CHISEL WIDTH: 5.5 mm SLIDING CARD

• CrV 60, pin punch, chrome plated, mirror finish, total length: 130mm
• hex shank: 9.4mm, chisel width: 5.5mm

YATO	L (mm)	
YT-4694	130	20/120

Number stamp

9 PCS NUMBER RANGE: 0 - 9 1045 CARBON STEEL HRC 50-55

YATO	size (mm)	L(mm)	
YT-6854	6	66	20
YT-6855	8	73	18

Taper punch

120 mm CrV 60 CENTER PUNCH: Ø3.3 mm SLIDING CARD

• CrV 60, pin punch, chrome plated, mirror finish, total length: 120mm
• hex shank: 9.4mm, center punch: 3.3mm

YATO	L (mm)	
YT-4691	120	20/120

Cold chisel

130 mm CrV 60 CHISEL WIDTH: 12 mm SLIDING CARD

• CrV 60, pin punch, chrome plated, mirror finish, total length: 130mm
• hex shank: 9.4mm, chisel width: 12mm

YATO	L (mm)	
YT-4693	130	20/120

Chisel and punch set

5 PCS CrV 60 PIN PUNCH: Ø3.8 mm TAPER PUNCH: Ø3.3 mm TAPER POINT END COLD CHISEL: 12 mm CAPE CHISEL: 5.5 mm SLIDING CARD

YATO		
YT-4695	320	6/24

Letter stamp

27 PCS LETTERS: UPPERCASE A-Z & 1045 CARBON STEEL HRC 50-55

YATO	size (mm)	L(mm)	
YT-6862	6	65	12
YT-6863	8	72	8