

WORKSHOP CARTS

Neatly processed sectional/tubular steel construction • Powder coated blue or anthracite grey • Work surface of 22 mm thick beech plywood, with 80 mm high steel sheet skirting on 3 sides • Leaf-doors and cupboards of first-class workmanship • Flush grips (not protruded) • 4/5 ball bearing mounted drawer • Safety locks • Powder coated body grey RAL 7035 and front blue or anthracite grey • 2 swivel and 2 fixed-wheel castors, wheels with TPE tyres, hubs groove ball bearing • Swivel castors with wheel locks



12456/7016



STEEL SHEET WORKSHOP CARTS



2450/7016



2452/7016



2456/7016



12450/7016 | 12452/7016 | 12456/7016

Working platform with skirting on three sides
80 mm high, made of powder coated steel sheet.
Flat packed for easy self assembly.



Drawer subdivision-set

Made of galvanized steel sheet,
insertable.

1 longitudinal partition and
4 dividing sheets.

Workshop carts

Steel construction.

Worktop composite panel
19 mm.

2 swivel and 2 fixed-wheel
castors, TPE tyres 160 x 40 mm,
swivel castors wheels with lock.
Powder coated, carcass grey
RAL 7035, front anthracite grey
RAL 7016.

Working height: 915 mm

Total length: 1080 mm

Total width: 590 mm

For technical reasons relating
to transport the working
platform the worktop and the
wheels are not mounted. Easy
self assembly.

Capacity per shelf 80 kg.

2450/7016

With 1 cupboard, 1 fixed and
2 adjustable shelves, and
drawers with ball bearing slide.
Centrally lockable by cylinder
lock.

6 drawers

H x W x D : 95 x 280 x 470 mm

Capacity per drawer 35 kg.

2452/7016

With 1 cupboard, 1 fixed and
2 adjustable shelves, and
drawers with ball bearing slide.
Centrally lockable by cylinder
lock.

4 drawers

H x W x D

1 pc. 105 x 280 x 470 mm

2 pcs. 160 x 280 x 470 mm

1 pc. 210 x 280 x 470 mm

Capacity per drawer 35 kg.

2456/7016

With 1 cupboard with double
door without separation wall.
2 adjustable shelves. Doors
centrally lockable by cylinder
lock. Maximum opening angle
120°.

Useful depth: 873 mm

Useful width: 465 mm

Opening width: 784 mm

	Order no.	Capacity kg	Wheel-Ø mm	Platform size L x W mm	Outside dimensions L x W x H mm	Net weight kg
Workshop carts	2450/7016	400	160	985 x 590	1080 x 590 x 915	66
	2452/7016	400	160	985 x 590	1080 x 590 x 915	62
	2456/7016	400	160	985 x 590	1080 x 590 x 915	48
Workshop carts with skirting	12450/7016	400	160	985 x 590	1080 x 590 x 995	71
	12452/7016	400	160	985 x 590	1080 x 590 x 995	67
	12456/7016	400	160	985 x 590	1080 x 590 x 995	53
Drawer subdivision set	2146	-	-	-	-	-

Blue marked item numbers = quick delivery (for details see page 4)



LIGHT WORKSHOP CARTS



Light workshop carts Modular system

Light workshop carts

Tubular steel welded and powder coated, surface durably protected, resistant to impact and scratches, shelves made of derived timber material boards, in a frame of angle steel, height of rim 12 mm.

2 swivel and 2 fixed-wheel castors with TPE tyres, hubs with groove ball bearing.

Swivel castors with wheel locks, according to the European Standard EN 1757-3.

Working height: 820 mm

Total height: 1040 mm

Total length: 1130 mm

Capacity per shelf in cupboards
30 kg, per drawer 25 kg.

2632

3 platforms with all-round skirting, 12 mm high. 1 lockable steel cupboard with 1 fixed and 2 adjustable shelves, 500 mm wide 600 mm deep and 600 mm high. Powder coated, grey carcass RAL 7035, front blue RAL 5007.

Shelf heights: 200, 510, 820

2633

1 platform with all-round skirting, 12 mm high. 2 lockable steel cupboards with 1 fixed and 2 adjustable shelves, 500 mm wide 600 mm deep and 600 mm high.

2634

3 platforms with all-round skirting, 12 mm high. Centrally lockable cupboard with 4 drawers (3 x 120 mm high and 1 x 180 mm high) with ball pull-out and pull-out stop. 4/5-pull-out. 500 mm wide, 600 mm deep and 600 mm high.

Shelf heights: 200, 510, 820

2635

1 platform with skirting, 12 mm high. 1 steel cupboard as 2632 and 1 cupboard with drawers as 2634.



2632



2633



2634




2635



Add-on kit 2149

for table top carts, steel plate drawer with ball pull-out and cylinder lock.

Height x Width x Depth inside
105 x 410 x 475 mm.



Drawer subdivision-set 2148 | 2148/ES

made of galvanized steel sheet, insertable. 2 longitudinal partitions and 6 dividing sheets. For drawers in cupboards order no. 2148. For single drawers order no. 2148/ES.

* Please add order no. of the respective cart to this order no. (e.g.: 2148-2632)

Accessories

on pages 168-170

	Order no.	Capacity kg	Wheel-Ø mm	Platform size L x W mm	Outside dimensions L x W x H mm	No. of shelves	Net weight kg
Workshop carts	2632	300	125	1000 x 600	1130 x 600 x 1040	3	60
	2633	300	125	1000 x 600	1130 x 600 x 1040	1	68
	2634	300	125	1000 x 600	1130 x 600 x 1040	3	77
	2635	300	125	1000 x 600	1130 x 600 x 1040	1	86
Add-on-kit	2149	-	-	-	-	-	-
Drawer subdivision-set*	2148	-	-	-	-	-	-
Drawer subdivision-set	2148/ES	-	-	-	-	-	-



WORKSHOP CARTS WITH WORKTOP



Workshop carts Modular system

Sectional/tubular steel construction, powder coated, blue RAL 5007, grey carcass RAL 7035.
Surface out of beech plywood, 22 mm thick with skirting on 3 sides, 80 mm high.
2 swivel and 2 fixed-wheel castors with TPE tyres, hubs with groove ball bearing.
Swivel castors with wheel locks, according to the EN 1757-3 (safety of platform trolleys).
Height of surface: 850 mm

2435

1 additional shelf and 1 lockable steel cupboard with leaf-door, 1 fixed and 2 adjustable shelves. 500 mm wide, 600 mm deep and 600 mm high.
Shelf heights: 226, 537, 850

2436

As 2435 but with 1 additional drawer with ball pull-out and cylinder lock.
H x W x D = 105 x 415 x 490 mm
Without additional shelf.
Shelf heights: 226, 850

2437

1 additional shelf and 1 centrally lockable cupboard of drawers, 3 drawers 120 mm high and 1 drawer 180 mm high. Ball pull-out and pull-out lock. 4/5-pull-out.
500 mm wide, 600 mm deep and 600 mm high.
Shelf heights: 226, 537, 850

2438

1 steel cupboard and 1 cupboard of drawers as 2435 and 2437.
Capacity per shelf in cupboards 30 kg, 25 kg per drawer.

* Please add order no. of the respective cart to this order no. (e.g.: 2148-2437)

Add-on kits

Cable drum and compressed air hose drum also suitable for all table top and workshop carts (pages 39-42).

Accessories

on pages 168-170



2435



2436




2437



2438



Vice
Forged.



Drawer subdivision-set
Made of galvanized steel sheet, insertable. 2 longitudinal partitions and 6 dividing sheets



Cable drum
Thermo protected (acc. to VDE) coated cable 3 x 1.5. Add-on kit. Lockable with padlock (not included in delivery).



Drum for compressed air hose
25 m hose, type NW 6 Add-on kit. Lockable with padlock (not included in delivery).



	Order no.	Capacity kg	Wheel-Ø mm	Platform size LxW mm	Outside dimensions LxWxH mm	Net weight kg
Workshop carts	2435	400	160	1120 x 650	1220 x 650 x 930	67
	2436	400	160	1120 x 650	1220 x 650 x 930	65
	2437	400	160	1120 x 650	1220 x 650 x 930	85
	2438	400	160	1120 x 650	1220 x 650 x 930	93
Vice, jaw width 100 mm	2144	-	-	-	-	5
Vice, jaw width 125 mm	2145	-	-	-	-	11
Drawer subdivision-set*	2148	-	-	-	-	3
Cable drum	2151	-	-	-	-	5
Drum for compressed air hose	2153	-	-	-	-	4



HEAVY WORKSHOP CARTS



Heavy workshop carts Modular system

Steel tube and sectional steel welded, powder coated.
Carcass grey RAL 7035, front blue RAL 5007. Surface durably protected, resistant to impact and scratches, platform made of derived timber material boards, surface beech grain.
2 swivel and 2 fixed-wheel castors with TPE tyres, hubs with groove ball bearing or pneumatic tyres, additional charge.

Swivel castors with wheel locks, according to the European Standard EN 1757-3 (safety of platform trolleys).

Shelf heights:
TPE tyres: 270/900 mm
Pneumatic tyres: 285/915 mm
Capacity upper shelf 200 kg.

2432 | 2433

1 lockable steel cupboard with leaf door, 1 fixed and 2 adjustable shelves:
2432: 500 mm wide, 700 mm deep, 600 mm high
2433: 600 mm wide, 800 mm deep, 600 mm high
Powder coated, grey carcass RAL 7035, front blue RAL 5007.

2474

1 centrally lockable drawer cupboard with 3 drawers 120 mm high and 1 drawer 180 mm high. Ball bearing slide. 4/5-pull-out. 500 mm wide, 700 mm deep and 600 mm high.

2475

2 lockable steel cupboards with 1 fixed and 2 adjustable shelves, 500 mm wide, 700 mm deep and 600 mm high.

2476

1 steel cupboard and 1 drawer cupboard as 2432/2474.
Capacity per shelf in cupboards 30 kg, per shelf 25 kg.

* Please add order no. of the respective cart to this order no. (e.g.: 2148-2474)

Accessories
on pages 168-170



2432 | 2433



2474



2475




2476



Add-on kit

For table top carts, steel plate drawer with ball pull-out and cylinder lock.

Height x Width x Depth inside:
105 x 410 x 475 mm



Drawer subdivision-set

Made of galvanized steel sheet, insertable. 2 longitudinal partitions and 6 dividing sheets. For drawers in cupboards order no. 2148. For single drawers order no. 2148/ES.



Table tops

For all types (not suitable for 2433) on this page beech plywood 22 mm, size 1150 x 750 mm, to be bolted onto existing platform.

	Order no.	Capacity kg	Wheel-Ø mm	Platform size L x W mm	Outside dimensions L x W x H mm	Net weight kg
Workshop carts	2432	600	200	1050 x 700	1197 x 709 x 900	76
	2433	600	200	1250 x 800	1397 x 809 x 900	86
	2474	600	200	1050 x 700	1197 x 709 x 900	89
	2475	600	200	1050 x 700	1197 x 709 x 900	99
	2476	600	200	1050 x 700	1197 x 709 x 900	111
Add-on-kit	2149	-	-	-	-	-
Drawer subdivision-set*	2148	-	-	-	-	-
Drawer subdivision-set	2148/ES	-	-	-	-	-
Table tops	2140	-	-	1150 x 750	-	14