



## TYRE TRANSPORT

Your perfect range for simple handling of tyres and wheels • Proven tyre trucks with spreader pick-up mechanism allowing operators to easily lift and lower tyre and wheel stacks • Powder-coated tubular steel structure in RAL 5007 blue • Large wheels either with solid rubber or pneumatic tyres • Smart tyre trolleys for easy transport and storage of tyre and wheel stacks • Can be picked up with fetra tyre trucks • Allows for easy and secure stacking • Hardware skip for small parts such as wheel studs • Made of fibreglass-reinforced polypropylene • Smoothly running swivel castors, one with lockable brake • Resilient tyre trolleys for upright transport of wheels and tyres • Powder-coated tubular steel structure in RAL 5007 blue • Tyre carriers can be bolted in or inserted without tools at variable positions • 4588 is a reinforced and longer version for high workloads, e.g. as pit stop trolleys in racing • 4 smoothly running swivel castors, or 2 swivel and 2 fixed-wheel castors, 2 swivel castors featuring lockable brakes

TYRE TRANSPORT



2033 + 4546



## TYRE TROLLEYS | TYRE TRUCKS



### „TYRE TROLLEY“ 4546

Smart dolly for easy transport and effective storage of normal-sized wheels and tyres. Designed for 8 tyres or 4 complete wheel sets. Practical hardware skip for storing small parts. Allows for easy and secure stacking. Compatible with the fetra tyre trucks 2032 and 2033. Platform made of fibreglass-reinforced polypropylene, 4 swivel castors with TPE tyres, one with lockable brake. Scaled pricing for 1/2/6 units.



4546



4547

### „TYRE TROLLEY“ 4547

Transport dolly for large wheels and tyres as they are used e.g. for SUVs. Castors with larger wheels facilitate transport on uneven surfaces.

Designed for 8 tyres or 4 complete wheel sets.

Practical hardware skip for storing small parts. Allows for easy and secure stacking.

Compatible with the fetra tyre trucks 2032 and 2033. Platform made of fibreglass-reinforced polypropylene, 4 swivel castors with solid rubber tyres, one with lockable brake. Scaled pricing for 1/2/4 units.



Example of use



Stackable

### Tyre trucks 2032 | 2033

Welded tubular steel, powder coated blue RAL 5007, surface durably protected.

Wheels optionally with solid rubber or pneumatic tyres. Hubs with roller bearings.

By activating the hand grips, the truck spreads its carrier spars (made of tubular steel) so that the stack of tyres can be taken up and down directly. Suitable for tyres-Ø 450 to 750 mm. Up to 8 wheels and tyres possible.

Compatible with „TYRE TROLLEY“ 4546 and 4547.



2032 | 2033



	Order no.	Capacity kg	Wheel-Ø mm	Diameter mm	Height mm	Net weight kg				
„TYRE TROLLEY“	4546	120	75	630	110	3,7				
	4547	180	100	700	140	6,3				
	Order no.	Capacity kg	Height mm	Lifting blade length mm	Lifting blade width mm	Total width mm	Solid rubber tyres mm	Pneumatic tyres mm	Net weight kg	
Tyre trucks	2032	200	1500	360	580	650	250 x 60	-	26	
	2033	200	1500	360	580	650	-	260 x 85	24	





# TYRE TROLLEYS



## Tyre trolleys

Tubular steel and steel section construction, powder coated blue RAL 5007.

### 4586

Tyre carrier variable adjustable in intervals of 150 mm with clamps on the face ends.

4 swivel castors, TPE tyres, hubs with groove ball bearing. Swivel castors with wheel lock.

### 4596

Shelves with welded wire lattice 140 x 40 mm.

Carriers variably insertable within a distance of 120 mm. Due to the joint-like attachment, the carriers adapt automatically to the tyre size.

2 swivel and 2 fixed-wheel castors, TPE tyres, hubs with groove ball bearing. Swivel castors with wheel locks.

### 4588

As 4586, but reinforced version for heavy duty, e.g. for motor-sports as tyre trolley in pit lane. 4 swivel castors with blue-grey elastic tyres, hubs with ball bearing. 2 wheels with locks.



	Order no.	Capacity kg	Wheel-Ø mm	Platform size L x W mm	Outside dimensions L x W x H mm	Net weight kg
Tyre trolleys	4586	250	160	1420 x 600	1540 x 670 x 1725	39
	4596	400	200	1420 x 610	1600 x 620 x 1800	59
	4588	500	200	1860 x 618	1991 x 671 x 1671	59