



When the job takes you beyond your bay, our Mobile Solutions are the perfect companions. Our EPIQ SideKIQ™ has 7" x 2" ISO-Ride+™ casters to navigate smoothly over the roughest floors and gravel, while our 40" carts are equipped with 6" x 2" vibration-resistant casters that can easily conquer small obstacles.

IT'S OUR PREMIUM TOUCHES THAT WILL REALLY MOVE YOU.

Lockable wheels, sturdy bumpers, rolled drawer edges, radiused corners, Lock'n Roll® or InPulse™ drawers — all things that make our carts easier to use. Our larger carts even allow you to choose various lid surfaces, to fit any and every need.

MOBILE SOLUTIONS





KEMW361 EPIQ Series Mobile Workstation

Cubic Inches (cm ³)	Square Inches (cm ²)		Net Weight, lb (kg)		Load Capacity, lb (kg)	
18,136 (297,195)	4,134 (26,691)		448 (203)		2,000 (907)	
	Width		Depth		Height	
Drawers	inches	mm	inches	mm	inches	mm
4	30-1/16	764	27-1/2	700	4	101
1	30-1/16	764	27-1/2	700	6-1/8	157
Overall	37	940	30	762	42	1,067

Five Total Drawers

KEMW361A1PBO EPIQ Mobile Work Station

- Stainless-steel work top with supports holds up to 1,000 lb – 37 x 30"
- Large 30" deep case
- Five (5) large 30" EPIQ InPulse™ drawers: four (4) 4" drawers and one (1) 6" drawer
- Swivel casters having rigid locking capability with a strong brake system
- EPIQ case design: top and bottom panel, and side walls absorb heaviest load and impact
- Includes color-matched slotted accessory wall for mounting of shelves and tool holders
- Optional 21 x 12" steel storage bin (KAS12X21PV) holds large buckets or can be flipped to use as a side shelf (Not Included)



KEMW361A1PBO

Colors Available



ROLL CARTS

KEMN361B Series SideKIQ® EPIQ Roll Cart

Cubic Inches (cm ³)	Square Inches (cm ²)		Net Weight, lb (kg)		Load Capacity, lb (kg)	
26,023 (426,644)	6,004 (37,735)		498 (227)		2,000 (907)	
	Width		Depth		Height	
Drawers	inches	mm	inches	mm	inches	mm
2	30-1/16	764	27-1/2	699	1-11/16	43
3	30-1/16	764	27-1/2	699	3-15/16	100
1	30-1/16	764	27-1/2	699	6-3/16	157
Top Compartment	36	914	29	717	8	203
Overall	37	940	30	762	48-3/8	1,229

Six Total Drawers

KEMN361B Series Roll Carts

- 37" inches wide and 30" inches deep – super capacity in a maneuverable footprint
- Same 48" height as EPIQ Roll Cab
- 8" deep top compartment for large pry bars, chargers, diagnostics, etc.
- Four 7" ISO-Ride® casters all swivel – or they can be locked into rigid position when desired
- ISO-Ride torsion puck system
- Casters are designed to carry 2,000 lb each
- InPulse drawer retention system
- Six heavy duty drawers hold 227 lb per drawer
- Radiused trim and inset drawers – no sharp corners
- Also available in Bed Liner top (substitute B7 for B1)



KEMN361B1PBO

Colors Available



- Do not open multiple drawers
- Images may be shown without actual warning labels
- Read safety precautions on pages W1 to W4



TOOL SOLUTIONS: ROLL CARTS

TOOL STORAGE



KRSC246PCM1



KRSC246PD07

Colors Available



Red	Gloss Black	Royal Blue	Midnight Blue	Ultra Yellow	Extreme Green	Electric Orange	Flat Black w/Blk Trim	White	White w/Blk Trim	Storm Gray w/Blk Trim
PBO1	PC1	PCM1	PDG1	PES1	PJJ1	PJK1	POT1	PU1	PDC1	PWZ1
Stainless: BN7	Blackout: BF17	BET7	BQD7	BDO7	BKG7	BKH7	BO7	—	BDC7	PWZ7

KRSC246 Series Roll Carts

Specifications	KRSC246 Series
Cubic Inches (cm ³)	21,979 (360,171)
Square Inches (cm ²)	4,880 (31,483)
Width, inches (mm)	36 (914)
Height, inches (mm)	46 (1,168)
Depth, inches (mm)	24 (610)
Load Capacity, lb (kg)	2,400 (1,089)
Lid Capacity, lb (kg)	150 (68)
Drawers	6
Casters	6" x 2"
Net Weight, lb (kg)	318 (144)
Shipping Weight, lb (kg)	373 (172)

KRSC246 Series Roll Carts

- Unit is 24" deep for the most storage capacity
- Lockable top section is 7" deep, allowing you to lock up work in process
- Top section also provides openings to vertically store pry bars and extensions up to 36" (914 mm) long
- Welded cart body yields lasting strength
- Choose from two durable flip-lid materials: stainless-steel or truck bed liner
- Bumpers have a hard interior yet a soft exterior to reduce damage to other objects
- Six drawers: two 2" deep; two 4" deep; and two 6" deep
- Four monprene casters for better maneuverability and less vibration



KRSC46HPB0

KRSC46H Series Roll Carts

	Cubic Inches (cm ³)	Square Inches (cm ²)	Net Weight, lb (kg)	Load Capacity, lb (kg)
	20,783 (340,572)	4,392 (28,335)	265 (120)	2400 (1089)
Specifications	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
	6	40 (1,029)	20 (508)	46 (1,168)
Drawers	5	34-3/4 (882)	17-1/2 (444)	3-5/8 (92)
	1	34-3/4 (882)	17-1/2 (444)	7-5/8 (193)
Top Compartment	—	39-13/16 (1,011)	18-13/16 (478)	7 (178)

Colors Available



Chrome Trim and Logo:	PBO	PC	PCM	PES	PJH	PJJ	PJK	PDG	—	—
Black Trim and Logo:	BN	BFI	BET	BDO	BPS	BKG	BKH	BQD	POT	PWZ

KRSC46H Series Roll Carts

- The one-piece fully welded body is designed for maximum strength
- Inherent strength for storage capacity found only in the best tool storage cabinets
- Switch out one of the 4" drawers and the 8" drawer and add a 12" drawer
- 7" top compartment uses nonslip liner internally to accommodate heavy tools and parts
- Top compartment will also store battery charger and can be used as a charging station while locked
- Drawers are 36" wide. Drawer capacity: 100 lb per drawer; up to 200 lb with double slide
- Stronger lock and cam – round key lock for interchangeability and larger cam for security

- Accessory panels can be added to both sides providing slot pattern for accessories, and accommodates KAPS5 Power Strip with no extra drilling
- Also accommodates the KRA4830 End Cab (KRSC404APV adaptor panel required)
- Snap-on® paint and steel standards using the same paint and steel as Snap-on® toolboxes
- Snap-on® Warranty – the Snap-on® lifetime warranty on all parts
- Thoroughly tested with rigorous bump track testing has proven the Snap-on® cart lasts longer
- Optional JKRR46GW55 – Rubber Top Mat (not included)
- Optional Work Mat also available in colors: JKRR46GW55AG (green) JKRR46GW55AO (orange)



KRSC430 Series Roll Carts

Specifications	KRSC430 Series
Cubic Inches (cm ³)	20,783 (340,572)
Square Inches (cm ²)	4,392 (28,335)
Width, inches (mm)	40 (1,016)
Height, inches (mm)	46 (1,168)
Depth, inches (mm)	20 (508)
Load Capacity, lb (kg)	2,400 (1,089)
Lid Capacity, lb (kg)	120 (54) each side
Drawers	6 + 2
Casters	6" x 2"
Net Weight, lb (kg)	262 (112)
Shipping Weight, lb (kg)	312 (135)



KRSC430PJ1

KRSC430 Series Roll Carts

- Features a split top that slides out from the center to provide total access to a generous 5" deep top compartment
- 2 drawers under lid for in-process work
- Cart body is entirely welded double-wall design, not bolted, for lasting strength – spot welds 3"–4" apart
- Rolled edges and a rear flange on drawers provide a solid feel to drawers under load
- Two shot-molded rubber/nylon corner bumpers protect nearby objects and provide long-lasting brand identification and professional appearance
- Full-length two-point locking lid and separate manual rear lock rod for drawers

Colors Available

Red	Gloss Black	Royal Blue	Ultra Yellow	Candy Apple Red	Extreme Green	Electric Orange	Midnight Blue	Flat Black
Stainless: PBO1	PC1	PCM1	PES1	PJH1	PJJ1	PJK1	PDG1	POT1
Blackout: BN7	BF17	BET7	BD07	BPS7	BKG7	BKH7	BQD7	POT7

KRSC326F Series Compact Roll Cart

Cubic Inches (cm ³)	Square Inches (cm ²)	Net Weight, lb (kg)	Load Capacity, lb (kg)
16,847 (276,073)	3,533 (22,794)	157 (71.2)	1,200 (544)
	Drawers	Width, inches (mm)	Depth, inches (mm)
Specifications	6	32-11/16 (830)	20-1/2 (520)
Drawers	5	27-1/8 (689)	17-1/2 (445)
	1	27-1/8 (689)	17-1/2 (445)
Top Compartment	—	32 (812)	18-13/16 (478)
			6-11/16 (170)



KRSC326FPB0

KRSC326F Roll Cart

- Similar features to KRSC46H
- More compact width and four swivel casters

Colors Available

Red	Gloss Black	Royal Blue	Midnight Blue	Ultra Yellow	Candy Apple Red	Extreme Green	Electric Orange	Flat Black
PBO	PC	PCM	PDG	PES	PJH	PJJ	PJK	POT

KRSC343 Series Roll Carts

- 6 Drawer Sliding Lid Cart

Cubic Inches (cm ³)	Square Inches (cm ²)	Net Weight, lb (kg)	Ball Slide Capacity, lb (kg) per drawer
16,847 (276,078)	3,533 (22,794)	157 (71.2)	120 lbs (95kg)
	Drawers	Width, inches (mm)	Depth, inches (mm)
4" wide Drawer	5	27-1/8 (688)	17-1/2 (445)
8" wide Drawer	1	27-1/8 (688)	17-1/2 (445)
Top Compartment	1	26 (660)	19-1/8 (485)
Pry Bar/Screwdriver Section	2	5 (127)	19-1/8 (485)
Overall Totals	6	32 (812)	20-1/2 (521)
			46 (1,168)



KRSC343PB0



- Do not open multiple drawers
- Images may be shown without actual warning labels
- Read safety precautions on pages W1 to W4

MOBILE SOLUTIONS: ROLL CARTS



KRSC33APB0

KRSC33A Series Roll Carts

Cubic Inches (cm ³)	Square Inches (cm ²)	Net Weight, lb (kg)	Load Capacity, lb (kg)	
9,591 (157,168)	2,110 (13,613)	157 (71.2)	600 (272)	
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
Specifications	3	32-9/16 (827.1)	20-1/2 (520.7)	43-5/16 (1,100)
Top Compartment	—	32 (812.8)	19-1/8 (485.8)	6-1/2 (165.1)

KRSC33A Series Roll Carts

- Entirely welded body and legs for super strength versus bolt-together units
- 27" locking drawers
- Large top compartment
- 5" x 2" swivel casters, factory installed
- Factory assembled, welded tray and leg assembly
- Slotted side panels for mounting accessories

KRSC312FPV Optional Side Shelf, Textured Black

Colors Available



KRSC46H, KRSC430 and KRSC326F Series Roll Cart Accessories

- Create the ultimate shop cart
- Easier to customize than any shop cart in the industry

Stock No.	Description
KAPR17A	Prybar Rack
KRA412G	Folding side shelf
KRA4830F*	End cab. Comes equipped with adjustable shelves; optional drawers can also be added
KACSC40APC	Protective nylon cover (black 200 Denier [®] nylon). KRSC46, KRSC430
KACSC30PC	Protective nylon cover (black 200 Denier [®] nylon). KRSC326, KRSC33
KRSC404APV	Accessory mounting/adaptor panel; also used to mount end cab
KAS12APV*	12" flat shelf
KAT12APV*	12" can rack: 12" wide, 3" deep

*Requires KRSC404APV adaptor panel



KRBC60T

KRBC60T Welding WorkStation Cart

Cubic Inches (cm ³)	Square Inches (cm ²)	Net Weight, lb (kg)	Load Capacity, lb (kg)	
19,804	1,949	295 lb	1,000 (453)	
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
Specifications	3	50-3/4 (1,289)	25-3/4 (654)	37-1/2 (352)
Top Compartment	—	26 (660.4)	19-1/8 (485.8)	6-1/2 (165.1)

KRBC60T Welding WorkStation Cart

- 3/8" plate steel work surface
- Four dual-purpose mounting locations serve as accessory mount and wand holder
- HD textured black matte finish
- Large locking compartment stores two welders
- Slotted rear panel accommodates many accessories
- Three drawers with liners and high quality roller bearing slides
- Three large cord hooks included – extra hook kits available



KRP1HD

KRP1HD Polymer Roll Cart

	Net Weight, lb (kg)	Load Capacity, lb (kg)		
	37 (16.8)	320 (145)		
		Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
Specifications	1	43 (1,092)	21-3/4 (552)	38-1/2 (978)
Top Tray	1	43 (1,092)	21-3/4 (552)	3-3/16 (80.9)
Bottom Tray	1	43 (1,092)	21-3/4 (552)	2-13/16 (71.4)

KRP1HD Polymer Roll Cart

- Heavy duty polymer construction will not scratch painted surfaces, will not corrode and is non-conductive
- Top slides in either direction to reveal storage compartment and work surface underneath
- Built-in tool holders in handles accept wide variety of screwdrivers, small prybars, pliers and other small to medium hand tools
- Drain plugs in both upper and lower trays facilitate cleanup
- Red trays with gray lid and legs
- Locking swivel casters
- Each tray has 160 lb (73 kg) load capacity



KRA6200F/KRA6210F Series Road Chest

Cubic Inches (cm ³)	Square Inches (cm ²)	Net Weight, lb (kg)	Shipping Weight, lb (kg)	
11,937 (195,612)	3,460 (22,323)	282 (128)*	325 (147)*	
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
Specifications	4	36 (914)	24 (610)	24 (610)
Drawers	2	30-1/2 (775)	21-3/4 (552)	1-3/4 (44)
	2	30-1/2 (775)	21-3/4 (552)	3-5/8 (92)
Top Compartment	—	34-7/8 (885)	22-1/2 (571)	5-1/2 (139)

*Add 25 lb for cage on KRA6200F

KRA6200F/KRA6210F Series Road Chest

- Wider side walls with added corner gussets to keep corners square
- Three stiffeners behind front cover with inside padding: strengthens cover and protects drawers
- Cover and front are hinged together for quick and easy access to all tools
- Handles on KRA6210F Series provide easier lifting (Handle 8 – 3533, add color suffix)
- Three friction hinges keep the front cover from slamming

Optional Waterproof Covers

KRA6200	KAC6200 (Red)	KAC6200PC (Black)
KRA6210	KAC6210 (Red)	KAC6210PC (Black)

KADDS2404 – Optional 4" steel drawer divider set
 KADDS2402 – Optional 2" steel drawer divider set



KRA6200FPB0



KRA6210FPB0

Colors Available



KRA60B Series Heavy Duty Road Chests

Specifications	KRA60B Series
Cubic Inches (cm ³)	5,343 (87,556)
Square Inches (cm ²)	1,939 (12,509)
Width, inches (mm)	26 (660)
Height, inches (mm)	19-5/16 (491)
Depth, inches (mm)	16-7/8 (428)
Load Capacity, lb (kg)	500 (220)
Drawers	8
Net Weight, lb (kg)	120 (54)
Shipping Weight, lb (kg)	155 (70)

KRA60B Series Heavy Duty Road Chests

- Deeper drawers, over 15" front to back, holds more tools required for service
- 5" deep narrow drawer and 5" deep top compartment holds power tools and deep sockets
- Friction-style drawer slides for optimal use in dusty, gritty environments
- Protective cover and drop front for quick access to top compartment and drawers
- Lid (cover/front) is rigid enough for repeated heavy use and keeps its shape due to a unique full length lid stiffener, which is welded to the sides for optimal rigidity
- The front section of the cover contains a backing plate to reduce flex
- Safety lock on cover keeps cover in position when open
- Two full-length piano hinges help to position the cover with little effort
- Class 1 heavy gauge steel is used throughout – spot welds 3"–4" apart
- Full width double-wall construction supports loaded drawers
- Rolled edges and a rear flange on drawers provide a solid feel to drawers under load
- Plastic bumper tops for quiet closing and protection
- Full length, two-point lock rod secures both sides – more secure than single point lock used by many other manufacturers


KRC20 Nylon Cover

- Protective nylon cover for KRA60B Series Heavy Duty road chests



KRA60BPCM

Colors Available



• Do not open multiple drawers
 • Images may be shown without actual warning labels
 • Read safety precautions on pages W1 to W4

MOBILE SOLUTIONS: ROAD CHEST




KRA62D

KRA62D Heavy Duty Road Chest

Cubic Inches (cm ³)	Square Inches (cm ²)	Net Weight, lb (kg)	Load Capacity, lb (kg)	
8,187 (134,160)	3,108 (20,050)	178 (81)	450 (204)	
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
Specifications	10	31-3/32 (789.8)	20-5/16 (515.9)	21-7/32 (539)
Top Compartment	—	26 (660.4)	19-1/8 (485.8)	6-1/2 (165.1)

Optional Accessories:
KRAC62 Optional Nylon Cover

Colors Available



MOBILE TOOL CHEST



KMC18043NOR



KMC18062NTN

All Weather Mobile Tool Chest

- 22.1" wheel base on the wide corners for stability
- Innovative four-bar latch system for secure lid closure
- Telescoping handle with higher reach
- Over top hinged lid can be used as a seat when case is closed
- Drawers fully extend on Snap-on[®] proprietary composite slides
- Usable space interior dimensions: 21.2" W x 11.9" D x 15.4" H
- 4,130 cubic inches of internal space
- Heavy duty butterfly hinges
- Auto pressure equalization valve
- Large side handles that may be gripped with two hands
- Configurable drawers; interchangeable with other mobile tool chests
- Heavy duty roll cage ribs; durable, shock-resistant material
- Stackable design even when fully loaded
- Snap-on padlock holder with 250 lb of break-in resistance
- Water resistant when submerged to one meter
- Case material made with Zerust[®] corrosion inhibitor to help prevent tools from rusting
- Net weight 44 lb (20 kg)

	Drawers	Color
KMC18043PBK	7	Black
KMC18043PGR	7	Green
KMC18043POR	7	Orange
KMC18043PTN	7	Tan
KMC18062PBK	8	Black
KMC18062PGR	8	Green
KMC18062POR	8	Orange
KMC18062PTN	8	Tan

Optional Accessories:

JIKMC18-7NS Nonslip Drawer Liner Kit. For seven-drawer units only.



TB50W

Soft-Sided Tool Bag with Wheels and a Telescoping Handle

TB50W Soft-Sided Tool Bag

- Multiple pockets inside and outside, to store a multitude of smaller items
- Large gate mouth opening to store larger items and for easy access
- Made of durable 1680 Denier[®] oxford nylon fabric, for strength and durability
- Telescoping handle with wheels, to roll rather than carry the bag
- Dimensions – 20" W x 12" H x 12" D



MOBILE SOLUTIONS: MOBILE TOOL CHESTS

Aviation Dog Boxes

Aviation technicians told us what they need. And we listened. Snap-on® is excited to introduce this new line of rolling toolboxes with convenient hand-tow handles. Available in three sizes, these dog boxes let you load up the

tools you need for a specific task and comfortably wheel them across the tarmac, from hangar to hangar, through the terminal or on a plane.

Interchangeable Handles

- Small and medium dog boxes feature an interchangeable hard steel wagon-style handle that keeps the box from wandering or nipping at your heels, or a soft nylon leash so you can choose the hand-tow handle that best fits your needs
- Handles can be quickly installed or changed with the wire lock pin

Deluxe Wagon-Style Handle

- The large dog boxes feature a deluxe hard steel wagon-style handle that is easy to steer and easy to control
- The swivel feature allows for a comfortable pulling position while the spring-loaded action keeps the handle in the upright position when the box is at rest

Hinged And Foldable Top

- Both large dog boxes feature a front lid that folds up and under the top lid to create a convenient, flat work surface, while still allowing access to the drawers
- When fully closed, the hinged cover lets you keep the drawers and box securely locked

Removable Chassis

- Each dog box can be removed from the rolling chassis with convenient lifting handles to allow for stationary storage on a bench or roll cab for easy accessibility

Rubber Wheels

- All models feature rubber caster wheels for a smooth and quiet ride along with maximum shock absorption
- Wheels can also be locked for safety



KRDB265



KRDB269



KRDB18



KRDB24

Specification	KRDB265	KRDB269	KRDB18	KRDB24
Brand	Snap-on®	Snap-on®	Blue-Point®	Blue-Point®
Description	Dog Box Large, 5-Drawer Wheeled Tool Box	Dog Box Large, 9-Drawer Wheeled Tool Box	Dog Box Small, Wheeled Tool Box	Dog Box Medium, Wheeled Tool Box
Storage Space (Cubic Inches)	4,452	4,288	1,530	2,540
Storage Space (Square Inches)	1,814	1,753	525	670
Number of Trays	—	—	4	4
Number of Drawers	5 full length	3 full length 6 compartment	—	—
Cantilever, Split-Top Opening	—	—	Yes	Yes
Flat Work Top	Yes	Yes	—	—
Pull Handle*	Deluxe hard steel wagon handle with soft grip	Deluxe hard steel wagon handle with soft grip	Interchangeable hard steel wagon handle or soft nylon leash	Interchangeable hard steel wagon handle or soft nylon leash
Carrying Handle	No	No	Yes	Yes
Rubber Wheels	Yes	Yes	Yes	Yes
Removable Chassis	Yes	Yes	Yes	Yes
Length, inches (mm)	26 (660)	26 (660)	18 (457)	24 (610)
Width, inches (mm)	14-3/4 (375)	14-3/4 (375)	10 (254)	12 (305)
Height, inches (mm)	17-1/4 (438)	17-1/4 (438)	13-1/4 (349)	12 (305)
Weight, lb (kg)	103 (47)	103 (47)	32 (14)	55 (25)

*Designed to be pulled by hand

Already own a Snap-on® toolbox? Add a rolling chassis to create your own dog box.

DB18CHASSIS: 18" Chassis with interchangeable hard and soft handles

DB24CHASSIS: 24" Chassis with interchangeable hard and soft handles

DB26CHASSIS: 26" Chassis hard handle only



- Do not open multiple drawers
- Images may be shown without actual warning labels
- Read safety precautions on pages W1 to W4

MOBILE SOLUTIONS: ROLL CARTS Blue-Point®



KRBC50TAPC

Colors Available



KRBC50TA Series Roll Carts

Specifications	KRBC50T Series
Cubic Inches (cm³)	16,572 (271,000)
Square Inches (cm²)	4,204 (13390)
Width, inches (mm)	36 (965)
Height, inches (mm)	42 (1,071)
Depth, inches (mm)	22-3/8" (569)
Load Capacity, lb (kg)	705 (319)
Drawers	5
Casters	6" x 2"
Net Weight, lb (kg)	180 (81.6)
Shipping Weight, lb (kg)	216 (98)

KRBC50TA Series Roll Carts

- New cart locking system for theft protection
- Heavy duty cart push handle
- Spring loaded drawer detentes for ease of closing
- 6" x 2" heavy duty casters (brakes on two of the casters)
- Rugged one-piece bumper guards
- Retractable side work table
- Longer drawer handles
- Can holder
- Prybar and tool holders on each side of cart



KRBC30TBPC

KRBC30TB Series Roll Carts

Cubic Inches (cm³)	Square Inches (cm²)	Net Weight, lb (kg)	Load Capacity, lb (kg)	
11,050	2,153 (13,890)	180 (81.5)	800 (362)	
Specifications	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
Top Compartment	—	24 (610)	20"	6"

KRBC30TB Series Roll Carts

- Portable 20' electrical cord reel with four outlets and circuit breakers
- Adjustable personal organizer tray in top compartment (3" deep x 24" wide x 1.5" high)
- One-piece rubber bumper for each leg (already installed)
- Bottom corner bump blocks for extra corner protection
- Sturdy, spacious bottom drawer with two sets of drawer slides
- Larger pull handles for easy drawer opening
- Heavy duty padded handle
- Removable garbage can
- Sturdy side work table
- Removable spray can holder
- Comes with casters assembled on cart

Colors Available



KRBC10TBPC

KRBC10TB Series Roll Carts

	Cubic inches (cm³)	Square inches (cm²)	Load Capacity, lb (kg)	
	7,428 (121,700)	2,400 (15,480)	540 (245)	
Specifications	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
Drawers	4	30-1/2 (775)	20-1/2 (520)	41-1/4 (1,048)
	2	11-1/2 (292)	17-1/2 (444)	2-1/2 (63.5)
	1	24-1/2 (622)	17-1/2 (444)	2-1/2 (63.5)
	1	24-1/2 (622)	17-1/2 (444)	2-1/2 (63.5)
Bottom Shelf	2	30 (762)	19 (482)	3-1/2 (88.9)
Top Compartment	—	30 (762)	19 (482)	2-1/2 (63.5)
External Tray (rear)	—	15-3/8 (390)	4 (101)	3-3/8 (85.9)
External Tray (front)	—	15-3/8 (390)	4 (101)	2 (50.8)

BPNCVR10T Roll Cart Cover. Fits all KRBC10T, KRBC9T and KRBC30T series roll carts. Protects cart from dirty shop conditions. High quality 210 Denier® nylon. Sturdy zipper makes using the cover quick and easy. Waterproof and durable.

KRBC10TB Series Roll Carts

- Plated fasteners resist corrosion and self-locking nuts assure a rigid, secure assembly
- Locking support tabs add strength, increase load capacity and facilitate quick assembly
- Made from heavy gauge steel for superior strength
- Retractable side work table
- Protective rubber bumpers
- Comes with casters assembled

Colors Available





KRBCSST Series Roll Carts

- Padded lid protects finish and provides additional work surface
- Roller bearing slide drawers, locking slide top and internal prybar holder
- Dual locking casters keep cart in place during use
- Convenient storage trays on both sides

Cubic Inches (cm ³)	Square Inches (cm ²)	Net Weight, lb (kg)	Load Capacity, lb (kg)	
15,931 (261,062)	1,618 (26,514)	23.5 (56)	300 (136)	
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
Specifications	2	29-7/16 (747)	20-5/8 (524)	38-11/16 (982)
Top Compartment	—	29-7/16 (747)	20-5/8 (524)	6-13/16 (171)
Drawers	2	29-5/16 (744)	17-1/2 (444)	2-3/4 (69)
Bottom Compartment		29-5/16 (744)	17-1/2 (444)	3 (75.9)

High quality 210 Denier® nylon. Sturdy zipper makes using the cover quick and easy. Waterproof and durable.



KRBCSST

Colors Available



KRBC7TD Series Roll Carts

- 4" zinc-plated casters (two locking, two swivel)
- Six liners on drawer and tray, and one rubber mat for side work shelf
- Latch system to unlock all four drawers once the top lid has been opened with a key
- Gas springs on lid for greater control
- Folding side work shelf provides extra work space
- Locking flip-top lid with full length piano hinge
- Locking prybar compartment securely holds all length prybars and screwdrivers

	Net Weight, lb (kg)		Load Capacity, lb (kg)	
	112.2 (50.8)		300 (136)	
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
Specifications	4	35 (889)	17 (431)	41 (1,041)
Drawers	2	13-13/16 (350)	15-3/8 (398)	2 (50.8)
	1	27-9/16 (700)	15-7/16 (391)	2 (50.8)
	1	27-9/16 (700)	15-7/16 (391)	4 (101)
Bottom Shelf	1	27-9/16 (700)	15-7/16 (391)	3 (76.2)



KRBC7TD

Colors Available



KRBC13 Series Roll Carts

Specifications	KRBC13PBO
Width, inches (mm)	31-1/2 (800)
Depth, inches (mm)	19-1/2 (495)
Height, inches (mm)	38 (965)
Cubic inches (cm ³)	5,591 (10,516)
Square inches (cm ²)	1,630 (16,445)
Slots on side panels	3" (76 mm) on center, max. 15"
Slots on back panel	3" (76 mm) on center, max. 21"
Drawers	1



KRBC13

Colors Available




- Do not open multiple drawers
- Images may be shown without actual warning labels
- Read safety precautions on pages W1 to W4

MOBILE SOLUTIONS ROLL CARTS Blue-Point®



KRBC2TC

Colors Available



PC PCM

KRBC2TC Series Roll Cart

- Rugged, general duty dual shelf roll cart
- Trays feature rolled edges for improved strength and rigidity
- Maximum load capacity 150 lb (68 kg) per tray
- Casters are 4" x 1-1/8" (two locking, two standard)

	Net Weight, lb (kg)		Load Capacity, lb (kg)	
	38 (17.2)		300 (136)	
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
Specifications	—	30 (756)	17 (428)	41 (1041)
Trays	2	30 (756)	17 (428)	3 (75)


KRBC3TD-1 Locking Drawer. Optional add-on locking drawer for KRBC2TC.

350ABMF09 Replacement Add-On Tray. For KRBC2TC/KRBC3TD.



KRBC3TD

Colors Available



PC PCM

KRBC3TD Roll Cart

- Features locking drawer with tubular lock for added tool security
- Two sturdy, 3" deep trays are positioned for convenience
- 150 lb (68 kg) load capacity per tray
- Made of heavy gauge steel
- 4" x 1-1/8" casters (two locking, two standard)

	Net Weight, lb (kg)		Load Capacity, lb (kg)	
	65 (29.4)		300 (136)	
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
Specifications	—	30 (762)	17 (428)	41 (1041)
Trays	2	30 (762)	17 (428)	3 (76.2)
Drawer	1	27 (685)	14-1/2 (368)	4 (101)

SERVICE TRAYS



SOSTPC

SOSTPC Automotive Service Tray (Matte Black)

- Leg clearance of 25" allows service tray to slide under hood from the front or side of vehicle
- Height-adjustable support post (36.5"–48.6") allows tray to clear fender or front end on most vehicles
- Removable parts tray and screwdriver holders built into the tray
- Protective bumpers included for the support post
- Maximum load capacity: Tray (125 lb), Drawer (25 lb)
- Large bottom storage basket
- Dimensions (fully assembled): 38" x 28-1/2" x 36-1/2"–48.6" (adj. ht.)



BLPUHST



BLPUHSTPC

BLPUHST Under-Hood Service Tray

- Convenience with less user motion and fatigue
- 24" leg clearance allows the service tray to slide under the hood from the front or the side of vehicle
- Parts dividers and screwdriver holders built in the tray
- Protective bumpers included for top tray and support post
- 3" heavy duty swivel casters
- Height-adjustable support post adjusts from 35-13/16"–48-3/8" for the tray to clear the fender or front end of most vehicles
- EVA pads in all tray compartments
- Dimensions (fully assembled): 29-1/2" L x 26" W x 48-3/8" H
- Maximum load capacity: 75 lb (34 kg)



YA481



YA483



YA486

Plastic Boxes

Ideal for a wide range of storage needs. YA481 through YA486 are made of tough, injection molded plastic to ensure a precise fitting lid and durability. Top carrying handle, tension latches, tote tray and padlock provision are also featured.

Stock No.	Dimensions, inches
YA481	14-1/2 W x 7-1/4 D x 4-1/2 H
YA482	16-1/2 W x 8-1/4 D x 6-1/2 H
YA483	20-1/4 W x 9 D x 7-3/4 H
YA484	23-1/8 W x 10-1/4 D x 10-1/2 H
YA486	27-1/2 W x 13-3/8 D x 14 H

Parts Storage Cases

KRP5CAB Five-Drawer Storage Cabinet

- Use to store or inventory small tools and parts
- Black, heavy duty polypropylene cabinet with five removable drawers (KRP5PB)
- Each drawer features a translucent plastic divider system that allows full customization for individual needs
- Drawers are easily removable for transport to job location
- Units can be stacked or wall mounted
- Resistant to common solvents
- Cabinet dimensions are 15-1/2" W x 14-1/2" D x 16" H



KRP5CAB

KRP5PB Storage Drawer

- Plastic storage drawer for KRP5CAB parts storage cabinet
- Each drawer features 16 translucent section dividers for unlimited customizing options (KRP5PB-16 = 16 Dividers)
- Drawer measures 13-5/8" W x 9-5/8" D x 2-1/4" H



KRP5PB

YA402 Parts Storage Case (Blue-Point®)

- Interchangeable partitions allow customizing from 9-24 compartments
- Rugged polypropylene construction
- 14-5/8" W x 10-3/4" D x 2-5/16" H



YA402

YA485 Parts Storage Case (Blue-Point®)

- Similar to YA402 except interchangeable partitions can form 8-32 compartments
- 18 x 12 x 3"



- Do not open multiple drawers
- Images may be shown without actual warning labels
- Read safety precautions on pages W1 to W4



KRP825PCA



KRP825PCC



KTA3A



KRP1001A



KRA276D

Plastic Boxes with Steel Drawers (F.O.D.Design)

- Portable tool chest designed specifically for Foreign Object Damage (F.O.D.) applications
- Accepts both magnetic and foam tool control systems for tool accountability
- 22 gauge steel drawers are interchangeable for custom configurations
- Standard drawer configuration includes (4) drawers measuring 7-7/8" x 19-9/32" x 1-7/8" and (1) drawer measuring 7-7/8" x 19-9/32" x 4"
- Molded polymer one piece design (handle, latches, strap pins, hinges, and lock clasp) minimizes potential loose pieces that could cause F.O.D. molded recesses in outer case allow vertical and horizontal stacking
- Padded carrying strap for extra comfort
- 24" W x 10-5/32" D x 17-13/32" H; With capacities of 759 in² and 1,760 in³; Weight 33 lb (capacity specifications listed are based on standard drawer configuration)

KRP825PCA Portable Tool Chest (F.O.D.)

- Gray case and red drawers

KRP825PCC Portable Tool Chest (F.O.D.)

- Red case and red drawers

Tote Trays

KTA3A Metal Tote Tray

- Tubular pull up handle lifts 1-5/8"
- Measures 20-1/4 x 8 x 3-1/4" with handle down

KRP1001A Plastic Tote Tray

- Made of tough, rust-proof, nonconductive, chemical-resistant polymer
- Includes two deep end pockets
- Bottom drawer is divided into 12 compartments and can be opened from either side
- 16-5/8 x 10-1/4 x 6-7/8"

Wall Cabs

KRA276D Wall Cabinet

- Snap-on® wall cabinets provide both security and inventory control
- Wall cabinet can be mounted to wall, stationary bench or roll cab
- Ruggedly built of heavy gauge steel for durability
- Theft-resistant cylinder locks and a two-point locking system provide protection for your tools
- Features PLEXIGLAS® door panels to permit checking tool inventory without opening doors
- Cabinet measures 33-7/8 x 24-3/4 x 6"



ACCESSORIES: BOXES AND TOTE TRAYS

TOOL STORAGE



KRW184B



KRW185



KRA25D



KRW48C



UT22K



KRA21G



KRW182B



KRW183C



KRA24



KRU24B



KRU24GB

Stock No.	Cubic inches (cm ³)	Square inches (cm ²)	Dimensions, inches	Description/Features
KRW184B	1,851 (30,330)	684 (4,413)	Overall: 20-19/32 x 8-1/2 x 14-1/4 Top 3 Drawers: 17-13/16 x 7-5/16 x 2 Bottom Drawer: 17-13/16 x 7-5/16 x 2-1/2	Four drawer locking box with lid (Blue-Point®)
KRW185	2,030 (33,266)	845 (5,452)	20-1/4 x 18 x 8-1/2	Five drawer locking box with lid (Blue-Point®)
KRA25D	1,568 (25,690)	180 (1,161)	20-7/8 x 8-3/4 x 8-3/4	Metal box with partitioned tote tray (Blue-Point®)
KRW48C	1,530 (25,070)	476 (3,071)	18 x 10 x 13-1/4	Cantilever lid (Blue-Point®)
UT22K	1,444 (23,660)	525 (3,837)	Overall: 22 x 8 x 9; 4 Small Trays: 22 x 4 x 2	22" long cantilever box
KRA21G	996 (16,320)	486 (3,135)	Bottom Drawer: 19-3/4 x 7-3/4 x 2-13/16	Two drawer locking box with tote tray
KRW182B	1,137 (18,630)	—	18-1/2 x 8-1/2 x 9-1/2	Two drawer locking box with lid (Blue-Point®)
KRW183C	1,637 (26,830)	—	Overall: 20-19/32 x 8-1/2 x 12 Each Drawer: 17-13/16 x 7-5/16 x 2-1/2	Three drawer locking box with lid (Blue-Point®)
KRA24	1,155 (18,930)	154 (994)	19-7/8 x 7-3/4 x 7-1/2	Box with tote tray
KRU24B	2,540 (41,623)	670 (4,322)	Bottom Section: 23-3/5 x 11-3/5 x 7-1/4	Red 24" long box with cantilever under lid (Blue-Point®)
KRU24GB	2,540 (41,623)	670 (4,322)	Bottom Section: 23-3/5 x 11-3/5 x 7-1/4	Gray 24" long box with cantilever under lid (Blue-Point®)

WARNING



- Do not open multiple drawers
- Images may be shown without actual warning labels
- Read safety precautions on pages W1 to W4

ACCESSORIES: TOTE BAGS



TB10A



TB20A



TB30



TB40



TB50



CTTOTE



BPTOTE



CTUTOTE



CTUTOTEABK

Tote Bags

- Rugged, versatile tote bags are constructed from heavy duty 600 x 300 D-polyester
- Water resistant PVC backing
- Reinforced top hem
- Wide top opening for easy access
- Padded handles and shoulder strap
- Embroidered logos

TB10A Collapsible Tote Bag

- Folds flat for convenient storage using hook and loop with metal snap corner closures
- Multiple interior and exterior pockets
- Fold-down interior bin dividers
- Molded plastic bottom for strength
- Overall dimensions: 18" L x 8" W x 9" D

TB20A Tote Bag

- Multiple interior and exterior pockets
- Removable plastic parts storage bin accessed via lower side storage pocket
- Overall dimensions: 15" L x 10-1/2" W x 12" H

TB30 Tote Bag

- Ultimate small tool organizer
- Multi-organizing pockets
- Heavy duty zippers
- Overall dimensions 13 x 10 x 8"

TB40 Tote Bag

- Lots of cargo space for cordless tools, etc.
- Heavy duty shoulder strap
- Water-resistant D-polyester fabric and reinforced top hem for sturdy construction
- Multiple pockets, inside and out
- Wide opening for easy access
- Heavy-duty zippers
- Will hold an 18" pry bar in diagonal mounts on the inside wall
- Maximum carrying capacity of 27 lb
- Overall dimensions 17 x 9 x 11"

TB50 Tote Bag

- Multi-pockets inside and out
- Easy grip handle
- Special hard body design
- Overall dimensions 20 x 11 x 9"

CTTOTE Power Tool Tote Bag

- Wide opening for easy access to tools – extra padding for protection
- Durable 600 Denier® outside for strength
- Interior pockets and compartments for tool organization
- Padded handles for comfortable transport
- Reinforced bottom for strength
- Six external pockets for extra storage
- Approximate inside dimensions, open: 18" L x 8" W x 11-1/2" D (457 x 203 x 292 mm)

BPTOTE Tote Bag (Blue-Point®)

- Heavy-duty 600 x 300 D polyester
- Water-resistant, rugged and versatile
- Wide top opening for easy access
- Multiple interior and external pockets for organization
- Overall dimensions: 16-1/2" L x 10-1/2" W x 12-1/4" H

CTUTOTE Heavy-Duty Power Tool Tote Bag

- Interior dimensions 12 x 10 x 11.5"
- Interior pockets and compartments
- Padded handles for comfortable transport and wide opening for easy access
- Durable 600-denier nylon outside for strength
- Reinforced bottom for strength
- Wide opening for easy access to your tools
- Heavy duty industrial zipper
- 12" L x 10" D x 10" W

CTUTOTEABK Heavy-Duty Power Tool Tote Bag