



04 | IMPACT SOCKETS & ACCESSORIES

ALL SP TOOLS IMPACT SOCKETS AND ACCESSORIES ARE MANUFACTURED FROM HIGH GRADE CHROME MOLYBDENUM STEEL AND EXCEED INTERNATIONAL DIN STANDARDS. DESIGNED TO WITHSTAND THE RIGOURS OF INDUSTRIAL AND TRADE USE.

DIN

SUB-CATEGORIES:

1/2"DR IMPACT SOCKET SETS	182
3/4"DR IMPACT SOCKET SETS	184
1"DR IMPACT SOCKET SETS	185
IMPACT SOCKET RAIL SETS	186
INDIVIDUAL 3/8" IMPACT SOCKETS & ACCESSORIES	188
INDIVIDUAL 1/2" IMPACT SOCKETS & ACCESSORIES	190
INDIVIDUAL 3/4" IMPACT SOCKETS & ACCESSORIES	193
INDIVIDUAL 1" IMPACT SOCKETS & ACCESSORIES	196
INDIVIDUAL 1-1/2" IMPACT SOCKETS & ACCESS.	199
INDIVIDUAL 2-1/2" IMPACT SOCKETS & ACCESS.	201



FLAT DRIVE TECHNOLOGY

FLAT DRIVE TECHNOLOGY MAXIMISES CONTACT ON THE FLAT SIDES OF THE BOLT OR NUT, NOT THE POINTS.





IMPACT SOCKETS & ACCESSORIES

> 1/2" DR IMPACT SOCKET SETS

SP20310

1/2" DR IMPACT SOCKET SET METRIC ONLY 15 PIECE

6
Point

CONTENTS

- 1/2" DR IMPACT SOCKETS & ACCESSORIES
- 10, 11, 12, 13, 14, 15, 17, 18, 19, 21, 22 & 24mm
- Impact Extension Bars - 75mm & 125mm
- Impact Universal Joint

SP20315

1/2" DR IMPACT SOCKET SET SAE ONLY 14 PIECE

6
Point

CONTENTS

- 1/2" DR IMPACT SOCKETS & ACCESSORIES
- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 & 1"
- Impact Extension Bars - 75mm & 125mm
- Impact Universal Joint



- Flat drive technology offers maximum contact and grip
- Trade tough - suitable for use with pneumatic and electric/cordless impact wrenches
- Premium quality, high strength Chrome Molybdenum steel (Cr-Mo) for extreme durability
- Tools housed in a heavy duty steel case
- Manufactured to DIN standards



SP20320

1/2" DR IMPACT SOCKET SET DEEP - METRIC ONLY 15 PIECE

6
Point

CONTENTS

- 1/2" DR IMPACT SOCKETS & ACCESSORIES
- 10, 11, 12, 13, 14, 15, 17, 18, 19, 21, 22 & 24mm
- Impact Extension Bars - 75mm & 125mm
- Impact Universal Joint

SP20325

1/2" DR IMPACT SOCKET SET DEEP - SAE ONLY 14 PIECE

6
Point

CONTENTS

- 1/2" DR IMPACT SOCKETS & ACCESSORIES
- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 & 1"
- Impact Extension Bars - 75mm & 125mm
- Impact Universal Joint

- Flat drive technology offers maximum contact and grip
- Trade tough - suitable for use with pneumatic and electric/cordless impact wrenches
- Premium quality, high strength Chrome Molybdenum steel (Cr-Mo) for extreme durability
- Tools housed in a heavy duty steel case
- Manufactured to DIN standards

SP20370

1/2"DR IMPACT SOCKET SET INHEX - METRIC ONLY 9 PIECE

CONTENTS

1/2"DR IMPACT SOCKETS & ACCESSORIES
• 4, 5, 6, 7, 8, 10, 12, 14 & 17mm

SP20375

1/2"DR IMPACT SOCKET SET INHEX - SAE ONLY 9 PIECE

CONTENTS

1/2"DR IMPACT SOCKETS & ACCESSORIES
• 3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16 & 5/8"



- Flat drive technology offers maximum contact and grip
- Trade tough - suitable for use with pneumatic and electric/cordless impact wrenches
- Premium quality, high strength Chrome Molybdenum steel (Cr-Mo) for extreme durability
- Tools housed in a heavy duty steel case
- Manufactured to DIN standards



SP20380

1/2"DR IMPACT SOCKET SET TORX ONLY 9 PIECE

CONTENTS

1/2"DR IMPACT SOCKETS & ACCESSORIES
• T20, T25, T30, T40, T45, T50, T55,
T60 & T70

- Flat drive technology offers maximum contact and grip
- Trade tough - suitable for use with pneumatic and electric/cordless impact wrenches
- Premium quality, high strength Chrome Molybdenum steel (Cr-Mo) for extreme durability
- Tools housed in a heavy duty steel case
- Manufactured to DIN standards



IMPACT SOCKETS & ACCESSORIES



3/4"DR IMPACT SOCKET SETS



SP20410

3/4"DR IMPACT SOCKET SET METRIC ONLY 8 PIECE

3/4"DR IMPACT SOCKETS
• 24, 27, 30, 32, 34, 36, 41 & 46mm

6
Point

SP20415

3/4"DR IMPACT SOCKET SET SAE ONLY 8 PIECE

3/4"DR IMPACT SOCKETS
• 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16 & 1-1/2"

6
Point

- Flat drive technology offers maximum contact and grip
- Trade tough - suitable for use with pneumatic and electric/cordless impact wrenches
- Premium quality, high strength Chrome Molybdenum steel (Cr-Mo) for extreme durability
- Tools housed in a heavy duty steel case
- Manufactured to DIN standards



SP20420

3/4"DR IMPACT SOCKET SET METRIC ONLY 8 PIECE

3/4"DR IMPACT SOCKETS
• 24, 27, 30, 32, 34, 36, 41 & 46mm

6
Point

SP20425

3/4"DR IMPACT SOCKET SET SAE ONLY 8 PIECE

3/4"DR IMPACT SOCKETS
• 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16 & 1-1/2"

6
Point

- Flat drive technology offers maximum contact and grip
- Trade tough - suitable for use with pneumatic and electric/cordless impact wrenches
- Premium quality, high strength Chrome Molybdenum steel (Cr-Mo) for extreme durability
- Tools housed in a heavy duty steel case
- Manufactured to DIN standards



IMPACT SOCKETS & ACCESSORIES

1"DR IMPACT SOCKET SETS



SP20510

1"DR IMPACT SOCKET SET METRIC ONLY 9 PIECE

1"DR IMPACT SOCKETS

- 27, 30, 32, 34, 36, 38, 41, 46 & 50mm



SP20515

1"DR IMPACT SOCKET SET SAE ONLY 9 PIECE

1"DR IMPACT SOCKETS

- 1, 1-1/8, 1-1/4, 1-3/8, 1-1/2, 1-5/8, 1-3/4, 1-7/8 & 2"



- Flat drive technology offers maximum contact and grip
- Trade tough - suitable for use with pneumatic and electric/cordless impact wrenches
- Premium quality, high strength Chrome Molybdenum steel (Cr-Mo) for extreme durability
- Tools housed in a heavy duty steel case
- Manufactured to DIN standards





IMPACT SOCKETS & ACCESSORIES

IMPACT SOCKET RAILS

FEATURES:

- Flat drive technology offers maximum contact and grip
- Trade tough - suitable for use with pneumatic and electric/cordless impact wrenches
- Premium quality, high strength Chrome Molybdenum steel (Cr-Mo) for extreme durability
- Manufactured to DIN standards

DIN

3/8"DR IMPACT SOCKET RAIL SETS



3/8"DR IMPACT SOCKET RAIL SET METRIC ONLY 10 PIECE

- 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm Impact Sockets
- 1 x Socket Rail



SP20250



3/8"DR IMPACT SOCKET RAIL SET DEEP - METRIC ONLY 10 PIECE

- 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm Impact Sockets
- 1 x Socket Rail



SP20260



3/8"DR IMPACT SOCKET RAIL SET STUBBY - METRIC ONLY 10 PIECE

- 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm Impact Sockets
- 1 x Socket Rail



SP20255

1/2"DR IMPACT SOCKET RAIL SETS



1/2"DR IMPACT SOCKET RAIL SET METRIC ONLY 11 PIECE

- 10, 12, 13, 14, 15, 17, 18, 19, 21, 22 & 24mm Impact Sockets
- 1 x Socket Rail



SP20350



1/2"DR IMPACT SOCKET RAIL SET SAE ONLY 11 PIECE

- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 & 1" Impact Sockets
- 1 x Socket Rail



SP20351

1/2"DR IMPACT SOCKET RAIL SETS

- Flat drive technology offers maximum contact and grip
- Trade tough - suitable for use with pneumatic and electric/cordless impact wrenches
- Premium quality, high strength Chrome Molybdenum steel (Cr-Mo) for extreme durability
- Manufactured to DIN standards



1/2"DR IMPACT SOCKET RAIL SET DEEP - METRIC ONLY 11 PIECE

- 10, 12, 13, 14, 15, 17, 18, 19, 21, 22 & 24mm Deep Impact Sockets
- 1 x Socket Rail

6 Point

SP20360



1/2"DR IMPACT SOCKET RAIL SET SAE ONLY 11 PIECE

- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 & 1" Impact Sockets
- 1 x Socket Rail

6 Point

SP20361



1/2"DR IMPACT SOCKET RAIL SET STUBBY - METRIC ONLY 12 PIECE

- 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24mm Impact Sockets
- 1 x Socket Rail

6 Point

SP20355



1/2"DR IMPACT SOCKET RAIL SET TAMPER SPLINE 8 PIECE

- 4x 44mm (L): M12, M14, M16, M18
- 4x 77mm (L): M12, M14, M16, M18

SP20385

3/4"DR IMPACT SOCKET RAIL SET



1/2"DR IMPACT SOCKET RAIL SET WHEEL NUT - METRIC ONLY 5 PIECE

- 14, 17, 19, 21 & 22mm
- 1 x Socket Rail

6 Point

SP20390

- Ideal for quick tyre changes
- Sockets are sleeved to protect alloy wheels and nuts
- Colour coded for easy size selection
- 1/2 sq. drive
- Molybdenum steel (Cr-Mo)
- Hardened, tempered and anodised for corrosion resistance



3/4"DR IMPACT SOCKET RAIL SET DOUBLE SQUARE - METRIC ONLY 3 PIECE

- 17, 19 and 21mm Square Impact Sockets
- 1 x Socket Rail

SP20470



IMPACT SOCKETS & ACCESSORIES

> INDIVIDUAL IMPACT SOCKETS & ACCS.

3/8"DR INDIVIDUAL IMPACT SOCKETS

3/8"DR IMPACT SOCKETS METRIC



SIZE	MODEL
7mm	SP22707
8mm	SP22708
9mm	SP22709
10mm	SP22710
11mm	SP22711
12mm	SP22712
13mm	SP22713
14mm	SP22714
15mm	SP22715
16mm	SP22716
17mm	SP22717
18mm	SP22718
19mm	SP22719
20mm	SP22720
21mm	SP22721
22mm	SP22722

3/8"DR IMPACT SOCKETS SAE



SIZE	MODEL
1/4"	SP22751
5/16"	SP22752
3/8"	SP22753
7/16"	SP22754
1/2"	SP22755
9/16"	SP22756
5/8"	SP22757
11/16"	SP22758
3/4"	SP22759
13/16"	SP22760
7/8"	SP22761

3/8"DR DEEP IMPACT SOCKETS METRIC



SIZE	MODEL
7mm	SP22807
8mm	SP22808
9mm	SP22809
10mm	SP22810
11mm	SP22811
12mm	SP22812
13mm	SP22813
14mm	SP22814
15mm	SP22815
16mm	SP22816
17mm	SP22817
18mm	SP22818
19mm	SP22819
20mm	SP22820
21mm	SP22821
22mm	SP22822

3/8"DR DEEP IMPACT SOCKETS SAE



SIZE	MODEL
5/4"	SP22851
5/16"	SP22852
3/8"	SP22853
7/16"	SP22854
1/2"	SP22855
9/16"	SP22856
5/8"	SP22857
11/16"	SP22858
3/4"	SP22859
13/16"	SP22860
7/8"	SP22861

3/8"DR INDIVIDUAL IMPACT SOCKETS

3/8"DR IMPACT SOCKETS INHEX - METRIC

	SIZE	MODEL
	4mm	SP22904
	5mm	SP22905
	6mm	SP22906
	7mm	SP22907
	8mm	SP22908
	9mm	SP22909
	10mm	SP22910

3/8"DR IMPACT SOCKETS INHEX - SAE

	SIZE	MODEL
	1/4"	SP22953
	9/32"	SP22954
	5/16"	SP22955
	3/8"	SP22956
	7/16"	SP22957
	1/2"	SP22958
	9/16"	SP22959
	5/8"	SP22960

3/8"DR IMPACT EXTENSION BARS



3/8"DR IMPACT EXTENSION BARS INDIVIDUAL

LENGTH	MODEL
75mm	SP22345
150mm	SP22346
250mm	SP22347

- Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays
- High strength Chrome Molybdenum (Cr-Mo) for high durability
- Trade tough - suitable for use with pneumatic and electric impact wrenches
- Manufactured to DIN standards

3/8"DR UNIVERSAL IMPACT JOINTS & ADAPTORS

3/8"DR UNIVERSAL IMPACT JOINT



- Flexible Joint - Ideal for accessing hard to reach nuts and bolts
- Chrome Molybdenum (Cr-Mo) for high durability
- Meets & exceeds international DIN standard

SP22350

3/8"DR IMPACT ADAPTOR



SIZE	MODEL
1/2" M	SP22356

- Adaptor allows for sockets from other drives to be used on non-corresponding ratchet handles
- Chrome Molybdenum (Cr-Mo) for high durability

1/2"DR INDIVIDUAL IMPACT SOCKETS

1/2"DR IMPACT SOCKETS METRIC



SIZE	MODEL
8mm	SP23708
10mm	SP23710
11mm	SP23711
12mm	SP23712
13mm	SP23713
14mm	SP23714
15mm	SP23715
16mm	SP23716
17mm	SP23717
18mm	SP23718
19mm	SP23719
20mm	SP23720
21mm	SP23721
22mm	SP23722
23mm	SP23723
24mm	SP23724
26mm	SP23726
27mm	SP23527
30mm	SP23730
32mm	SP23732
33mm	SP23733
34mm	SP23734
35mm	SP23735
36mm	SP23736

1/2"DR IMPACT SOCKETS SAE



SIZE	MODEL
5/16"	SP23752
3/8"	SP23753
7/16"	SP23754
1/2"	SP23755
9/16"	SP23756
5/8"	SP23757
11/16"	SP23758
3/4"	SP23559
13/16"	SP23760
7/8"	SP23761
5/16"	SP23762
1"	SP23763
1-1/16"	SP23764
1-1/8"	SP23765
1-3/16"	SP23766
1-1/4"	SP23767
1-5/16"	SP23768
1-3/8"	SP23769
1-7/16"	SP23770
1-1/2"	SP23771

1/2"DR IMPACT SOCKETS WHEEL NUT - METRIC



SIZE	MODEL
14mm	SP20391
17mm	SP20393
19mm	SP20395
21mm	SP20396
22mm	SP20397
24mm	SP20398

- Ideal for quick tyre changes
- Sockets are sleeved to protect alloy wheels and nuts
- Colour coded for easy size selection
- 1/2 sq. drive
- Molybdenum steel (Cr-Mo)
- Hardened, tempered and anodised for corrosion resistance

1/2"DR IMPACT SOCKETS FLIP - METRIC



SIZE	MODEL
17mm x 19mm	SP23890
19mm x 21mm	SP23892
21mm x 22mm	SP23894

- Flip Sockets are ideal for frequent work with wheels, rims and wheel nuts/lug nuts
- Makes wheel removal quick and easy
- High strength Chrome Molybdenum
- Trade tough - suitable for use with pneumatic and electric impact wrenches
- Manufactured to DIN standards

1/2"DR INDIVIDUAL SOCKETS

1/2"DR DEEP IMPACT SOCKETS METRIC



SIZE	MODEL
8mm	SP23808
10mm	SP23810
11mm	SP23811
12mm	SP23812
13mm	SP23813
14mm	SP23814
15mm	SP23815
16mm	SP23816
17mm	SP23817
18mm	SP23818
19mm	SP23819
20mm	SP23820
21mm	SP23821
22mm	SP23822
23mm	SP23823
24mm	SP23824
26mm	SP23826
27mm	SP23827
30mm	SP23830
32mm	SP23832
33mm	SP23833
34mm	SP23834
35mm	SP23835
36mm	SP23836

1/2"DR DEEP IMPACT SOCKETS SAE



SIZE	MODEL
5/16"	SP23852
3/8"	SP23853
7/16"	SP23854
1/2"	SP23855
9/16"	SP23856
5/8"	SP23857
11/16"	SP23858
3/4"	SP23859
13/16"	SP23860
7/8"	SP23861
15/16"	SP23862
1"	SP23863
1-1/16"	SP23864
1-1/8"	SP23865
1-3/16"	SP23866
1-1/4"	SP23867
1-5/16"	SP23868
1-3/8"	SP23869
1-7/16"	SP23870
1-1/2"	SP23871

1/2"DR IMPACT SOCKETS INHEx - METRIC



SIZE	MODEL
4mm	SP23904
5mm	SP23905
6mm	SP23906
7mm	SP23907
8mm	SP23908
9mm	SP23909
10mm	SP23910
12mm	SP23912
14mm	SP23914
17mm	SP23917
19mm	SP23919

1/2"DR IMPACT SOCKETS INHEx - SAE



SIZE	MODEL
3/16"	SP23951
7/32"	SP23952
1/4"	SP23953
9/32"	SP23954
5/16"	SP23955
3/8"	SP23956
7/16"	SP23957
1/2"	SP23958
9/16"	SP23959
5/8"	SP23960
11/16"	SP23961
3/4"	SP23962

1/2"DR IMPACT SOCKETS TORX



SIZE	MODEL
T20	SP23981
T25	SP23982
T30	SP23984
T40	SP23985
T45	SP23986
T50	SP23987
T55	SP23988
T60	SP23989
T70	SP23990

1/2"DR IMPACT EXTENSION BARS



1/2"DR IMPACT EXTENSION BARS

INDIVIDUAL

LENGTH	MODEL
75mm	SP23345
125mm	SP23346
250mm	SP23347
300mm	SP23348

- Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays
- High strength Chrome Molybdenum (Cr-Mo) for high durability
- Trade tough - suitable for use with pneumatic and electric impact wrenches
- Manufactured to DIN standards

1/2"DR UNIVERSAL IMPACT JOINTS & ADAPTORS

1/2"DR UNIVERSAL IMPACT JOINT



- Flexible Joint - Ideal for accessing hard to reach nuts and bolts
- Chrome Molybdenum (Cr-Mo) for high durability
- Meets & exceeds international DIN standard

SP23350

1/2"DR IMPACT ADAPTOR



SIZE	MODEL
3/8" M	SP23355
3/4" M	SP23356

- Adaptor allows for sockets from other drives to be used on non-corresponding ratchet handles
- Chrome Molybdenum (Cr-Mo) for high durability

3/4"DR INDIVIDUAL IMPACT SOCKETS

3/4"DR IMPACT SOCKETS METRIC





SIZE	MODEL
17mm	SP24717
18mm	SP24718
19mm	SP24719
20mm	SP24720
21mm	SP24721
22mm	SP24722
23mm	SP24723
24mm	SP24724
25mm	SP24725
26mm	SP24726
27mm	SP24727
28mm	SP24728
29mm	SP24729
30mm	SP24730
32mm	SP24732
33mm	SP24733
34mm	SP24734
35mm	SP24735
36mm	SP24736
38mm	SP24738
39mm	SP24739
41mm	SP24741
46mm	SP24746
50mm	SP24750
52mm	SP24752
54mm	SP24754
55mm	SP24755
56mm	SP24756
60mm	SP24760
65mm	SP24701
67mm	SP24702
70mm	SP24703

3/4"DR IMPACT SOCKETS SAE





SIZE	MODEL
5/8"	SP24794
11/16"	SP24795
3/4"	SP24796
13/16"	SP24797
7/8"	SP24761
5/16"	SP24762
1"	SP24763
1-1/16"	SP24764
1-1/8"	SP24765
1-3/16"	SP24766
1-1/4"	SP24767
1-5/16"	SP24768
1-3/8"	SP24769
1-7/16"	SP24770
1-1/2"	SP24771
1-9/16"	SP24772
1-5/8"	SP24773
1-11/16"	SP24774
1-3/4"	SP24775
1-13/16"	SP24776
1-7/8"	SP24777
1-15/16"	SP24778
2"	SP24779
2-1/16"	SP24780
2-1/8"	SP24781
2-3/16"	SP24782
2-1/4"	SP24783
2-5/16"	SP24784
2-3/8"	SP24785
2-7/16"	SP24786
2-1/2"	SP24787



3/4"DR IMPACT SOCKETS BUD WHEEL - METRIC

- High strength Chrome Molybdenum
- Trade tough
- Manufactured to DIN standards



SIZE	MODEL
35mm x 17mm	SP24905
41mm x 21mm	SP24908



3/4"DR IMPACT SOCKETS DOUBLE SQUARE METRIC

- High strength Chrome Molybdenum
- Trade tough
- Manufactured to DIN standards

SIZE	MODEL
17mm	SP24917
19mm	SP24919
20mm	SP24920
21mm	SP24921

3/4"DR IMPACT EXTENSION BARS

3/4"DR DEEP IMPACT SOCKETS METRIC



SIZE	MODEL
17mm	SP24817
18mm	SP24818
19mm	SP24819
21mm	SP24821
22mm	SP24822
24mm	SP24824
26mm	SP24826
27mm	SP24827
28mm	SP24828
30mm	SP24830
32mm	SP24832
33mm	SP24833
34mm	SP24834
35mm	SP24835
36mm	SP24836
38mm	SP24838
41mm	SP24841
46mm	SP24846
50mm	SP24850
52mm	SP24852
54mm	SP24854
55mm	SP24855
60mm	SP24860
65mm	SP24801
67mm	SP24802

3/4"DR DEEP IMPACT SOCKETS SAE



SIZE	MODEL
5/8"	SP24894
11/16"	SP24895
3/4"	SP24896
7/8"	SP24861
5/16"	SP24862
1"	SP24863
1-1/16"	SP24764
1-1/8"	SP24865
1-3/16"	SP24866
1-1/4"	SP24867
1-5/16"	SP24868
1-3/8"	SP24869
1-7/16"	SP24870
1-1/2"	SP24871
1-9/16"	SP24872
1-5/8"	SP24873
1-11/16"	SP24874
1-3/4"	SP24875
1-13/16"	SP24876
1-7/8"	SP24877
1-15/16"	SP24878
2"	SP24879
2-1/16"	SP24880
2-1/8"	SP24881
2-3/16"	SP24882
2-1/4"	SP24883
2-3/8"	SP24885
2-1/2"	SP24887

3/4"DR IMPACT SOCKETS INHEX - METRIC



SIZE	MODEL
10mm	SP24930
12mm	SP24932
14mm	SP24934
17mm	SP24937
19mm	SP24939
22mm	SP24942
24mm	SP24944
27mm	SP24947

3/4"DR IMPACT SOCKETS INHEX - SAE



SIZE	MODEL
1/2"	SP24958
9/16"	SP24959
5/8"	SP24960
11/16"	SP24961
3/4"	SP24962
13/16"	SP24963
7/8"	SP24964
1"	SP24965



IMPACT SOCKETS & ACCESSORIES

3/4"DR INDIVIDUAL IMPACT SOCKETS



3/4"DR IMPACT EXTENSION BARS INDIVIDUAL

LENGTH	MODEL
100mm	SP24345
175mm	SP24346
250mm	SP24347
330mm	SP24348

- Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays
- High strength Chrome Molybdenum (Cr-Mo) for high durability
- Trade tough - suitable for use with pneumatic and electric impact wrenches
- Manufactured to DIN standards

3/4"DR UNIVERSAL IMPACT JOINTS & ADAPTORS

3/4"DR UNIVERSAL IMPACT JOINT



- Flexible Joint - Ideal for accessing hard to reach nuts and bolts
- Chrome Molybdenum (Cr-Mo) for high durability
- Meets & exceeds international DIN standard

SP24350

3/4"DR IMPACT ADAPTOR



SIZE	MODEL
1/2" M	SP24355
1" M	SP24356

- Adaptor allows for sockets from other drives to be used on non-corresponding ratchet handles
- Chrome Molybdenum (Cr-Mo) for high durability

1"DR IMPACT EXTENSION BARS

1"DR IMPACT SOCKETS METRIC



SIZE	MODEL	SIZE	MODEL
19mm	SP25719	47mm	SP25747
20mm	SP25720	48mm	SP25748
21mm	SP25721	50mm	SP25750
22mm	SP25722	52mm	SP25752
24mm	SP25724	53mm	SP25753
25mm	SP25725	54mm	SP25754
26mm	SP25726	55mm	SP25755
27mm	SP25727	56mm	SP25756
28mm	SP25728	57mm	SP25757
29mm	SP25729	58mm	SP25758
30mm	SP25730	60mm	SP25760
32mm	SP25732	63mm	SP25763
33mm	SP25733	65mm	SP25765
34mm	SP25734	70mm	SP25770
35mm	SP25735	75mm	SP25775
36mm	SP25736	80mm	SP25780
38mm	SP25738	85mm	SP25785
40mm	SP25740	90mm	SP25790
41mm	SP25741	95mm	SP25795
42mm	SP25742	100mm	SP25800
43mm	SP25743	105mm	SP25805
44mm	SP25744	110mm	SP25810
45mm	SP25745	115mm	SP25815
46mm	SP25746		

1"DR IMPACT SOCKETS SAE



SIZE	MODEL	SIZE	MODEL
11/16"	SP25858	2-1/4"	SP25883
3/4"	SP25859	2-5/16"	SP25884
13/16"	SP25860	2-3/8"	SP25885
7/8"	SP25861	2-7/16"	SP25886
5/16"	SP25862	2-1/2"	SP25887
1"	SP25863	2-9/16"	SP25888
1-1/16"	SP25864	2-5/8"	SP25889
1-1/8"	SP25865	2-11/16"	SP25890
1-3/16"	SP25866	2-3/4"	SP25891
1-1/4"	SP25867	2-13/16"	SP25892
1-5/16"	SP25868	2-7/8"	SP25893
1-3/8"	SP25869	2-15/16"	SP25894
1-7/16"	SP25870	3"	SP25895
1-1/2"	SP25871	3-1/8"	SP25897
1-9/16"	SP25872	3-1/4"	SP25899
1-5/8"	SP25873	3-3/8"	SP25901
1-11/16"	SP25874	3-1/2"	SP25903
1-3/4"	SP25875	3-5/8"	SP25905
1-13/16"	SP25876	3-3/4"	SP25907
1-7/8"	SP25877	3-7/8"	SP25909
1-15/16"	SP25878	4"	SP25911
2"	SP25879	4-1/8"	SP25913
2-1/16"	SP25880	4-1/4"	SP25915
2-1/8"	SP25881	4-1/2"	SP25916
2-3/16"	SP25882		



IMPACT SOCKETS & ACCESSORIES

1"DR INDIVIDUAL IMPACT SOCKETS

1"DR DEEP IMPACT SOCKETS METRIC



SIZE	MODEL	SIZE	MODEL
19mm	SP25919	45mm	SP25945
20mm	SP25920	46mm	SP25946
21mm	SP25921	48mm	SP25948
22mm	SP25922	50mm	SP25950
23mm	SP25923	52mm	SP25952
24mm	SP25924	54mm	SP25954
26mm	SP25926	55mm	SP25955
27mm	SP25927	57mm	SP25957
28mm	SP25928	58mm	SP25958
29mm	SP25929	60mm	SP25960
30mm	SP25930	63mm	SP25963
32mm	SP25932	65mm	SP25965
33mm	SP25933	70mm	SP25970
34mm	SP25934	75mm	SP25975
35mm	SP25935	80mm	SP25980
36mm	SP25936	85mm	SP25985
37mm	SP25937	90mm	SP25990
38mm	SP25938	95mm	SP25995
41mm	SP25941	100mm	SP26000
42mm	SP25942	105mm	SP26005
43mm	SP25943	110mm	SP26010
44mm	SP25944	115mm	SP26015

1"DR DEEP IMPACT SOCKETS SAE



SIZE	MODEL	SIZE	MODEL
11/16"	SP26058	2-1/4"	SP26083
3/4"	SP26059	2-5/16"	SP26084
13/16"	SP26060	2-3/8"	SP26085
7/8"	SP26061	2-7/16"	SP26086
5/16"	SP26062	2-1/2"	SP26087
1"	SP26063	2-9/16"	SP26088
1-1/16"	SP26064	2-5/8"	SP26089
1-1/8"	SP26065	2-11/16"	SP26090
1-3/16"	SP26066	2-3/4"	SP26091
1-1/4"	SP26067	2-13/16"	SP26092
1-5/16"	SP26068	2-7/8"	SP26093
1-3/8"	SP26069	2-15/16"	SP26094
1-7/16"	SP26070	3"	SP26095
1-1/2"	SP26071	3-1/8"	SP26097
1-9/16"	SP26072	3-1/4"	SP26099
1-5/8"	SP26073	3-3/8"	SP26101
1-11/16"	SP26074	3-1/2"	SP26103
1-3/4"	SP26075	3-5/8"	SP26105
1-13/16"	SP26076	3-3/4"	SP26107
1-7/8"	SP26077	3-7/8"	SP26109
1-15/16"	SP26078	4"	SP26111
2"	SP26079	4-1/8"	SP26113
2-1/16"	SP26080	4-1/4"	SP26115
2-1/8"	SP26081	4-1/2"	SP26119
2-3/16"	SP26082		

1"DR IMPACT SOCKETS IN HEX - METRIC



SIZE	MODEL
14mm	SP26214
17mm	SP26217
19mm	SP26219
22mm	SP26222
24mm	SP26224
27mm	SP26227
30mm	SP26230
32mm	SP26232

1"DR IMPACT SOCKETS IN HEX - SAE



SIZE	MODEL
5/8"	SP26260
11/16"	SP26261
3/4"	SP26262
13/16"	SP26263
7/8"	SP26264
1"	SP26265

1"DR IMPACT EXTENSION BARS



1"DR IMPACT EXTENSION BARS INDIVIDUAL

LENGTH	MODEL
100mm	SP25345
175mm	SP25346
250mm	SP25347
330mm	SP25348

- Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays
- High strength Chrome Molybdenum (Cr-Mo) for high durability
- Trade tough - suitable for use with pneumatic and electric impact wrenches
- Manufactured to DIN standards

1"DR UNIVERSAL IMPACT JOINTS & ADAPTORS

1"DR UNIVERSAL IMPACT JOINT



- Flexible Joint - Ideal for accessing hard to reach nuts and bolts
- Chrome Molybdenum (Cr-Mo) for high durability
- Meets & exceeds international DIN standard

SP25350

1"DR IMPACT ADAPTOR



SIZE	MODEL
3/4" M	SP25355
1-1/2" M	SP25357

- Adaptor allows for sockets from other drives to be used on non-corresponding ratchet handles
- Chrome Molybdenum (Cr-Mo) for high durability

1-1/2"DR IMPACT SOCKETS

1-1/2"DR IMPACT SOCKETS

1-1/2"DR IMPACT SOCKETS

METRIC



SIZE	MODEL	SIZE	MODEL
36mm	SP26536	73mm	SP26573
38mm	SP26538	75mm	SP26575
41mm	SP26541	78mm	SP26578
46mm	SP26546	80mm	SP26580
50mm	SP26550	85mm	SP26585
54mm	SP26554	90mm	SP26590
55mm	SP26555	95mm	SP26595
58mm	SP26558	100mm	SP26600
60mm	SP26560	105mm	SP26605
62mm	SP26562	110mm	SP26610
65mm	SP26565	115mm	SP26615
68mm	SP26568	120mm	SP26615
70mm	SP26570	125mm	SP26615

1-1/2"DR IMPACT SOCKETS

SAE



SIZE	MODEL	SIZE	MODEL
1-1/2"	SP26671	3-1/8"	SP26697
1-9/16"	SP26672	3-3/16"	SP26698
1-5/8"	SP26673	3-1/4"	SP26699
1-11/16"	SP26674	3-5/16"	SP26700
1-3/4"	SP26675	3-3/8"	SP26701
1-13/16"	SP26676	3-7/16"	SP26702
1-7/8"	SP26677	3-1/2"	SP26703
1-15/16"	SP26678	3-9/16"	SP26704
2"	SP26679	3-5/8"	SP26705
2-1/16"	SP26680	3-11/16"	SP26706
2-1/8"	SP26681	3-3/4"	SP26707
2-3/16"	SP26682	3-13/16"	SP26708
2-1/4"	SP26683	3-7/8"	SP26709
2-5/16"	SP26684	3-15/16"	SP26710
2-3/8"	SP26685	4"	SP26711
2-7/16"	SP26686	4-1/16"	SP26712
2-1/2"	SP26687	4-1/8"	SP26713
2-9/16"	SP26688	4-3/16"	SP26714
2-5/8"	SP26689	4-1/4"	SP26715
2-11/16"	SP26690	4-5/16"	SP26716
2-3/4"	SP26691	4-3/8"	SP26717
2-13/16"	SP26692	4-7/16"	SP26718
2-7/8"	SP26693	4-1/2"	SP26719
2-15/16"	SP26694	4-5/8"	SP26720
3"	SP26695	4-3/4"	SP26721
3-1/16"	SP26696		

1-1/2"DR INDIVIDUAL IMPACT SOCKETS

1-1/2"DR DEEP IMPACT SOCKETS METRIC JUMBO



SIZE	MODEL	SIZE	MODEL
41mm	SP26741	76mm	SP26776
46mm	SP26746	78mm	SP26778
50mm	SP26750	80mm	SP26780
54mm	SP26754	85mm	SP26785
55mm	SP26755	90mm	SP26790
57mm	SP26757	95mm	SP26795
60mm	SP26760	100mm	SP26800
62mm	SP26762	105mm	SP26805
65mm	SP26765	110mm	SP26810
70mm	SP26770	115mm	SP26815
73mm	SP26773	120mm	SP26820
75mm	SP26775		

1-1/2"DR DEEP IMPACT SOCKETS SAE JUMBO



SIZE	MODEL	SIZE	MODEL
1-5/8"	SP26873	3-3/16"	SP26898
1-11/16"	SP26874	3-1/4"	SP26899
1-3/4"	SP26875	3-5/16"	SP26900
1-13/16"	SP26876	3-3/8"	SP26901
1-7/8"	SP26877	3-7/16"	SP26902
1-15/16"	SP26878	3-1/2"	SP26903
2"	SP26879	3-9/16"	SP26904
2-1/16"	SP26880	3-5/8"	SP26905
2-1/8"	SP26881	3-11/16"	SP26906
2-3/16"	SP26882	3-3/4"	SP26907
2-1/4"	SP26883	3-13/16"	SP26908
2-5/16"	SP26884	3-7/8"	SP26909
2-3/8"	SP26885	3-15/16"	SP26910
2-7/16"	SP26886	4"	SP26911
2-1/2"	SP26887	4-1/16"	SP26912
2-9/16"	SP26888	4-1/8"	SP26913
2-5/8"	SP26889	4-3/16"	SP26914
2-11/16"	SP26890	4-1/4"	SP26915
2-3/4"	SP26891	4-5/16"	SP26916
2-13/16"	SP26892	4-3/8"	SP26917
2-7/8"	SP26893	4-7/16"	SP26918
2-15/16"	SP26894	4-1/2"	SP26919
3"	SP26895	4-5/8"	SP26921
3-1/16"	SP26896	4-3/4"	SP26923
3-1/8"	SP26897		



2-1/2"DR INDIVIDUAL IMPACT SOCKETS

2-1/2"DR DEEP IMPACT SOCKETS METRIC INDUSTRIAL JUMBO



SIZE	MODEL
75mm	SP27075
76mm	SP27076
80mm	SP27080
85mm	SP27085
90mm	SP27090
95mm	SP27095
100mm	SP27100
105mm	SP27105
110mm	SP27110
115mm	SP27115
120mm	SP27120
125mm	SP27125
130mm	SP27130



SIZE	MODEL
135mm	SP27135
140mm	SP27140
145mm	SP27145
150mm	SP27150
155mm	SP27155
160mm	SP27160
165mm	SP27165
170mm	SP27170
175mm	SP27175
180mm	SP27180
185mm	SP27185
190mm	SP27190
200mm	SP27200

2-1/2"DR DEEP IMPACT SOCKETS SAE INDUSTRIAL JUMBO



SIZE	MODEL
3"	SP27295
3-1/8"	SP27297
3-1/4"	SP27299
3-3/8"	SP27301
3-1/2"	SP27303
3-5/8"	SP27305
3-3/4"	SP27307
3-7/8"	SP27309
4"	SP27311
4-1/8"	SP27313
4-1/4"	SP27315
4-3/8"	SP27317
4-1/2"	SP27319
4-5/8"	SP27321
4-3/4"	SP27323
4-7/8"	SP27325
5"	SP27327
5-1/8"	SP27329
5-1/4"	SP27331



SIZE	MODEL
5-3/8"	SP27333
5-1/2"	SP27335
5-5/8"	SP27337
5-3/4"	SP27339
5-7/8"	SP27341
6"	SP27343
6-1/8"	SP27345
6-1/4"	SP27347
6-3/8"	SP27349
6-1/2"	SP27351
6-5/8"	SP27353
6-3/4"	SP27355
6-7/8"	SP27357
7"	SP27359
7-1/2"	SP27367
7-5/8"	SP27369
7-7/8"	SP27373
8"	SP27375