



BODY: SPOONS AND DOLLIES

Spoons

BF715B 14" Spoon Dolly

- For caulking and forming deep pockets in doors and panels
- Head size is 2-1/2 x 1 x 3"; 14" total length

BF716B 10" Light Dinging Spoon

- Smooths and levels ridges
- Not for prying
- Head size is 4-1/4 x 2"; 10" total length



BF707



BF710B



BF711B



BF712B



BF740

Steel Dollies

B173.5 -1991 applies to all dollies.

BF707 Heel Dolly (Blue-Point®)

- For use in sharp corners and wide radii
- Rubber coating provides cushioning effect
- Measures 3 x 2-1/2 x 1-1/2"

BF710B 2-1/2 lb Steel Toe Dolly

- For dinging flat surfaces
- Measures 4-3/4 x 2-1/4 x 11/16", weighs 2.5 lb

BF711B 2-1/4 lb Steel Heel Dolly

- For use in sharp corners and wide radii
- Measures 3 x 2-1/4 x 1-3/8"; 2.25 lb

BF712B 2-1/4 Lb Steel General Purpose Dolly

- For deep, skirted fenders and shrinking when using heat
- Measures 3 x 2-1/4 x 1-3/8"
- 2-1/4 lb

BF740 Shot Dolly (Blue-Point®)

- Heavy duty leather pouch is filled with 2-1/2 lb of shot
- Essential for supporting irregular shapes and contours on doors, fenders, and other body panels
- Thin profile to get in tight areas
- Will not scratch surface; 3-3/4 W x 5-3/4" L

FILES

Nib Files

BF193 Nip File (Blue-Point®)

- Removes unwanted paint runs, drips and other surface imperfections
- Gently shaves run without digging into surface



BF193


Flexible Curved Tooth Files

14V 14" Curved Tooth File

- 14", eight teeth per inch
- Rough cut
- Use with BF775C Handle

14V12 14" Curved Tooth File

- 14", 12 teeth per inch
- Fine cut
- Use with BF775C Handle



14V

File Handles

BF775C-A Flexible File Holder (Blue-Point®)

- Light and rigid with a large aluminum handle, adjustable turnbuckle and permanently attached strap



BF775C-A

RIVETING AND NUT SETTING

Nut Setting/Thread Setting Kits

HP650 Thread Setter Kit (Blue-Point®)

- Includes: rugged thread setter tool and an assortment of SAE Klick® Polynuts: 12 each of 8-32, 10-24, 10-32; (8) 1/4"-20 and (6) 5/16"-18 threads
- Includes required nosepieces and mandrels for setting the above sizes
- Packaged in a storage case

HP650M Metric Thread Setter Kit (Blue-Point®)

- Metric version of the HP650 with metric polynuts, including 25 each 4 mm and 5 mm, (15) 6 mm and (10) 8 mm threads
- Includes thread setter tool, required nosepieces and mandrels packaged in a storage case



HP650M



- Keep away from children
- Read safety precautions on pages W1 to W4



HP300

Riveting Kits

HP300 Large Blind Rivet Kit (Blue-Point®)

- Extra long handled riveter
- Includes three nosepieces
- 21" long riveter
- Also includes a bag of 50 KLIK-SPLIT® rivets
- Reorder quantities of KLIK-SPLIT® and KLIK-FAST® rivets are packaged 50 per bag

HPKL2 Plastic Rivet Kit (Blue-Point®)

- For plastic rivets that hold fascia strips, inner fenders and other plastic parts on GM®, Ford®, Chrysler® and VW® vehicles
- Includes: rivet setter and four styles of plastic rivets: two 5 mm types, two 6.3 mm types



HPKL2

HR-26PKC Industrial Hand Rivet Tool Kit (Blue-Point®)

- Upper handle is forged Cr-Mo steel alloy
- Anti-wear design with high strength alloy body and steel insert
- Special shock absorber on alloy body
- Auto-ejection design for quickly replacing the inside worn parts, such as jaws, by removing retaining screw
- Extra long handles 10-1/4" (260 mm) for better leverage to save hand force
- Sets 3/32", 1/8", 5/32" and 3/16" rivets
- Four interchangeable nosepieces for setting multiple rivet sizes

HR26-03 3/32" Nosepiece

- 3/32" Nosepiece

HR26-04 1/8" Nosepiece

- 1/8" Nosepiece

HR26-05 5/32" Nosepiece

- 5/32" Nosepiece

HR26-06 3/16" Nosepiece

- 3/16" Nosepiece



HPS202

Riveting Tools

HPS202 Rivet Tool (Blue-Point®)

- Head swivels 360° to rivet at any angle
- Fasten metal, leather, canvas and vinyl
- Sets 3/32, 1/8, 5/32 and 3/16" rivets
- Four interchangeable nosepieces store in handle when not in use

HP301C Pneumatic/Hydraulic Rivet Tool

- Sets structural rivets, Klik-Fast® rivets from 5/32 to 1/4" diameter in all alloys plus Klik-Fast®/Monobolt® rivets from 3/16 to 1/4"
- Requires only 85 to 95 PSI 1/2" NPT threads
- Delivers 3,300 lb of work force at 5/8" stroke
- Includes 5/32, 3/16 and 1/4" nosepieces plus mandrel collection bottle
- Overall weight 6.6 lbs

HP302C Pneumatic/Hydraulic Rivet Tool

- Smaller, lighter version of HP301C
- Sets blind rivets from 1/8-3/16" diameter in all alloys, 3/16" KLIK-SPLIT® and Monobolt® rivets
- Includes 1/8", 5/32", 3/16" nosepieces and mandrel collection bottle

HP310 Pneumatic/Hydraulic Rivet Tool

- Sets 3/32 to 1/4" diameter rivets in all materials
- Can also set T-Rivet®/Klik-Split®, Klik-Lock and all other structural rivets
- Includes 3/32, 1/8, 3/16, 5/32 and 1/4" nosepieces plus mandrel collection bottle

HP320 Pneumatic/Hydraulic Rivet Tool

- Sets 1/8 to 3/16" diameter rivets in all materials
- Includes: 1/8, 5/32 and 3/16" nosepieces plus mandrel collection bottle

HR-26 Industrial Hand Rivet Tool

- Forged Cr-Mo steel alloy upper handle
- Handle strength alloy body with steel insert design and anti-wearing design
- Special shock absorber on alloy body
- Auto-ejection design for quickly replacing the inside worn parts, such as jaws, by removing retaining screw
- Extra long handles 10-1/4" (260 mm) for better leverage to save hand force
- Sets 3/32, 1/8, 5/32, and 3/16 rivets
- Four interchangeable nosepieces for setting multiple rivet sizes

HR26-03 3/32" Nosepiece

- 3/32" Nosepiece

HR26-04 1/8" Nosepiece

- 1/8" Nosepiece

HR26-05 5/32" Nosepiece

- 5/32" Nosepiece

HR26-06 3/16" Nosepiece

- 3/16" Nosepiece



DOOR TOOLS

SHOP EQUIPMENT

Upholstery and Trim Tools

- Remove door and trim panels quickly without damage
- Wide blades on door tools reduce risk of damage during panel removal
- Stainless steel blades are heat treated for rigidity
- Comfortable composite handles feature a contour thumb stop for maximum control

Stock No.	Description	Blade Width, inches	Overall Length, inches	
UTV614A	V Double Step Blade Door Panel Tool (Blue-Point®)	1-1/4	9-1/8	•
UTV615A	U Blade Door Panel Tool (Blue-Point®)	1-1/4	9-1/8	•
UTV616A	U Blade Mini Trim Panel Tool (Blue-Point®)	1/2	9	•
UTV617A	V Blade Mini Trim Panel Tool (Blue-Point®)	1/2	9	•
UTV618A	Reverse "U" Blade Door Panel Tool (Blue-Point®)	1-1/4	10	•

Set Contains:

UTS105A



UTS105A

Specialty Door Tools

YA1201 Door Panel Remover (Blue-Point®)

- For GM® and Ford® vehicles
- Designed to prevent plastic barbed fasteners from being pulled through the panel

YA214 Door Hinge Adjuster (Blue-Point®)

- Adjusts door hinge position on most vehicles

- Works on either bolted or welded hinges
- Two-headed pin adaptor allows adjustment on doors with both small and large latches
- 24" overall length

YA331 Clip Removal Tool (Blue-Point®)

- Tapered forks slide under most types of auto body clips
- A squeeze of the handles pops the clips out




YA1201

YA214



YA331

BODY: DOOR TOOLS



Soft Grip Trim Pad Tools

- Remove fasteners that secure door panels and trim pieces without damage to panel or trim
- Soft grip handles with contour thumb stop
- Distinct pivot point is designed for appropriate leverage and to discourage twisting that may damage panel or trim piece

Stock No.	A	B	C	Set Contains:		
				ASG103BR	ASG103BO	ASG103BG
ASG185BR	7/32	9/16	10	•		
ASG185BO	7/32	9/16	10		•	
ASG185BG	7/32	9/16	10			•
ASG186BR	3/8	13/16	10	•		
ASG186BO	3/8	13/16	10		•	
ASG186BG	3/8	13/16	10			•
ASG187BR	3/8	13/16	20	•		
ASG187BO	3/8	13/16	20		•	
ASG187BG	3/8	13/16	20			•
ASG188BR	7/16	13/16	10			
ASG189BR	7/16	13/16	20			
ASG190BR	3/8	13/16	20			



ASG185BR




ASG186BG



ASG188BR



ASG187BO



ASG189BR



ASG187BG



ASG103BR


Soft Grip Dished Trim Pad Tools

- Smooth dish profile and wide gap to fit vehicles utilizing conical x-mass style retainers for quick removal without damage
- Dished blade for better door panel clip and retainer contact
- Soft grip handle for comfort and control
- Chrome finish helps prevent corrosion and facilitates cleanup
- Applications: Ford®, GM®, Toyota® and more

Stock No.	Opening Size, inches	Blade Width, inches	Overall Length, inches	
ASGD1BR	7/16	13/16	10	•
ASGDL1BR	7/16	13/16	20	•

Set Contains:

ASGD102BR



ASGDL1BR



- Plastic handle does not protect against shock
- Read safety precautions on pages W1 to W4

BODY: DOOR TOOLS



DPT7A



A159



A161B



A177A



A179A



S9614A



S9538A



S6103A



A181

Door Handle/Trim Pad/Trim Nuts

ASGP102BR Trim Pad Tool Set

- Separate tool for both the small and standard fasteners
- 90° bend provides increased leverage
- Vinyl dip on the 90° portion of the tool helps reduce damage to the vehicle
- 90° bend allows blade to wrap around /over part of the panel in tight places
- Nickel chrome finish blade
- Instinct® handle provides maximum turning power and greater comfort

DPT7A 7 pc Door Tool Set

- Includes the seven most needed tools for removing or replacing door trim, trim pads and handles
- Includes storage tray

A159 Door Handle Tool

- For most GM® cars, trucks (except Cadillac®) and some Ford® cars
- Plastic dipped offset handle
- 10-7/8" long

A161B Trim Pad Remover

- For GM®, Ford® and Chrysler® vehicles and most imported vehicles
- Features a screwdriver type handle
- 7-3/4" long

A161BO Trim Pad Remover

- For GM®, Ford® and Chrysler® vehicles
- Features a 7-3/4" long screwdriver type handle

A177A Trim Pad Remover

- For most GM®, Ford® and Chrysler® vehicles and most imported vehicles
- Features a 7-1/2" long screwdriver type handle

A177AO Trim Pad Remover

- For most GM®, Ford® and Chrysler® vehicles and most imported vehicles
- Features a 7-1/2" screwdriver-type handle
- Same design as A161B except for different applications

A179A Trim Pad Remover

- For all GM® door trim panels
- Curved blade helps remove plastic clips and nail type clips without damage to either the clips or the trim

S9614A Trim Nut Driver

- For GM® vehicles
- Similar to S6103A but is for use with 5/16" internal hex trim nuts
- 1/4" drive, 1-7/8" long overall

S9538A Door Handle Tool

- For most late model Chrysler® vehicles
- Hook end is designed for use on older style handles

S6103A Door Trim Palnut Driver

- For Ford® and GM® vehicles
- For easy servicing of 3/8" internal hex trim nuts used on door trim panels and molding
- 1/4" drive, 1-7/8" long overall

A181 Trim Pad Remover

- Services plastic trim fasteners on Honda®, Toyota®, Acura®, Hyundai® and some Ford® trucks
- Similar in design to A161B
- 7-1/2" long
- Not included in DPT7A set

SPECIALTY TOOLS



YA335



YA336

Body Clip Tools

YA335 Body Clip Pliers (Blue-Point®)

- Steel levers enclosed in PMS plastic to prevent scratches
- Tips have a specified angle and size that deliver the most versatile clip tool on the market
- Eliminates need to buy multiple sets of trim clip pliers for different applications
- Specially designed and patented pliers will remove any clip found on trim and bumpers

YA336 Body Clip Pliers (Blue-Point®)

- Will remove almost any clip type from trim and bumpers
- Ergonomic tool with special angled tips for access to tight spaces
- Steel levers encased in glass filled nylon for lightweight comfort
- Length: 9" Jaw Length: 1-1/2"



BF801A



BF802A



BF803

Suction Cups

BF801A Heavy Duty Suction Cup Tool


- Use for pulling out dents or handling glass
- Handle increases pulling power
- 5" suction cup

BF802A Heavy Duty Dual Suction Cup Tool

- Use for pulling more stubborn dents or lifting larger materials
- Handle has room for two hands
- Trigger releases both 4" cups simultaneously

BF803 Suction Cup (Blue-Point®)

- Two finger grips for easy lifting, two projecting tabs for quick-release
- 3-1/4" diameter



BF200

Picks/Rods

BF200 Pull Rod Set (Blue-Point®)

- Drill 9/64" holes and pull metal to shape
- Includes four pull rods, two pick pulls, a straight edge and a drill bit
- Rods lift metal without distortion
- No need to remove upholstery

Door Hinge Tools

Stock No.	Description (Chart)	Size	Hex Size	Length
BMAS60	Triple Square Bit	6 mm	5/16"	13/16"
BMAS80	Triple Square Bit	8 mm	5/16"	13/16"
BMAS100	Triple Square Bit	10 mm	5/16"	13/16"
BMAS120	Triple Square Bit	12 mm	5/16"	13/16"
SDMTAS30	TORX® Bit	T30	5/16	13/16"
SDMTAS40	TORX® Bit	T40	5/16	13/16"
SDMTAS45	TORX® Bit	T45	5/16	13/16"

DHS108 8 pc Automotive Door Hinge Removal Set (Blue-Point®)

- Door hinge applications include VW®, Audi®, Jeep® Cherokee® (1997 and 1998) and early model Ford® Escort®
- Various applications on Audi®, VW®, and Mercedes® vehicles plus Mercedes rear toe adjustment and head bolts on some early models
- Set includes DHW1 ratcheting bit wrench, BMAS60 through BMAS120 triple square sockets (6–12 mm) and SDMTAS30 through SDMTAS45 TORX® sockets (T30–T45)
- Plastic storage pouch and bit holder included EU GB


LPK620

YA511

YA501F

YA610A

BF272

YA520

LOS145B
Lock Picks/Lockout Tools
LPK620 Master Lock (Blue-Point®)

- 37 pc set includes 6 pc import rocker pick set, 12 pc pick set for GM® vehicles, 5 pc Ford® automotive rocker lock pick set, 6 pc Chrysler® lock pick set, 6 pc set for wafer locks on import vehicles, harpoon pick for removing broken keys, tweezer type universal lock turning wrench and a gas cap pick tool

YA511 Lockout Tool Set (Blue-Point®)

- Contains 17 specialized tools for unlocking car, van and truck locks
- Includes many of the components of the YA501E set plus additional service components
- Includes a penlight and instruction manual in a kit bag

YA501F Lockout Tool Set (Blue-Point®)

- Contains 15 specialized tools for unlocking car, van and truck locks
- Includes J-tool for Japanese vehicles, as well as GM® tool to service Caprice®, Buick® and Oldsmobile® vehicles
- Included Chrysler® tool also services Toyota® Camry® vehicles
- BF272 Inflatable Wedge and instruction manual included

YA610A Lock Opening Reforming Tool (Blue-Point®)

- Reforms damaged lock openings to original contour on GM®, Ford®, Chrysler® and most import cars

BF272 Inflatable Wedge (Blue-Point®)

- Offers safe entry in a lock-out situation without damage to the body finish
- Slip the deflated unit between door frame and body, inflate wedge by slowly applying pumping pressure to pull the door away from vehicle body
- Can also be used to gain entry by separating the weather stripping from the vehicle window or to adjust body panels

YA520 Door Lockout Kit (Blue-Point®)

- Includes: Two plastic wedges to create gap between door and frame, Day-Glo® yellow easy-access jim to reach inside door handles and plastic slim jim for use on door knobs

LOS145B Door Lockout Set (Blue-Point®)

- No danger of airbag activation or disconnected door linkages
- Actuate the door handle, manual lock button or electric lock button on 98% of all cars and truck
- Set includes four piece door unlocking tool that screws together without couplers for easy assembly and storage, plastic slim jim, two (2) glow-in-the-dark tips, two (2) plastic wedges to create gap between door and frame without damaging door or weather stripping and BF272 Inflatable Wedge
- Use the BF272 to easily separate door from body without damage to the vehicle
- Unlocking tool features a middle extension piece to reach across the car in extended use applications
- For sale to registered locksmiths, police and bonafide repair professionals only



- Do not use "cheater bars" on handles
- Do not use chrome or industrial finish hand tools with impact drivers
- Read safety precautions on pages W1 to W4

BODY: WINDOW AND WINDSHIELD



Window and Windshield Removal Tools

GA243 Molding Release Tool (Blue-Point®)

- Use to remove window and windshield moldings on cemented glass

YA109C Windshield Removal Tool (Blue-Point®)

- Steel cable pull handle
- Replaceable steel cutting blades can be resharpened
- For GM®, Chrysler® vehicles and other cars with windshields set in place with sealant

WK100 Windshield Knife (Blue-Point®)

- Cuts hardened urethane down to the dash
- Flush blade retention screw helps prevent damage to the dash and moldings
- Rigid aluminum shaft will not flex
- Long 18" length provides cutting leverage and reach
- Cushion grip handle for extra comfort
- Includes one blade
- Uses YA1860 replacement blades

WK200 24" Windshield Knife (Blue-Point®)

- Cuts hardened urethane down to the dash
- Flush blade retention screw helps prevent damage to the dash and moldings
- Rigid aluminum shaft will not flex
- Long 18" length provides cutting leverage and reach
- Cushion grip handle for extra comfort
- Includes one blade
- Uses YA1860 replacement blades

YA208A Windshield Locking Strip Installation Tool (Blue-Point®)

- Wedge openings in two widths make short work of installing nearly all locking strips
- Includes special tip for Dodge® truck applications
- 4" contoured handle and 4" metal shank

A192 Windshield Wiper Arm Removal Tool

- Easily remove wiper arms on most vehicles
- Both wide and narrow prying ends
- Do not use on wiper arms bolted to the shaft

S9610 Window Sash Nut Spanner Socket

- 3/8" drive and 15/32" long
- For GM® and Chrysler® cars and light trucks



Window Scrapers

YA5200A 11" Razor Blade Scraper (Blue-Point®)

- Unique shape fits into tight spots such as the area between dash and windshield
- Use any standard, single-edge razor blade
- Storage for extra blades in screwdriver style handle
- 11" long

WSC2 8" Plastic Blade Windshield Scraper (Blue-Point®)

- Scrapes windows, windshields and more
- Includes a plastic blade, or use any standard, single-edge razor blade
- 8" long tool folds to only 4-5/8"



Window Holder

YA6390 Window Holder (Blue-Point®)

- Holds side window glass up when working on the regulator
- Suction cups are attached to both sides of the glass with a cable over the door frame, preventing the glass from falling down the door

BODY: SPECIALTY TOOLS



Sanding

BF185A 5 x 2-3/4" Sanding Block (Blue-Point®)

- For flat or curved surfaces with wet or dry sandpaper
- 5 x 2-3/4"

BF189A 5x2-3/4" Sanding Block (Blue-Point®)

- For flat or curved surfaces with wet or dry sandpaper
- 5 x 2-3/4"

BF190 5-1/2" Sanding Block (Blue-Point®)

- All-purpose, multi-radius edge and flat sander
- Flexible body conforms to most sanding surfaces
- 5-1/2" long

BF192A Sanding Block (2-pack) (Blue-Point®)

- Double sided, wet/dry sanding block
- Soft side sands irregular surfaces
- Stiff side sands flat and curved surfaces

BF195 5-1/2" Sanding Block (Blue-Point®)

- Multi-purpose, radius, groove-angle and corner sander
- Flexible body conforms to most surfaces; 5-1/2" long



BODY: SPECIALTY TOOLS

Bumper Cover Paint Stands

BFS1000B Bumper Cover Painting Stand

- Stand holds the bumper cover securely for painting
- Five different locking positions on the stand and full 90° rotation provide maximum versatility
- Lightweight at 23 lb and compact to store
- Casters provide full mobility



BFS1000B

Mastic Removal Tools

NYZ7007HD Manual Mastic Removal Kit

- Hand kit is ideal for aviation, automotive and industrial use, especially for delicate jobs and limited access scraping applications
- NYROC™ blades are sharpened with sandpaper, small stone or optional pneumatic sharpener
- Kit includes six 1" NYROC™ blades, six 1/2" NYROC™ blades, three 1/4" NYROC™ blades and ergonomic rubber handle



NYZ7007HD

BODY: ANTENNA/MIRROR

Mirror and Radio Trim Sockets

YA7575 Radio Removal Tool for Ford® Vehicles (Blue-Point®)

- Insert tool components into holes on the radio faceplate to release the retaining clips on the radio
- Same as Ford® No. T87P-19061-A
- Radio removal tool



YA7575

RRT105 6 pc Car Stereo Removal Tool Kit (Blue-Point®)

- Includes: Six tools for car stereo removal
- Enclosed instruction sheet lists exact model application for each manufacturer
- Applications: Audi®, BMW®, Ford®, Land Rover®, Lincoln®, Mazda®, Mercedes®, Mercury®, Merkur®, Porsche®, Saab® and VW®



RRT105

S8703 Remote Control Mirror Socket

- Hollow socket clears adjustment lever; two-prong socket has a 3/8" square drive
- 19/32" diameter on drive end; 21/32" diameter on socket end
- 2-1/16" long
- Nickel-chrome finish
- Services many Ford® and VW® vehicles



S8703

S9605B Radio Trim Nut Socket

- Similar in appearance and function to S8703



S9605B

Antenna Nut Sockets

S6166 Antenna Nut Socket

- Three-prong socket with 11/16" external hex
- 3/4" diameter, 1-1/2" long
- Services 1987 later Chrysler® vehicles



S6166

2160ANT Antenna Wrench (Blue-Point®)

- Four configurations will fit most antenna bezel nuts on U.S. and imported vehicles
- 10 mm opening for removing mast-type antennas
- Measures 7-1/4 x 1-1/2 x 1/8"
- Anodized finish



2160ANT



• Read safety precautions on pages W1 to W4

BODY: GENERAL SERVICE TOOLS



SWDK4

Spot Weld Cutters

SWDK4 4 pc Spot Weld Cutter Set (Blue-Point®)

- 4 pc cutter set designed for high-speed cutting of up to 2,000 RPM
- Self-centering points minimize walking

SWDK412 Spot Weld Cutter (Blue-Point®)

- Designed for high-speed cutting of up to 2,000 RPM
- Self centering points minimize walking

SWDK414 Spot Weld Cutter (Blue-Point®)

- Designed for high-speed cutting of up to 2,000 RPM
- Self centering points minimize walking

SWDK438 Spot Weld Cutter (Blue-Point®)

- Designed for high-speed cutting of up to 2,000 RPM
- Self centering points minimize walking

SWDK4516 Spot Weld Cutter (Blue-Point®)

- Designed for high-speed cutting of up to 2,000 RPM
- Self centering points minimize walking



BFLIGHT1500A

Infrared Curing Light

BFLIGHT1500A Infrared Curing Lamp (120 V AC)

- Use to cure paint, primer, body filler, bonding adhesive and plastic repair products
- Adjustable lamp height and pivot
- Four (4) swivel casters for easy maneuverability
- UL® listed

- Cure times at 18" from surface
- 10 minutes 2K primers, waterborn base coat, filler/stoppers
- 15 minutes 2K plastic repair, plastic body fillers, acrylic enamels
- 30 minutes 2K top coats, high build primers, structural adhesives, synthetic enamels, high solids clear
- All metal construction
- 35 minutes polyurethane,

Heat Gun

ET1400 Heat Gun

- Variable temperature selection
- UL®/CSA listed
- Up to 1,050 °F with three-way switch
- 3" (75 mm) spreader directs air over a wide area for window tinting, drying compounds, removing graphic films, etc.
- 1-1/2" (39 mm) reflector circulates hot air for even heating to shrink tubing and form plastic
- Variable temperature dial offers versatile 140°–1050° output for use in a wide variety of applications and materials



ET1400

- Reinforced heating element out performs and outlasts traditional elements. Soft grip handle provides comfortable long term operation and helps reduce hand and wrist fatigue
- Three stage airflow includes two airflow settings with heat and selectable cool air stage for maximum user control
- 6' industrial grade rubber cord will not crack due to age or cold temperature
- Two Year Warranty

HEADLAMP AIMING



HE52B

Headlamp Spring Tools

HE52B Headlamp Spring Tool

- For servicing alignment springs
- Consists of a 3/16" diameter shank anchored in a screwdriver style handle
- 7" long



RBYF445

Headlamp Adjusters

RBYF445 4–4.5 mm Ratcheting Headlight Wrench (Blue-Point®)

- 8" overall length allows access to headlight adjustment screws
- Applications work on most late-model Ford® vehicles with 4 mm and 4.5 mm adjusters (found on aerodynamic designs) and headlights with rear mount adjusters



PAINT SPRAY: SPRAY GUNS



BLP13HVLP



BLP14HVLP



BLP15HVLP



BLP18HVLP



BLP10MHVLP

A new generation of Blue-Point® spray guns for primer, base and clear coat. Designed for the automotive refinishing painter. Lightweight and well-balanced while delivering a quality, first-class automotive finish.

Lowest trigger pull among guns in its class. Unmatched spray pattern size and quality repair kits. Optional interchangeable 125 cc aluminum cups available. Full one-year warranty.

Full Size/HVLP

Stock No.	Fluid Tip, mm	Air Consumption, SCFM	Max. Inlet HVLP PSI (bar, kPa)	Dry Weight without Cup, oz (grams)	Air Inlet Thread Size, NPSM	Cup Size, cc	Application
BLP13HVLP	1.3	9.5	29 (2.0, 200)	12.6 (359)	1/4"	600	High solids, colors and clears
BLP14HVLP	1.4	9.5	29 (2.0, 200)	12.6 (359)	1/4"	600	High solids, colors and clears
BLP15HVLP	1.5	9.5	29 (2.0, 200)	12.6 (359)	1/4"	600	Medium solids, colors and clears
BLP18HVLP	1.8	9.5	29 (2.0, 200)	12.6 (359)	1/4"	600	Primer, high viscosity materials
BLP10MHVLP	1.0	7.0	29 (20, 200)	11.4 (322)	1/4"	125	Primer, base and clear

Full Size - Conventional

Stock No.	Fluid Tip, mm	Air Consumption, SCFM	Max. Inlet HVLP PSI (bar, kPa)	Dry Weight without Cup, oz (grams)	Air Inlet Thread Size, NPSM	Cup Size, cc	Application
BLP14CONV	1.4	9.5	—	12.6 (359)	1.4"	600	All automotive colors and clears



BLP14CONV

Economy - HVLP

Stock No.	Fluid Tip, mm	Air Consumption, SCFM	Air Inlet Thread Size, NPSM	Air Pressure Range, PSI	Fluid (Water) Delivery	Cup Size, cc
BLPK14HVLP	1.4	14.5	1/4"	30-43	190-250 mL/min	600



BLPK14HVLP

SPRAY GUN ACCESSORIES



Air/Fluid Hoses

BF7220 Fluid Hose

- 25' x 3/8" I.D. Fluid Hose with 3/8" FPT connectors

BF7130 Air/Fluid Hose Kit

- 6' hose kit for the BF652 pressure cup
- Kit includes 5/16" I.D. air hose with 1/4" FPT connectors and 1/4" I.D. fluid hose with 3/8" FPT connectors

BF7130

Air Caps and Service Kits

BF16111 Air Cap

- General duty cap (red ring)

BF16113 Air Cap

- Clear coat cap (gold ring)

BF16114 Air Cap

- Material organizer cap (blue ring)



BF755

Gravity Feed Cups

BF755 Aluminum Gravity Feed Cup

- 34 oz (1 Liter) capacity aluminum gravity feed cup
- Use with all Snap-on® HVLP gravity feed spray guns and BF814 non-HVLP gravity feed spray gun

PAINT SPRAY: SPRAY GUN ACCESSORIES

Air Pressure Regulators

BF1410 Air Pressure Regulator

- Small, lightweight, true diaphragm mini regulator attaches to any spray gun (including HVLP models) for accurate air pressure lation
- Push/Pull lock pressure setting
- Features easy-to-read 0-160 PSI gauge
- Capacity of 22 CFM (158 SCFM) [623 L/min]

YA999 Blue-Point® Air/Water Separator

- Separates water from compressed air
- Includes drain valve for periodic draining
- 3-1/2" in length, 1-1/2" diameter



YA999



BF1410



- Do not remove or bypass the grounding prong on any electrical plug
- Use in well ventilated area
- Read safety precautions on pages W1 to W4



BF521A



BF520A



BF530A



BF540A

Air Filters/Air Control Units

BF521A Air Control Unit

- Includes regulator with 160 PSI inverted gauge and air cock
- Two regulated outlets
- One filtered main line outlet
- Air Inlet: 1/2" NPT(f). Filter Capacity: 75 CFM
- Regulator capacity: 50 CFM

BF520A Air Filter

- Reusable edge type 5 micron filter element
- Highly effective at removing water, oil and other contamination
- Air Inlet: 1/2" FPT; Air Outlets: 3/8" FPT and 1/4" FPT (plugged)
- Filter capacity: 75 CFM

BF530A Air Filter

- Reusable edge type 5 micron filter element
- Highly effective at removing water, oil and other contamination
- Air Inlet: 1/2" FPT Air Outlet: two outlets @ 3/8" FPT
- Filter Capacity: 120 CFM

BF540A Mechanics Air Filter

- Portable, mounts easily anywhere
- Designed for use with quick couplers
- Air Inlet: 1/4" FPT; Air Outlets: 1/4" FPT and 1/4" FPT (plugged)
- Filter capacity: 75 CFM



BF525



BF555



BF550



BF1210



BF7000

Air Valves/Air Regulators

BF525 Air Pressure Regulator

- Two regulated outlets
- Includes 160 PSI air gauge and air cock (1/4" MPT)
- Capacity: 50 CFM

BF555 Air Adjusting Valve with Gauge

- Designed for use with HVLP spray guns
- Includes 160 PSI pressure gauge
- Air Inlet: 1/4" MPT air outlet: 1/4" FPT (swivel nut)

BF550 Air Adjusting Valve

- Precision-tapered valve
- Full open to close with approximately four turns: infinitely adjustable
- Large, easy-to-handle Inlet: 1/4" MPT air outlet: 1/4" FPT (swivel nut)

BF1210 Green Zone Air Regulator

- Reads both inlet pressure and air cap pressures

BF7000 Disposable InLine Filter

- Disposable filter removes contaminants that condense in the air hose between wall-mounted filter and spray gun
- Reduces paint defects
- Easy installation
- Card of two filters

High Volume Hose Connectors

AHCC90C Female Quick Coupler (Blue-Point®)

- High-volume 1/4"
- Designed to deliver high volumes of air to spray guns and air tools



AHCC90C

AHCC91C Quick Coupler (Blue-Point®)

- High-volume 1/4" male quick coupler
- Designed to deliver high volumes of air to spray guns and air tools

AHCCP97C Impact Wrench Adaptor (Blue-Point®)

- Use with AHCC98C high-flow coupler to improve low-pressure performance of 1/2" drive impact wrenches and other high air consumption tools



BF9893



MRB20

Paint Gun Hooks/ Holders

MRB20 Magnetic Paint Gun Hook (Blue-Point®)

- Eliminates having to drill holes in your paint booth to hang your paint gun

BF9893 Spray Gun Holder

- Stand holds up to three gravity feed paint spray guns at one time for refilling
- Adjustable strainer holder
- Steel construction



AIR BRUSHING

BF180B Air Compressor

- Portable 1/10 HP oil-less diaphragm type compressor features internal bleed
- Compact, lightweight and quiet
- Maximum running pressure of 33 PSI 115V, 60Hz, 2.5A



BF180B

BF170A Airbrush Set

- Dual action, internal mix, bottom feed airbrush
- Single needle/nozzle design sprays a variety of reduced acrylics, enamels, lacquers, glazes and airbrush-ready paints
- Excellent choice for multiple applications
- Includes: airbrush, mixing jars, air hose, color cup, extra needle and instruction manual



BF170A

BF360 Airbrush Set

- Rotating paint reservoir allows gravity or bottom feed
- Engineered to require only one size tip, regulator and needle for application of any properly reduced medium including acrylics gouache, inks, dyes, enamels, lacquers and stains
- Includes: airbrush two 2 oz jars, one 3/4 oz jar, 6' braided hose, extra needle and tip plus foam lined storage case



BF360

BF171 Airbrush Set

- Single action, external mix, bottom feed airbrush
- Air and paint mix outside the airbrush, creating a larger, coarser dot pattern while providing a heavier spray volume
- For base coating, touch-up projects and automotive painters
- Sprays higher viscosity materials like glazes, stains, enamels and lacquers
- Includes: airbrush, mixing jars, air hose and instructions



BF171

BF175TA Airbrush Set

- Dual action, internal mix, bottom feed airbrush
- Choice of fine, medium or heavy needle/heads
- Sprays a wide range of properly reduced acrylics, enamels, lacquers, glazes and airbrush ready paints
- Includes: airbrush, mixing jars, air hose, color cup, extra tip, spray regulator, needle and instruction manual in a storage case



BF175TA

BF105 Gravity Feed Airbrush Set

- Ideal for graphic arts and automotive illustration
- Dual action, internal mix, gravity feed airbrush for professional results
- Precise performance for tight line detail
- Ergonomically balanced for hours of comfortable spraying
- Single needle, single tip configuration
- 1/3 oz permanently mounted color cup
- Sprays any properly reduced paints
- Operates with lower pressure
- 10-15 PSI
- Optional needle, regulator and tip available for a finer spray



BF105

PAINT SPRAY: PAINT GUN CLEANERS/SAFETY EQUIPMENT

Cabinet-Style Paint Gun Cleaner

PGC500A Paint Gun Cleaner

- Cleans paint guns in less than two minutes
- Meets SCAQMD air quality rule 1171
- Air safety switch on lid
- Features a high torque rotary vane air motor that requires only 7 CFM at 60 PSI
- Regulator and gauge are included
- Seal-less magnetic drive pump supplies powerful cleaning action, no seals to wear out or replace
- Sprays solvent at 85 PSI
- Reduces solvent consumption up to 90%
- Measures 30" H, 26" L and 24" W in the top




PGC500A



- Use in well ventilated area
- Read safety precautions on pages W1 to W4

PAINT SPRAY: PAINT GUN CLEANERS/SAFETY EQUIPMENT



Paint Gun Cleaning Brushes

YA7327 Paint Gun Cleaning Brush (Set of 5) (Blue-Point®)

- For external paint guns
- Can be used with commonly used cleaning solvents (do not use with solvents marked corrosive)
- Nylon bristles
- 7-1/2" L

YA7329 Paint Gun Cleaning Brush (Set of 5) (Blue-Point®)

- Similar to YA7327 but designed for fluid tip paint guns
- 7-3/4" L

BFCB101 Paint Gun Cleaning Brush Kit

- General purpose spray gun cleaning kit
- Includes 7 pc stainless-steel needle set with handle, 5 pc precision mini-twisted brush set, 3/8" pick-up tube brush (12" L), 3/16" nylon end brush, 1/2" nylon body cavity brush, nylon bristle exterior body brush and 1/4" nylon HVLP brush



Flammables Storage Cabinet

EQFSC45M Flammables Storage Cabinet

- Standard Doors
- 16 gauge walls with full 2" air walls. 45-gallon capacity with 5-gallon spill pan
- Removable fork lift channels for convenient movement and placement of cabinet
- Complies with OSHA #29 CFR 1910, NFPA Code #30 and UFC Code #79
- Spill containment exceeds 5-gallon EPA requirement

Stock No.	Outside Height	Outside Width	Outside Depth	Inside Height	Inside Width	Inside Depth
EQFSC45M	65"	43"	18"	60"	40"	15"

ABRASIVE BLAST SYSTEMS: PORTABLE PRESSURE BLAST SYSTEMS



Air-Powered Portable Pressure Blast Systems

YA441 Pressure Blast System

- For cleaning jobs on large surface areas
- Cleans a variety of materials such as concrete, stone, brick and steel
- Unit has a convenient remote control shut down at nozzle handle
- Hose length 25', with 1/4" nozzle
- Capacity: 250 lb of abrasive
- Capacity: 250 lb of abrasive
- Requires 80 CFM at 100 PSI

YA449A Pressure Blast System (Not Shown)

- Cleans a variety of materials such as concrete, stone, brick and steel
- Media is controlled by stainless-steel ball valve at nozzle handle
- Capacity: 100 lb of abrasive
- Requires 21 CFM at 100 PSI
- Hose length 10' with 1/8" nozzle

YA448 Pressure Blaster System

- For cleaning jobs where a minimal capacity of media is required
- Cleans a variety of materials such as concrete, stone, brick and steel
- Media is controlled by stainless-steel ball valve at nozzle handle
- Capacity: 40 lb of abrasive
- Requires 21 CFM at 100 PSI
- Hose length 8' with 1/8" nozzle



ABRASIVE BLAST SYSTEMS: CABINET-TYPE

Tap-on® abrasive blast systems effectively clean metal parts right down to the bare substrate. The applications vary from automotive, manufacturing, restoration to tool

and die shops, marine repair and electric motor rebuilders. Cabinet sizes vary from medium sized to larger pressure-fed systems.



Cabinet Type Abrasive Blast Systems


- Features a clamshell lid to assist in loading heavy parts
- Side door for loading smaller parts
- Variable output blast gun with trigger style control
- High efficiency 135 CFM dust collection system
- Provides user excellent visibility during blasting
- Separates dust from useable media minimizing waste
- Lower noise output
- Heavy duty steel grating in work area for heavier parts
- Dual fluorescent lights in work area for increased visibility
- Includes 25 lbs of glass bead abrasive

Specifications	YA3825	YA3825PJK	YA3825PJJ	YA3626	YA4826PA
Inside Dimensions, inches	37-1/2 W x 26 D x 16-24 H	37-1/2 W x 26 D x 16-24 H	37-1/2 W x 26 D x 16-24 H	35-1/2 W x 23-1/2 D x 16-23 H	48 W x 24 D x 14-23 H
Side Door Dim., inches	17-1/2 W x 12 H	17-1/2 W x 12 H	17-1/2 W x 12 H	18 W x 12 H	19 W x 13 H
Top Opening Dimensions, inches	37-1/2 W x 25 H	37-1/2 W x 25 H	37-1/2 W x 25 H	37 W x 14 H	48 W x 24 H
Overall Dimensions, inches	38 W x 26 D x 70 H	38 W x 26 D x 70 H	38 W x 26 D x 70 H	36 W x 24 D x 58 H	52 W x 25 D x 60 H
Dust Collection Size in CFM	205	205	205	100	160
Electrical Req.	120 V AC, 60 Hz	120 V AC, 60 Hz	120 V AC, 60 Hz	120 V AC, 60 Hz	120 V AC, 60 Hz
European Models (230 V AC, 50 Hz)	YAH3825EUR	—	—	—	—

NOTE: European model is 230V AC, 50/60 Hz, Single Phase.
*Blue-Point®

Industrial Style Blast Cabinets

- Dust collection system provides user with excellent visibility and features polysatreen bags to capture dust and debris
- Dual fluorescent lights in work area for increased visibility
- Heavy duty steel grating in work area to support heavier parts



Stock No.	Inside Dimensions, inches	Dust Collection Size in CFM	Side Door Dim., inches	Top Opening Dimensions, inches	Overall Dimensions, inches	Air Supply Required	Electrical Req.	European Models (230 V AC, 50 Hz)
YA4224	41 W x 23 D x 29 H	205	18 W x 17 H	39-1/2 W x 12 H	43 W x 24 D x 73 H	25 CFM at 100 PSI	120 V AC, 60 Hz	YAH4224EUR
YA435	40 W x 26 D x 15-23 H	270	17 W x 13 H	39 x 24	40 W x 27 D x 66 H	18 CFM at 100 PSI	120 V AC, 60 Hz	YAH435-EUR
YA437	42-1/2 W x 44 D x 33 H	405	42 W x 35 H	—	44 W x 44 D x 78 H	25 CFM at 100 PSI	120 V AC, 60 Hz	YAH437-EUR

NOTE: European models are 230V AC, 50/60 Hz, single phase.
TCE

TECHNICAL SUPPORT 1-800-253-3661

YA4224 Abrasive Blast Cabinet with Foot Control

- Right hand door for smaller parts and top-opening lid for larger parts
- Foot pedal control for media delivery reduces operator fatigue

YA435 Abrasive Blast Cabinet

- Right hand door for smaller parts and full front opening door for larger parts
- Variable output blast gun with trigger style control

YA437 Large Abrasive Blast Cabinet with Foot Control

- Features a turntable to assist in cleaning larger or multiple parts easily
- Right and left hand doors allow access to turntable
- Foot pedal control for media delivery reduces operator fatigue



- Do not direct air or fluid stream at body
- Use in well ventilated area
- Do not expose solvent to flames, sparks or other source of ignition
- Read safety precaution on pages W1 to W4

SANDBLASTERS



PSB500AR

Small Sandblasters

PSB500AR Portable Sandblasting Gun

- For cleaning small areas quickly
- Lightweight aluminum construction
- Flat base provides an upright resting position
- Media capacity 4 lb
- Requires 5-12 CFM at 100 PSI



SODABLAST

Blast System Accessories

SODABLAST 2 pk Soda Blast Media

- Sodium Bicarbonate, NaHCO₂, pH 8.6
- Gently cleans surfaces without prewash
- Water soluble, non-toxic and non-hazardous degreasing
- Strips paint without damaging surrounding surface and leaves a brushed surface for improved paint adhesion
- Removes carbon deposits from engine components
- Sold in resealable 13 lb, 5 L plastic container, sold per case with two jugs per unit
- Replacement blasting media packaged in plastic jug to protect material from moisture and prevent clumping and contamination – wide mouth 5 liter jug is easy to carry, pour, and store



YA428A

Vacuum Sandblasters

YA428A Vacuum Sandblaster

- Blasts away rust, dirt and paint quickly
- Features a vacuum recovery system at the blast nozzle to eliminate mess
- Media is recycled for continuous use
- Dust is captured in container for ease of disposal
- Wheels and casters offer ease in mobility
- Vacuum recovery system 90 CFM
- Measures 49 x 18 x 18-1/2"
- Requires 14 CFM at 100 PSI and 120 V AC 60 Hz
- European model: YAH428AEUR 230 V AC 50/60 Hz

Hand-Held Abrasive Blast Systems

JWLSB2 Sodablaster

- Easily removes paint, carbon deposits, grease, rust, gasket material, adhesives and other coatings
- Use on metal, plastic, wood and composite surfaces without damaging substrate
- Reduces the need for masking and grinding
- Uses sodium bicarbonate blast media – material requires no special cleanup methods or handling, is a natural degreaser and deodorizer, and rinses away with water



JWLSB2

ABRASIVE BLAST SYSTEMS: SANDBLASTING ACCESSORIES



YA428-1



YAD4000



YA462A



YAD4003



YA466A

Abrasives

YA428-1 C-Garnet Abrasive

- Does not break down as quickly as silica sand
- Creates less dust
- 40 lb bucket

YAD4000 Steel Grit Abrasive

- Use for rough cleaning and for removing rust and scale
- 50 lb bucket

YAD4003 Steel Shot Abrasive

- Use for peening and cleaning castings and forgings
- 50 lb bucket

YA461A Glass Bead Abrasive (Coarse)

- For coarse satin finish with minimum surface removal
- 40-60 coarse grit, 50 lb bucket

YA462A Glass Bead Abrasive (Medium)

- For medium satin finish with minimum surface removal
- 60-100 medium grit, 50 lb bucket

YA463A Glass Bead Abrasive (Fine)

- Use for fine satin finish with minimum surface removal
- 100-200 fine grit, 50 lb bucket

YA466A Aluminum Oxide Abrasive

- A tough abrasive used for fast removal of heavy oxidation and burrs
- Low dust and good recycling
- 50 lb bucket



ABRASIVE BLAST SYSTEMS: SANDBLASTING ACCESSORIES



YAD100A



YAD10102A



YAD007A

Blast System Accessories

Stock No.	Nozzle	Air Jets	Blast Gun	Blast Gloves	Window Film Replacement	Replacement Filter
YA3626	YAD105	YAD104	YAD100A	YAD007A	YAD20061	YAD723A
YA4826PA	YAD2304	—	—	YAD007A	YAD20061	YADV723A
YA3825	YAD105	YAD104	YAD100A	YAD007A	YAD20061	YAD714
YA3825PJJ	YAD105	YAD104	YAD100A	YAD007A	YAD20061	YAD714
YA3825PJK	YAD105	YAD104	YAD100A	YAD007A	YAD20061	YAD714
YA4224	YAD10104A	YAD10105A	YAD10102A	YAD007A	YAD20061	YAD674
YA3423	YAD105	YAD104	YAD100A	YAD007A	YAD20061	YAD714
YA435	YAD115	YAD104	YAD100A	YAD007A	YAD20061	YAD019
YA437	YAD10104A	YAD10105A	YAD10102A	YAD007A	YAD20061	YAD018
YA3220	YAD105	YAD104	YAD100A	YAD007A	YAD20061	—

Cabinet Type Abrasive Blast Systems

YAD3976 Dust Collector (Blue-Point®)

- Optional Dust Collection System for YA3220 Blast Cabinet
- Provides an effective method to remove dust and debris from inside cabinet for better visibility
- 100CFM 120 V AC 60Hz



YAD3976

Helmets/Hoods

YA415A Cotton Twill Hood

- Bump Cap protects head, face and neck from dust



YA415A

C-CLAMPS

Medium Duty C-Clamps

- Maximum strength ribbed iron frame
- Steel screw with full standard threads and sliding T-handle
- Large anvil and steel swivel pad to ensure secure clamping
- Deep throat style

Stock No.	Throat Depth, inches	Capacity, inches	Spindle Dia., inches
CL537A	4-3/4	2-1/2	5/16
CL546A	6-1/4	2-1/2	3/8



CL537A

VICES

Utility Vises

- Regular duty utility vises can be used for a variety of shop applications
- Replaceable serrated jaws, built-in pipe jaws, swivel base and large anvil to handle a variety of jobs

Stock No.	Jaw Width, inches	Maximum Opening, inches	Pipe Capacity, inches	Throat Depth, inches
WV648	8	7-1/2	1/8-3	4-1/2
WV656	6	6	1/8-3	4-1/4
WV674	4-1/2	3-3/4	1/8-2	2-5/8
WV675	5-1/2	4-3/4	1/8-2	3-7/16
WV676	6-1/2	5-3/4	1/8-2-1/2	3-11/16



WV676



- Use in well ventilated area
- Read safety precautions on pages W1 to W4

VICES



WV1560VIS

Stock No.	Jaw Width, inches	Maximum Opening, inches	Pipe Capacity, inches
WV1550VIS	5	5-1/4	1/4-2-1/2
WV1560VIS	6	5-3/4	1/4-3-1/2

High-Visibility Safety Vises

- Coated in high visibility yellow, which conforms to the OSHA safety color standard for physical hazards regulation #1910.144
- Powder coat finish resists scratches and gives a tough, durable finish
- Handles and lockdowns are black oxide coated for additional corrosion resistance
- Units feature a straight line design with totally enclosed spindle and nut, replacement pipe and serrated vise jaws
- 360° swivel base



WV1745



WV4044



WVC2

Mechanic's Vises

- For general purpose service and maintenance shops
- Replaceable, reversible top jaws (one serrated steel, one smooth), built-in pipe jaws, swivel base and large anvil

Stock No.	Jaw Width, inches	Maximum Opening, inches	Pipe Capacity, inches	Throat Depth, inches	Copper Jaw Cap
WV1745	4-1/2	4	3-1/4	3	WV4044
WV1755	5-1/2	5	3/8-3	3-3/4	WV4045
WV1765	6-1/2	6-1/2	3/8-3-1/2	4	WV4046
WV1780A	8	7	1/8-3-1/2	4-3/4	WV4046

Pipe and Bench Vises

- Large anvil, totally enclosed spindle and nut
- 60,000 psi high ductile iron for main stress parts
- Replaceable steel vise jaw inserts and milled steel pipe jaws
- Alloy steel slide bar

Stock No.	Jaw Width, inches	Maximum Opening, inches	Pipe Capacity, inches	Throat Depth, inches
WVC0	3-1/2	4	1/8-2-1/2	4-1/2
WVC2	5	7	1/8-4-1/2	5-5/16
WVC3	6	9	3/8-6	6-5/8



WV400N



WV400S

Machinist's Vises

- Choice of swivel or nonswivel base
- Large anvil, totally enclosed spindle and nut
- 60,000 psi high ductile iron for main stress parts
- Swivel models feature slip proof 360° base, serrated teeth and double lockdowns

Stock No.	Jaw Width, inches	Maximum Opening, inches	Throat Depth, inches	Base
WV300N	3	4-3/4	2-5/8	Stationary
WV400N	4	6-1/2	3-1/2	Stationary
WV450N	4-1/2	7-1/2	4	Stationary
WV500N	5	8	4-1/4	Stationary
WV600N	6	10	5-1/2	Stationary
WV800N	8	12	5-13/16	Stationary
WV300S	3	4-3/4	2-5/8	Swivel
WV350S	3-1/2	5-1/4	2-3/4	Swivel
WV400S	4	6-1/2	3-1/2	Swivel
WV450S	4-1/2	7-1/2	4	Swivel
WV500S	5	8	4-1/4	Swivel
WV600S	6	10	5-1/2	Swivel
WV800S	8	12	5-13/16	Swivel



BLPMV5

Stock No.	Jaw Width, inches
BLPMV4	4
BLPMV5	5
BLPMV6	6

Bench Vises (Blue-Point®)

- Single piece steel blocks for higher load capacity
- Extended anvil
- Lubrication points for maintenance
- Swivel base
- Capacity range from 3.5 to 9 ton at maximum opening
- Reinforced cantilever support
- Interchangeable jaws
- Diamond ground for better grip
- Heavy duty cast iron construction
- Precise jaw alignment
- Rolled thread spindle for easy locating and tightening parts
- Protected spindle

Forged Bench Vises

- Hardened reversible jaws can be reversed for nonmarring applications or replaced when worn
- Competitive forged units do not offer replaceable jaws
- 360° swivel base increases versatility because vise can be locked in virtually any position
- Jaw adjustment screws ensure proper alignment and accuracy

Stock No.	Jaw Width, inches	Maximum Opening, inches	Pipe Capacity, inches
WVE104RT	4	3-15/16	1/4-3/4
WVE105RT	5	5-7/8	1/2-2-1/2
WVE106RT	6	7-7/8	1/2-3
WVE107RT	7	8-7/8	3/4-4


WVE105RT
Jaw Caps


WVA Series. Aluminum grooved caps hold uneven and circular pieces.

WVF Series. Caps with heat-resistant, laminated fibers help prevent outside materials from being absorbed.

WVP Series. Prism caps have horizontal and vertical grooves for marking out, center punching, light tapping and thread cutting.

WVR Series. Caps have rubber covers.

Stock No.	Description (Chart)	Size, inches
WVA4	Aluminum Alloy Face	4
WVA5	Aluminum Alloy Face	5
WVA6	Aluminum Alloy Face	6
WVF4	Fiber Face	4
WVF5	Fiber Face	5
WVF6	Fiber Face	6
WVP4	Prism Face	4
WVP5	Prism Face	5
WVP6	Prism Face	6
WVR4	Rubber Face	4
WVR5	Rubber Face	5
WVR6	Rubber Face	6


WORKBENCHES AND PRESSES

BPWORKBENCH

EQG2223K5

EQG245U5
Work Benches and Tables
BPWORKBENCH Heavy Duty Workbench (Blue-Point®)

- Full bottom shelf and superior powder-coat finish
- Net weight: 139 lb
- Weight capacity: 1,200 lb
- Top panel: 13 gauge steel
- Bottom shelf: 13 gauge steel
- Steel support: 12 gauge steel
- 60-1/16" W x 30-3/4" D x 34-1/16" H

EQG2223K5 Open Leg Workbench

- Constructed from heavy 12 ga. steel with die formed legs welded into a one piece unit for superior strength
- Includes a storage drawer for mounting on an end or at the center of the bench
- 5' W x 29" D x 33-1/2" H

EQG245U5 Pedestal Workbench

- Manufactured with a heavy 12 gauge top surface and an integral back flange
- Four drawer pedestal is designed with roller drawer rails for smooth, non-binding operation
- 5' W x 27-1/2" D x 34-1/8" H



- Keep away from children
- Read safety precautions on pages W1 to W4

PRESSES



CG100

Specifications	CG100
Dimensions	11-1/8" W, 18" H
Pressure, tons	3
Base Size	11-1/8 x 6-1/8"
Vertical Capacity	12-3/4"
Opening Width	9"
Width Between Work Brackets	9"
Pressure Shaft Stroke	9" (when utility punch is attached)

3-ton Arbor Press

CG100 Arbor Press, 3-Ton

- Frame is 2" steel channel – bolts to work bench
- Gearing multiplies handle pressure up to 3-ton force
- Set includes arbor press frame, utility punch, work block and adaptor to convert 1/2" drive to 5/16" round drive
- Optional accessories: The adaptors from A57Q bushing driver set can be used with CG100-16 5/16" round drive adaptor – the CJ951 bearing separator fits neatly between the work support brackets

4-ton Bench Presses

CG105HY Press, Bench, 4-ton, 1-stage Pump

- Includes: frame, ram and pump

10-ton Bench Presses

CG170HY Press, Bench, Hydraulic, 10-Ton, 1-stage Pump

- Includes (1) frame, (1) ram, (1) pump and (1) work block

20-ton Floor Presses

CG470BHY 20-Ton 1-stage Hydraulic Floor press

- 20-ton Floor Press
- This is the CG473HY without the table lifting mechanism

CG473HY 20-Ton 1-stage Hydraulic Floor press

- Includes: table lifting mechanism, frame, ram, pump and work blocks

35-ton Floor Presses

CG770 Hydraulic Press Frame

CG770HY 35-Ton 1-stage Hydraulic Floor press

- Includes: table lifting mechanism, frame, ram, pump and work blocks

50-ton Floor Presses

CG570BHY 50-Ton 1-stage Hydraulic Floor press

- Includes: table lifting mechanism, frame, ram, pump and work blocks



CG471-9

Step Plates

Use step plates for the pressing of bearings, bushings and general pressing applications.

Stock No.	Diameter, inches	CG173	CG471A
CG173-1	5/8 and 1	•	
CG173-2	3/4 and 1-1/8	•	
CG173-3	7/8 and 1-1/4	•	
CG173-4	1 and 1-3/8	•	
CG173-5	1-1/8 and 1-1/2	•	
CG471-5	1-1/4 and 1-5/8		•
CG471-6	1-3/8 and 1-3/4		•
CG471-7	1-1/2 and 1-7/8		•
CG471-8	1-5/8 and 2-1/16		•

Stock No.	Diameter, inches	CG173	CG471A
CG471-9	1-3/4 and 2-3/16		•
CG471-10	1-7/8 and 2-5/16		•
CG471-11	2 and 2-7/16		•
CG471-12	2-1/8 and 2-5/8		•
CG471-13	2-1/4 and 2-3/4		•
CG471-14	2-3/8 and 2-7/8		•
CG471-15	2-1/2 and 3		•
CG471-16	2-3/4 and 3-1/4		•
CG471-17	3 and 3-1/2		•

AIR PROCESSING EQUIPMENT



Quickclamp® Regulators, Filters, and Valves

- System utilizes modular design of filters, regulators, lubricators and accessories
- Allows installation and removal of the AHR services units and accessories without breaking a pipe connection
- Clamping device holds AHR product components in rigid combinations

AHR424 General Purpose Filter

- Excellent water removal characteristics
- Standard depth type 40 mm filter element
- Particle removal per ISO 8573-1, Class 5 and Class 3

AHR426 General Purpose Pressure Regulator

- Features full-flow gauge ports and standard relieving regulators
- Low torque, non-rising pressure adjustment knob has integral locking device
- Balanced valve minimizes effect of variation in inlet pressure on the outlet pressure

AHR428 Oil Filter Lubricator

- Features a quick-release bayonet bowl, a high visibility prismatic lens and a liquid level indicator
- Lubricates a single tool, cylinder or other air-powered device

AHR430 General Purpose Filter/Regulator

- Low torque, non-rising pressure adjustment knob has integral locking device
- Standard depth type 40 µm filter element
- Particle removal per ISO 8573-1, Class 5 and Class 3

AHR423 Automatic Drain Valve (Blue-Point®)

- When fluid reaches full level it activates the float and drains unwanted oil and water automatically
- Can be used in place of a manual drain on the following units: AHR424 and AHR430

AHR438 Wall Mount Bracket

- Made of heavy duty metal
- Can be used on the following units: AHR424, AHR426, AHR428 and AHR430



AIR PROCESSING EQUIPMENT

Regulators, Filters and Valves

Stock No.	Inlet/Outlet Port Size	Adjustable Pressure Range	Maximum Service Pressure	Oil Capacity	Operating Temperature Range
AHRB200	1/2" NPT (F)	5–120 psig (.5–8.5 kgf/cm ²)	140 psig (9.9 kgf/cm ²)	80 mL	41–140 °F (5–60 °C)



AIR COMPRESSORS



BRA7380VEM



BRA8380V



BRARS8380H



BRA20312H



BRA10312H



BRA15312H

Snap-on® Air Compressors (3 Phase)

Stock No.	Horsepower, HP	Pump Stages	Tank, gal	Tank Style	Electrical Req.	Amp Req.	Mag Starter	Hour Meter	Auto Tank Drain	Air Delivery SCFM @ PSI	Max. PSI
BRA7380VEM*†	7	Dual	80	Vertical	208/230 V, 3-phase	30 @ 208/230 V	Yes	No	No	23.5 @ 175	175
BRA8380V*†	8	Dual	80	Vertical	208/230 V, 3-phase	30 @ 208/230 V	Yes	Yes	Yes	27.0 @ 175	175
BRARS8380H*	8	Rotary Screw	73	Horizontal	208/230 V, 3-phase	30 @ 208/230 V	Yes	Yes	No	35.0 @ 125	144
BRA10312H*	10	Dual	120	Horizontal	208/230 V, 3-phase	40 @ 208/230 V	Yes	No	Yes	36.0 @ 175	175
BRA15312H*	15	Dual	120	Horizontal	208/230 V, 3-phase	75 @ 208/230 V	Yes	No	Yes	48.0 @ 175	175
BRA20312H	20	Dual	120	Horizontal	208/230 V, 3-phase	100 @ 208/230 V	Yes	No	Yes	75.0 @ 175	175

*440/460/480V wiring available

†BRA7380V, BRA7380VEM, BRA8380V are available with horizontal tanks via special order.



- Use pressure regulator, lubricator and moisture filler on air line
- Follow maintenance requirements
- Read safety precautions on pages W1 to W4

SHOP EQUIPMENT



BRA5DV30VP



BRAC560V



BRA5140H



BRA517V



BRA7180VEM



BRA8180V



BRA9G3B



BRARS8180H

Snap-on® Air Compressors (Single Phase)

Stock No.	Horsepower, HP	Pump Stages	Tank, gal	Tank Style	Electrical Req.	Amp Req.	Mag Starter	Hour Meter	Auto Tank Drain	Air Delivery SCFM @ PSI	Max. PSI
BRA5DV30VP	3 (peak)	Single	27	Portable	120/220 V, 1-phase	20 @ 120 V, 15 @ 220 V	Not Req.	No	No	7.0 @ 125	125
BRAC560V	5	Single	60	Vertical	208/230 V, 1-phase	20 @ 208/230 V	Not Req.	No	No	13.5 @ 140	140
BRA5140H	5	Dual	40	Horizontal	208/230 V, 1-phase	30 @ 208/230 V	Not Req.	No	No	16.0 @ 175	175
BRA517V	5	Dual	70	Vertical	208/230 V, 1-phase	40 @ 208/230 V	Yes	No	No	17.5 @ 175	175
BRA7180VEM*	7	Dual	80	Vertical	208/230 V, 1-phase	40 @ 208/230 V	Yes	No	No	23.5 @ 175	175
BRA8180V*	8	Dual	80	Vertical	208/230 V, 1-phase	40 @ 208/230 V	Yes	Yes	Yes	27.0 @ 175	175
BRA9G3B	9	Dual	30	Horizontal	Gas Engine, Electric Start	N/A	N/A	No	No	23.0 @ 175	175
BRARS8180H	8	Rotary Screw	73	Horizontal	208/230 V, 1-phase	40 @ 208/230 V	Yes	Yes	No	35.0 @ 125	144
BRAP7SOS	7	Dual	N/A	N/A	208/230 V, 1-phase	40 @ 208/230 V	Yes	Yes	N/A	23.5 @ 175	175

*BRA7180V, BRA7180VEM, BRA8180V are available with horizontal tanks via special order.



- Use pressure regulator, lubricator and moisture filler on air line
- Follow maintenance requirements
- Read safety precautions on pages W1 to W4