

**RATCHETING SQUARE DRIVE HEADS - SAE**

Square Drive (Inches)	J (0.425")	Max Torque Ft. Lbs.	Y (0.560")	Max Torque Ft. Lbs.	X (0.735")	Max Torque Ft. Lbs.	Z (0.990")	Max Torque Ft. Lbs.	Z Dual Pins	Max Torque Ft. Lbs.
1/4	TCQJD8A-72	60								
3/8	TCQJD12A-80	60	TCQYD12A-80	100						
1/2	TCQJD16A	60	TCQYD16A	240	TCQXD16A	240				
3/4					TCQXD24A	240	TCQZD24B	480	TCQZD24BDP	480
1					TCQXD32A	240	TCQZD32B	480	TCQZD32BDP	480



Z Shank Dual Pins



TCQJD16A

**FIXED SQUARE DRIVE HEADS - SAE**

Square Drive (Inches)	J (0.425")	Max Torque Ft. Lbs.	Y (0.560")	Max Torque Ft. Lbs.	X (0.735")	Max Torque Ft. Lbs.	Z (0.990")	Max Torque Ft. Lbs.	Z Dual Pins	Max Torque Ft. Lbs.
1/4	TCQJSD8A	60								
3/8	TCQJSD12A	60	TCQYSD12A	100						
1/2	TCQJSD16A	60	TCQYSD16A	240	TCQXSD16A	240				
3/4					TCQXSD24A	240	TCQZSD24A	480	TCQZSD24ADP	480
1					TCQXSD32A	240	TCQZSD32A	480		



TCQJSD8A

**OPEN END HEADS - SAE**

Square Drive (Inches)	J (0.425")	Max Torque Ft. Lbs.	Y (0.560")	Max Torque Ft. Lbs.	X (0.735")	Max Torque Ft. Lbs.	Z (0.990")	Max Torque Ft. Lbs.	Z Dual Pins	Max Torque Ft. Lbs.
1/4	TCQJO8A	5								
9/32	TCQJO9A	7								
5/16	TCQJO10A	9								
3/8	TCQJO12A	18								
7/16	TCQJO14A	26								
1/2	TCQJO16A	34								
9/16	TCQJO18A	58	TCQYO18A	58						
5/8	TCQJO20A	60	TCQYO20A	70						
11/16	TCQJO22A	60	TCQYO22A	99						
3/4	TCQJO24A	60	TCQYO24A	125	TCQXO24A	125				
13/16	TCQJO26A	60	TCQYO26A	160	TCQXO26A	164				
7/8	TCQJO28A	60	TCQYO28A	160	TCQXO28A	193				
15/16	TCQJO30A	60	TCQYO30A	160	TCQXO30A	200				
1	TCQJO32A	60	TCQYO32A	160	TCQXO32A	240	TCQZO32A	298	TCQZO32ADP	298
1 1/16	TCQJO34A	60	TCQYO34A	160	TCQXO34A	240	TCQZO34A	321	TCQZO34ADP	321
1 1/8	TCQJO36A	60	TCQYO36A	160	TCQXO36A	240	TCQZO36A	367	TCQZO36ADP	367
1 3/16			TCQYO38A	160	TCQXO38A	240	TCQZO38A	433	TCQZO38ADP	433
1 1/4	TCQJO40A	60	TCQYO40A	160	TCQXO40A	240	TCQZO40A	480	TCQZO40ADP	480
1 5/16			TCQYO42A	160	TCQXO42A	240	TCQZO42A	480	TCQZO42ADP	480
1 3/8	TCQJO44A	60	TCQYO44A	160	TCQXO44A	240	TCQZO44A	480	TCQZO44ADP	480
1 7/16			TCQYO46A	160	TCQXO46A	240	TCQZO46A	480	TCQZO46ADP	480
1 1/2	TCQJO48A	60	TCQYO48A	160	TCQXO48A	240	TCQZO48A	480	TCQZO48ADP	480
1 9/16			TCQYO50A	160	TCQXO50A	240	TCQZO50A	480	TCQZO50ADP	480
1 5/8	TCQJO52A	60	TCQYO52A	160	TCQXO52A	240	TCQZO52A	480	TCQZO52ADP	480
1 11/16					TCQXO54A	240	TCQZO54A	480	TCQZO54ADP	480
1 3/4			TCQYO56A	160	TCQXO56A	240	TCQZO56A	480	TCQZO56ADP	480
1 13/16					TCQXO58A	240	TCQZO58A	480	TCQZO58ADP	480
1 7/8			TCQYO60A	160	TCQXO60A	240	TCQZO60A	480	TCQZO60ADP	480
2					TCQXO64A	240	TCQZO64A	480	TCQZO64ADP	480
2 1/16							TCQZO66A	480	TCQZO66ADP	480
2 1/8					TCQXO68	240	TCQZO68A	480	TCQZO68ADP	480
2 1/4			TCQYO72	160			TCQZO72A	480	TCQZO72ADP	480
2 3/8									TCQZO76ADP	480
2 1/2			TCQYO80	160			TCQZO80A	480	TCQZO80ADP	480
2 3/4							TCQZO88A	480		
3							TCQZO96A	480		



TCQJO16A



TCQZO36ADP

Center of fastener to retaining pin:  
 TCQJ Series - 2.50"  
 TCQY Series - 3.00"  
 TCQX Series - 4.50"  
 TCQZ Series - 5.75"



TORQUE TOOLS

HEADS





## CDI TORQUE PRODUCTS

### OPEN END HEADS - METRIC



TCQJOM12A



TCQZOM36ADP

Square Drive (mm)	J (0.425")	Max Torque Ft. Lbs.	Y (0.560")	Max Torque Ft. Lbs.	X (0.735")	Max Torque Ft. Lbs.	Z (0.990")	Max Torque Ft. Lbs.	Z Dual Pins	Max Torque Ft. Lbs.
6	TCQJOM6A	5								
7	TCQJOM7A	6								
8	TCQJOM8A	10								
9	TCQJOM9A	14								
10	TCQJOM10A	22								
11	TCQJOM11A	33								
12	TCQJOM12A	36								
13	TCQJOM13A	41								
14	TCQJOM14A	55	TCQYOM14A	55						
15	TCQJOM15A	60	TCQYOM15A	74						
16	TCQJOM16A	60	TCQYOM16A	88						
17	TCQJOM17A	60	TCQYOM17A	103	TCQXOM17A	103				
18	TCQJOM18A	60	TCQYOM18A	115	TCQXOM18A	115				
19	TCQJOM19A	60	TCQYOM19A	138	TCQXOM19A	138				
20	TCQJOM20A	60	TCQYOM20A	160	TCQXOM20A	160				
21	TCQJOM21A	60	TCQYOM21A	160	TCQXOM21A	180				
22	TCQJOM22A	60	TCQYOM22A	160	TCQXOM22A	206				
23	TCQJOM23A	60	TCQYOM23A	160	TCQXOM23A	229				
24	TCQJOM24A	60	TCQYOM24A	160	TCQXOM24A	240	TCQZOM24A	248	TCQZOM24ADP	250
25	TCQJOM25A	60	TCQYOM25A	160	TCQXOM25A	240				
26	TCQJOM26A	60	TCQYOM26A	160	TCQXOM26A	240				
27	TCQJOM27A	60	TCQYOM27A	160	TCQXOM27A	240	TCQZOM27A	319	TCQZOM27ADP	319
29			TCQYOM29A	160	TCQXOM29A	240				
30	TCQJOM30	60	TCQYOM30A	160	TCQXOM30A	240	TCQZOM30A	413	TCQZOM30ADP	413
32			TCQYOM32A	160	TCQXOM32A	240	TCQZOM32A	480	TCQZOM32ADP	480
34			TCQYOM34A	160	TCQXOM34A	240			TCQZOM34ADP	480
36	TCQJOM36A	60	TCQYOM36A	160	TCQXOM36A	240	TCQZOM36A	480	TCQZOM36ADP	480
38									TCQZOM38ADP	480
41			TCQYOM41	160	TCQXOM41A	240			TCQZOM41ADP	480
46									TCQZOM46ADP	480
50							TCQZOM50A	480	TCQZOM50ADP	480
55							TCQZOM55A	480	TCQZOM55ADP	480
60									TCQZOM60ADP	480
65									TCQZOM65ADP	480
70									TCQZOM70ADP	480

TORQUE TOOLS

HEADS

## CDI TORQUE PRODUCTS

### OPEN END THIN HEADS - SAE



Square Drive (Inches)	J (0.425")	Max Torque Ft. Lbs.	Y (0.560")	Max Torque Ft. Lbs.
11/16	TCQJO22ARTH60	60		
1	TCQJO32ARTH	60		
1 1/16	TCQJO34ARTH	60		
1 1/8	TCQJO36ARTH	60		
1 3/16	TCQJO38ARTH	60		
1 1/4	TCQJO40ARTH	60		
1 3/8	TCQJO44ARTH	60		
1 1/2	TCQJO48ARTH	60		
1 9/16	TCQJO50ARTH	60		
1 5/8	TCQJO52ARTH	60	TCQYO52ARTH	160
1 3/4	TCQJO56ARTH	60	TCQYO56ARTH	160
1 7/8	TCQJO60ARTH	60	TCQYO60ARTH	160
2	TCQJO64ARTH	60	TCQYO64ARTH	160
2 1/16	TCQJO66ARTH	60		
2 1/8			TCQYO68ARTH	160
2 1/4			TCQYO72ARTH	160
2 11/16	TCQJO86ARTH	60		



TCQJO38ARTH

**12-POINT BOX END 15° OFFSET HEADS - SAE**

Square Drive (Inches)	J (0.425")	Max Torque Ft. Lbs.	Y (0.560")	Max Torque Ft. Lbs.	X (0.735")	Max Torque Ft. Lbs.	Z (0.990")	Max Torque Ft. Lbs.	Z Dual Pins	Max Torque Ft. Lbs.
1/4	TCQJX8A	18								
9/32	TCQJX9A	41								
5/16	TCQJX10A	41								
3/8	TCQJX12A	60								
7/16	TCQJX14A	60								
1/2	TCQJX16A	60	TCQYX16A	75						
9/16	TCQJX18A	60	TCQYX18A	112						
5/8	TCQJX20A	60	TCQYX20A	160	TCQXX20A	171				
11/16	TCQJX22A	60	TCQYX22A	160	TCQXX22A	200				
3/4	TCQJX24A	60	TCQYX24A	160	TCQXX24A	219				
13/16	TCQJX26A	60	TCQYX26A	160	TCQXX26A	240			TCQZX26ADP	275
7/8	TCQJX28A	60	TCQYX28A	160	TCQXX28A	240				
15/16	TCQJX30A	60	TCQYX30A	160	TCQXX30A	240	TCQZX30A	300		
1	TCQJX32A	60	TCQYX32A	160	TCQXX32A	240				
1 1/16	TCQJX34A	60	TCQYX34A	160	TCQXX34A	240	TCQZX34A	480	TCQZX34ADP	300
1 1/8			TCQYX36A	160	TCQXX36A	240	TCQZX36A	480	TCQZX36ADP	480
1 3/16			TCQYX38A	160	TCQXX38A	240	TCQZX38A	480	TCQZX38ADP	480
1 1/4			TCQYX40A	160	TCQXX40A	240	TCQZX40A	480	TCQZX40ADP	480
1 5/16			TCQYX42A	160	TCQXX42A	240	TCQZX42A	480	TCQZX42ADP	480
1 3/8					TCQXX44A	240	TCQZX44A	480		
1 7/16			TCQYX46A	160	TCQXX46A	240	TCQZX46A	480	TCQZX46ADP	480
1 1/2			TCQYX48A	160	TCQXX48A	240	TCQZX48A	480	TCQZX48ADP	480
1 9/16			TCQYX50A	160	TCQXX50A	240	TCQZX50A	480	TCQZX50ADP	480
1 5/8			TCQYX52A	160	TCQXX52A	240	TCQZX52A	480	TCQZX52ADP	480
1 11/16					TCQXX54A	240	TCQZX54A	480	TCQZX54ADP	480
1 3/4					TCQXX56A	240	TCQZX56A	480	TCQZX56ADP	480
1 13/16					TCQXX58A	240	TCQZX58A	480	TCQZX58ADP	480
1 7/8					TCQXX60A	240	TCQZX60A	480	TCQZX60ADP	480
2					TCQXX64A	240	TCQZX64A	480	TCQZX64ADP	480
2 1/16							TCQZX66A	480	TCQZX66ADP	480
2 1/8							TCQZX68A	480	TCQZX68ADP	480
2 3/16									TCQZX70ADP	480
2 1/4							TCQZX72A	480	TCQZX72ADP	480
2 3/8									TCQZX76ADP	480
2 1/2							TCQZX80A	480	TCQZX80ADP	480



Z Shank Dual Pins



TCQJX18A

TORQUE TOOLS

HEADS


**12-POINT BOX END 0° OFFSET - SAE**

Square Drive (Inches)	J (0.425")	Max Torque Ft. Lbs.	Y (0.560")	Max Torque Ft. Lbs.
3/8	TCQJXD12A	60		
7/16	TCQJXD14A	60		
1/2	TCQJXD16A	60		
9/16	TCQJXD18A	60		
5/8			TCQYXD20A	160
11/16	TCQJXD22A	60	TCQYXD22A	160
3/4	TCQJXD24A	60	TCQYXD24A	160
7/8	TCQJXD28A	60	TCQYXD28A	160
15/16	TCQJXD30A	60	TCQYXD30A	160
1	TCQJXD32A	60		



TCQJXD24A



## CDI TORQUE PRODUCTS

### 12-POINT BOX END 15° OFFSET - METRIC



Z Shank Dual Pins



TCQXM14A

Square Drive (mm)	J (0.425")	Max Torque Ft. Lbs.	Y (0.560")	Max Torque Ft. Lbs.	X (0.735")	Max Torque Ft. Lbs.	Z (0.990")	Max Torque Ft. Lbs.	Z Dual Pins	Max Torque Ft. Lbs.
6	TCQXM6A	15								
7	TCQXM7A	20								
8	TCQXM8A	22								
9	TCQXM9A	30								
10	TCQXM10A	53								
11	TCQXM11A	59								
12	TCQXM12A	60								
13	TCQXM13A	60	TCQYXM13A	75						
14	TCQXM14A	60	TCQYXM14A	117						
15	TCQXM15A	60	TCQYXM15A	148						
16	TCQXM16A	60	TCQYXM16A	160	TCQXXM16A	183				
17	TCQXM17A	60	TCQYXM17A	160	TCQXXM17A	197				
18	TCQXM18A	60	TCQYXM18A	160	TCQXXM18A	224				
19	TCQXM19A	60	TCQYXM19A	160	TCQXXM19A	238				
20	TCQXM20A	60	TCQYXM20A	160	TCQXXM20A	240				
21	TCQXM21A	60	TCQYXM21A	160	TCQXXM21A	240				
22	TCQXM22A	60	TCQYXM22A	160	TCQXXM22A	240				
23	TCQXM23A	60	TCQYXM23A	160	TCQXXM23A	240				
24	TCQXM24A	60	TCQYXM24A	160	TCQXXM24A	240	TCQZXM24A	375	TCQZXM24ADP	375
25	TCQXM25A	60	TCQYXM25A	160	TCQXXM25A	240	TCQZXM25A	413		
26	TCQXM26A	60	TCQYXM26A	160	TCQXXM26A	240	TCQZXM26A	448		
27	TCQXM27A	60	TCQYXM27A	160	TCQXXM27A	240	TCQZXM27A	480	TCQZXM27ADP	480
29			TCQYXM29A	160	TCQXXM29A	240	TCQZXM29A	480		
30			TCQYXM30A	160	TCQXXM30A	240	TCQZXM30A	480	TCQZXM30ADP	480
32			TCQYXM32A	160	TCQXXM32A	240	TCQZXM32A	480	TCQZXM32ADP	480
34			TCQYXM34A	160	TCQXXM34A	240	TCQZXM34A	480	TCQZXM34ADP	480
36			TCQYXM36A	160	TCQXXM36A	240	TCQZXM36A	480	TCQZXM36ADP	480
41									TCQZXM41ADP	480
46									TCQZXM46ADP	480
50									TCQZXM50ADP	480
55									TCQZXM55ADP	480
60									TCQZXM60ADP	480

TORQUE TOOLS

HEADS

### 12 POINT RATCHET WRENCH HEADS - METRIC



Square Drive (mm)	J (0.425")	Max Torque Ft. Lbs.	Y (0.560")	Max Torque Ft. Lbs.
16	TCQJBOERM16	60		
18	TCQJBOERM18	60	TCQYBOERM18	160
22	TCQJBOERM22A	60		
24			TCQYBOERM24	160



TCQJBOERM18

### 12 POINT RATCHET WRENCH HEADS - SAE

Square Drive (Inches)	J (0.425")	Max Torque Ft. Lbs.	Y (0.560")	Max Torque Ft. Lbs.
3/8	TCQJBOER12	60		
7/16	TCQJBOER14	60		
1/2	TCQJBOER16	60		
9/16	TCQJBOER18	60	TCQYBOER18	112
5/8	TCQJBOER20	60	TCQYBOER20	160
11/16			TCQYBOER22	160
3/4	TCQJBOER24	60	TCQYBOER24	160



TCQJBOER14

**12-POINT BOX END 10° OFFSET - SAE**

Square Drive (Inches)	J (0.425")	Max Torque Ft. Lbs.	Y (0.560")	Max Torque Ft. Lbs.	X (0.735")	Max Torque Ft. Lbs.
1/2	TCQJXB16A	60				
9/16	TCQJXB18A	60				
5/8	TCQJXB20A	60	TCQYXB20A	79		
11/16	TCQJXB22A	60				
3/4	TCQJXB24A	60	TCQYXB24A	160		
7/8			TCQYXB28A	133		
15/16			TCQYXB30A	160		
1			TCQYXB32A	160		
1 1/8			TCQYXB36A	160		
1 3/8					TCQXXB44A	240
1 1/2					TCQXXB48A	240



TCQJXB18A

**12-POINT BOX END 10° OFFSET - METRIC**

Square Drive (mm)	J (0.425")	Max Torque Ft. Lbs.	Y (0.560")	Max Torque Ft. Lbs.
11mm	TCQJXBM11A	59		
12mm	TCQJXBM12A	60		
13mm	TCQJXBM13A	60		
14mm	TCQJXBM14A	60		
16mm	TCQJXBM16A	60		
18mm	TCQJXBM18A	60	TCQYXBM18A	160
19mm	TCQJXBM19	60		
24mm			TCQYXBM24A	160
28mm			TCQYXBM28A	160



TCQJXBM11A

**12-POINT BOX END 40° BEND - METRIC**

Square Drive (mm)	Y (0.560")	Max Torque Ft. Lbs.
18	TCQYSBXM18A	160
24	TCQYSBXM24A	160



TCQYSBXM18A

**12 POINT FLARE NUT HEADS - SAE**

Square Drive (Inches)	J (0.425")	Max Torque Ft. Lbs.	Y (0.560")	Max Torque Ft. Lbs.
9/16	TCQJRX18A	60	TCQYRX18A	67
5/8	TCQJRX20A	60	TCQYRX20A	79
11/16	TCQJRX22A	60	TCQYRX22A	92
3/4	TCQJRX24A	60	TCQYRX24A	104
13/16	TCQJRX26A	60	TCQYRX26A	117
7/8	TCQJRX28A	60	TCQYRX28A	133
15/16	TCQJRX30A	60	TCQYRX30A	146
1	TCQJRX32A	60	TCQYRX32A	158
1 1/16	TCQJRX34A	60	TCQYRX34A	160
1 1/8			TCQYRX36A	160
1 3/16			TCQYRX38A	160
1 1/4			TCQYRX40A	160
1 3/8			TCQYRX44A	160
1 1/2			TCQYRX48A	160
1 5/8			TCQYRX52A	160
2			TCQYRX64A	160



TCQJRX22A



TORQUE TOOLS

HEADS

## CDI TORQUE PRODUCTS

### 6 POINT FLARE NUT HEADS - METRIC



TCQJRXSM11A

Square Drive (mm)	J (0.425")	Max Torque Ft. Lbs.	Y (0.560")	Max Torque Ft. Lbs.
8	TCQJRXSM8A	17		
9	TCQJRXSM9A	25		
10	TCQJRXSM10A	33		
11	TCQJRXSM11A	42		
12	TCQJRXSM12A	50		
13	TCQJRXSM13A	58		
14	TCQJRXSM14A	60		
15	TCQJRXSM15A	60	TCQYRXSM15A	71
16	TCQJRXSM16A	60	TCQYRXSM16A	75
17	TCQJRXSM17A	60	TCQYRXSM17A	83
18	TCQJRXSM18A	60	TCQYRXSM18A	94
19	TCQJRXSM19A	60	TCQYRXSM19A	104
20	TCQJRXSM20A	60	TCQYRXSM20A	113
21			TCQYRXSM21A	113



TCQJRXS8A

### 6 POINT FLARE NUT HEADS - SAE

Square Drive (Inches)	J (0.425")	Max Torque Ft. Lbs.	Y (0.560")	Max Torque Ft. Lbs.
1/4	TCQJRXS8A	6		
5/16	TCQJRXS10A	17		
3/8	TCQJRXS12A	29		
7/16	TCQJRXS14A	42		
1/2	TCQJRXS16A	54		
9/16	TCQJRXS18A	60	TCQYRXS18A	74
5/8	TCQJRXS20A	60	TCQYRXS20A	74
11/16	TCQJRXS22A	60	TCQYRXS22A	92
3/4	TCQJRXS24A	60	TCQYRXS24A	104
13/16	TCQJRXS26A	60	TCQYRXS26A	117
7/8	TCQJRXS28A	60	TCQYRXS28A	133
15/16	TCQJRXS30A	60	TCQYRXS30A	146
1	TCQJRXS32A	60	TCQYRXS32A	158
1 1/8			TCQYRXS36A	160



TCRTWH40J



### RATCHETING FLARE NUT HEAD

Square Drive (Inches)	J (0.425")	Y (0.560")	X (0.735")
9/16	TCRTWH36J		
5/8	TCRTWH40J		
11/16	TCRTWH44J		
3/4		TCRTWH48Y	
13/16	TCRTWH52J		
7/8		TCRTWH56Y	
15/16		TCRTWH60Y	
1		TCRTWH64Y	
1 1/8		TCRTWH72Y	
1 1/4		TCRTWH80Y	
1 3/8		TCRTWH88Y	
1 1/2			TCRTWH96X
16mm	TCRTWHM16J		
1 5/8		TCRTWH104Y	
1 7/8		TCRTWH120Y	



TCQZD32A-1

TCQZ-X

### ADAPTORS

Product Code	Descriptions
TCQJ-Y	J Male to Y Female
TCQXY	X Male to Y Female
TCQY-X	Y Male to X Female
TCQZ-X	Z Male to X Female
TCQZD32A-1	Z Shank 1 Drive Ratchets



TORQUE TOOLS

HEADS