



## 5 PIECE ERGO® 1000V SCREWDRIVER SET

Three Component Handle with Black Oxide Tips

Product Code	Description
BE-9881S	5 Piece ERGO® Screwdriver Set Phillips® / Slotted

### Contents Include:

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width /Point Size
BE-8220S	9	4	1/8
BE-8040S	8 3/4	4	5/32
BE-8050S	8 3/4	4	7/32
BE-8610S	8	3 5/32	#1
BE-8620S	8 3/4	4	#2

### Features

- Contains 3 slotted and 2 Phillips® screwdrivers.
- For work on live equipment up to 1000 volts.
- The three component ergonomically designed handle provides comfort and maximum grip even with oily hands.
- Color coded handles indicates tip type and show tip type symbol on bottom of handle for quick identification.
- Chrome blades prevent corrosion and can be easily cleaned.
- Black oxide tips prevent chipping of chrome to reduce possible contamination at work location.



BE-9881S



## 5 PIECE ERGO 1000V SCREWDRIVER WITH SLIM BLADE SET

Three Component Handle with Black Oxide Tips

Product Code	Description
BE-9881SL	5 Piece ergo Mixed Screwdriver with Slim Blade Set

### Contents Include:

Product Code	Overall Length	Blade Length	Tip/Width/Point Size
BE-8220SL	8 3/4	4	1/8
BE-8610SL	8	4	1
BE-8620SL	8 3/4	5	2
BE-8050SL	9 3/4	5	7/32
BE-8040SL	8 3/4	4	5/32

### Features

- Insulated screwdriver with SLIM blades developed according to the scientific ERGO™ process
- For work on live equipment up to 1000 volts
- Handle: 3-component handle, for maximum user comfort.
- Color coded handle with the screw type symbol on the domed end for easy identification of the tip
- High performance alloy steel blade, insulation molded directly onto blade. Black finish tip for higher accuracy
- Reduced blade diameter. The blades are 30% slimmer than regular insulated blades for better accessibility
- ISO 2380 / DIN 5264
- Individually inspected and manufactured according to IEC 60900



BE-9881SL

SCREWDRIVERS

INSULATED TOOLS

620





BE-9890SL



## 2 PIECE ERGO 1000V SCREWDRIVER WITH SLIM BLADE SET

### Three Component Handle with Black Oxide Tips

Product Code	Description
BE-9890SL	2 Piece ergo Screwdriver with Slim Blade Combination Tip Set

#### Contents Include:

Product Code	Overall Length	Blade Length	Point Size Pozidriv®	Tip Width (inches)
BE-8710SL	8	4	1	3/16
BE-8720SL	8 1/2	5	2	1/4

#### Features

- Insulated screwdriver with SLIM blades developed according to the scientific ERGO™ process.
- For work on live equipment up to 1000 volts.
- Handle: 3-component handle, for maximum user comfort.
- Color coded handles indicate tip type and show tip type symbol on bottom of handle for quick identification.
- High performance alloy steel blade, insulation molded directly onto blade. Black finish tip for higher accuracy.
- Reduced blade diameter. The blades are 30% slimmer than regular insulated blades for better accessibility.
- ISO 2380 / DIN 5264
- Individually inspected and manufactured according to IEC 60900.



BE-9891SL



## 2 PIECE ERGO 1000V SCREWDRIVER WITH SLIM BLADE SET

### Three Component Handle with Black Oxide Tips

Product Code	Description
BE-9891SL	2 Piece ergo Screwdriver with Slim Blade Phillips Set

#### Contents Include:

Product Code	Overall Length	Blade Length	Point Size
BE-8610SL	8	4	1
BE-8620SL	8 3/4	5	2

#### Features

- Insulated screwdriver with SLIM blades developed according to the scientific ERGO™ process.
- For work on live equipment up to 1000 volts
- Handle: 3-component handle, for maximum user comfort.
- Color coded handles indicate tip type and show tip type symbol on bottom of handle for quick identification.
- High performance alloy steel blade, insulation molded directly onto blade. Black finish tip for higher accuracy.
- Reduced blade diameter. The blades are 30% slimmer than regular insulated blades for better accessibility.
- ISO 2380 / DIN 5264
- Individually inspected and manufactured according to IEC 60900.

SCREWDRIVER

INSULATED TOOLS





### 7 PIECE BAHCOFIT 1000V MIXED SCREWDRIVERS

#### Two Component Handle with Black Oxide Tip

Product Code	Description
B220.027	7 Piece BAHCOFIT Screwdriver Set Slotted/Phillips

#### Contents Include:

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width (Inches)
B196.030.100	7 3/4"	4"	1/8"
B196.040.100	7 3/4"	4"	3/32"
B196.055.125	8 3/4"	5"	7/32"
B197.000.075	6 3/4"	3"	# 0
B197.001.080	7"	3.2"	# 1
B197.002.100	8"	4"	# 2
806-1-1	6"	3 1/2"	1/8"

#### Features

- The two component handle is a patented design which is 75% rubber and with vertical grooves provides the perfect grip.
- Tip type symbol on the handle for quick identification.
- Black oxide tips prevent chipping of chrome to reduce possible contamination of work location.
- High performance alloy steel blades prevent corrosion and can be easily cleaned.



B220.027



### 7 PIECE BAHCOFIT 1000V MIXED SCREWDRIVERS

#### Two Component Handle with Black Oxide Tip


Product Code	Description
B220.007	7 Piece BAHCOFIT Screwdriver Set Slotted/Phillips

#### Contents Include:

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width (Inches)
B196.030.100	7 3/4"	4"	1/8"
B196.040.100	7 3/4"	4"	3/32"
B196.055.125	8 3/4"	5"	7/32"
B196.065.150	10"	6"	1/4"
B197.000.075	6 3/4"	3"	# 0
B197.001.080	7"	3.2"	# 1
B197.002.100	8"	4"	# 2

#### Features

- The two component handle is a patented design which is 75% rubber and with vertical grooves provides the perfect grip.
- Tip type symbol on the handle for quick identification.
- Black oxide tips prevent chipping of chrome to reduce possible contamination of work location.
- High performance alloy steel blades prevent corrosion and can be easily cleaned.



B220.007



### 7 PIECE BAHCOFIT 1000V MIXED SCREWDRIVERS

#### Two Component Handle with Black Oxide Tip

Product Code	Description
B220.017	7 Piece BAHCOFIT Screwdriver Set Slotted/Pozidriv

#### Contents Include:

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width (Inches)
B196.025.075	6 3/4"	3"	3/32"
B196.040.100	7 3/4"	4"	3/32"
B196.055.125	8 3/4"	5"	7/32"
B196.065.150	10"	6"	1/4"
B142.000.075	6 3/4"	3"	# 0
B142.001.080	7"	3.2"	# 1
B142.002.100	8"	4"	# 2




B220.017

SCREWDRIVERS

INSULATED TOOLS





B220.005



B220.015



B220.002



## 5 PIECE BAHCOFIT 1000V MIXED SCREWDRIVERS

Two Component Handle with Black Oxide Tip

Product Code	Description
B220.005	5 Piece BAHCOFIT Screwdriver Set Slotted/Phillips

### Contents Include:

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width (Inches)
B196.030.100	7 3/4"	4"	1/8"
B196.040.100	7 3/4"	4"	5/32"
B196.055.125	8 3/4"	5"	7/32"
B197.001.080	7"	3.2"	# 1
B197.002.100	8"	4"	# 2

### Features

- The two component handle is a patented design which is 75% rubber and with vertical grooves provides the perfect grip.
- Tip type symbol on the handle for quick identification.
- Black oxide tips prevent chipping of chrome to reduce possible contamination of work location.
- High performance alloy steel blades prevent corrosion and can be easily cleaned.



## 5 PIECE BAHCOFIT 1000V MIXED SCREWDRIVERS

Two Component Handle with Black Oxide Tip

Product Code	Description
B220.015	5 Piece BAHCOFIT Screwdriver Set Slotted/Pozidriv

### Contents Include:

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width (Inches)
B196.035.100	7 3/4"	4"	9/64"
B196.040.100	7 3/4"	4"	5/32"
B196.065.150	10"	6"	1/4"
B142.001.080	7"	3.2"	# 1
B142.002.100	8"	4"	# 2

### Features

- The two component handle is a patented design which is 75% rubber and with vertical grooves provides the perfect grip.
- Tip type symbol on the handle for quick identification.
- Black oxide tips prevent chipping of chrome to reduce possible contamination of work location.
- High performance alloy steel blades prevent corrosion and can be easily cleaned.



## 2 PIECE BAHCOFIT 1000V MIXED SCREWDRIVERS

Two Component Handle with Black Oxide Tip

Product Code	Description
B220.002	2 Piece BAHCOFIT Screwdriver Set Slotted/Phillips

### Contents Include:

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width (Inches)
B196.030.100	7 3/4"	4"	1/8"
B197.001.080	7"	3.2"	# 1

### Features

- The two component handle is a patented design which is 75% rubber and with vertical grooves provides the perfect grip.
- Tip type symbol on the handle for quick identification.
- Black oxide tips prevent chipping of chrome to reduce possible contamination of work location.
- High performance alloy steel blades prevent corrosion and can be easily cleaned.





## 7 PIECE INSULATED RATCHETING SCREWDRIVER SETS

**A must have tool for electricians.**

Product Code	Style	Blade Tip Sizes Included
808061	Phillips and Slotted Blades	PH1, PH2, 0.4X2.5, 0.5X3.0, 0.8X4.0, 1.0X 5.5, Handle
808062	Pozidriv and Slotted Blades	PZ1, PZ2, 0.4X2.5, 0.5X3.0, 0.8 X 4.0, 1.0 X 5.5, Handle

### Spare Blades & Handles:

Product Code	Description
808060	Spare Handle
8610SL-2P	PH1
8620SL-2P	PH2
8810SL-2P	PZ1
8820SL-2P	PZ2
8010SL-2P	.4 x 2.5
8220SL-2P	.5 x 3.0
8040SL-2P	.8 x 4.0
8050SL-2P	1 x 5.5
8910SL-2P	T10
8915SL-2P	T15
8920SL-2P	T20
8925SL-2P	T25
8930SL-2P	T30
8510SL-2P	Combi-tip PH1 / 5.0x100
8520SL-2P	Combi-tip PH2 / 6.0x100
8710SL-2P	Combi-tip PZ1 / 5.0x100
8720SL-2P	Combi-tip PZ2 / 6.0x100

### Features

- The blade release system built in the comfortable handle makes it easy and safe to change the slim blades without the blades falling out.
- The blades are 30% slimmer than the blade of a regular insulated screwdriver for better accessibility and more applications such as sunken screws and spring elements.
- For working on live equipment up to 1000 volts.
- Complete with roll up pouch with clear 1000v indication
- IEC 60900 compliant
- Blades furnished in 2-packs



808061



The blade release system built in the comfortable handle makes it easy and safe to change the slim blades without the blades falling out. The blades are 30% slimmer than the blade of a regular insulated screwdriver for better accessibility and more applications (e.g. sunken screws and spring elements). a must have tool for electricians.

SCREWDRIVER SET

INSULATED TOOLS



### RATCHETING

The 808060 has a 48 tooth non-conductive ratcheting mechanism



ergo



## 1000V ERGO® SLOTTED SCREWDRIVERS

### Three Component Handle with Black Oxide Tips

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width (Inches)
BE-8010S	8	3	3/32
BE-8220S	8 3/4	4	1/8
BE-8230S	9 3/4	5	9/64
BE-8040S	8 3/4	4	3/32
BE-8050S	9 3/4	5	7/32
BE-8255S	10 3/4	6	1/4
BE-8065S	11 3/4	7	5/16

### Features

- The three component ergonomically designed handle provides comfort and maximum grip even with oily hands.
- Color coded handles indicates tip type and show tip type symbol on bottom of handle for quick identification.
- Black oxide tips prevent chipping of chrome to reduce possible contamination at work location.



ergo



## 1000V ERGO® PHILLIPS® SCREWDRIVERS

### Three Component Handle with Black Oxide Tips

Product Code	Overall Length (Inches)	Blade Length (Inches)	Point Size
BE-8600S	6 3/8	2 3/8	0
BE-8610S	8	3 5/32	1
BE-8620S	8 3/4	4	2
BE-8630S	10 3/4	6	3
BE-8640S**	14 1/4	8	4

\*\* Dual grip handle for two-handed operation provides extra torque when necessary

### Features

- The three component ergonomically designed handle provides comfort and maximum grip even with oily hands.
- Color coded handles indicates tip type and show tip type symbol on bottom of handle for quick identification.
- Black oxide tips prevent chipping of chrome to reduce possible contamination at work location.



SCREWDRIVERS

INSULATED TOOLS





## 1000V ERGO SLOTTED SCREWDRIVERS WITH SLIM BLADES

### Three Component Handle with Black Oxide Tips

Product Code	Overall Length (inches)	Blade Length (inches)	Tip Width (inches)
BE-8255SL	10 3/4"	6"	1/4"
BE-8230SL	8 3/4"	4"	3/16"
BE-8220SL	8 3/4"	4"	1/8"
BE-8050SL	9 3/4"	5"	7/32"
BE-8040SL	8 3/4"	4"	3/32"

#### Features

- Insulated screwdriver with SLIM blades for slotted head screws developed according to the scientific ERGO™ process
- For work on live equipment up to 1000 volts
- Handle: 3-component handle, for maximum user comfort.
- Color coded handles indicate tip type and show tip type symbol on bottom of handle for quick identification.
- High performance alloy steel blade, insulation molded directly onto blade. Black finish tip for higher accuracy
- Reduced blade diameter. The blades are 30% slimmer than regular insulated blades for better accessibility
- ISO 2380 / DIN 5264
- Individually inspected and manufactured according to IEC 60900



BE-8220SL



## 1000V ERGO PHILLIPS SCREWDRIVERS WITH SLIM BLADES

### Three Component Handle with Black Oxide Tips

Product Code	Overall Length (inches)	Blade Length (inches)	Point Size
BE-8610SL	8"	4"	1
BE-8620SL	8 3/4"	5"	2

#### Features

- Insulated screwdriver with SLIM blades for Phillips head screws developed according to the scientific ERGO™ process
- For work on live equipment, up to 1000 V.
- Handle: 3-component handle, for maximum user comfort.
- Color coded handles indicate tip type and show tip type symbol on bottom of handle for quick identification.
- High performance alloy steel blade, insulation molded directly onto blade. Black finish tip for higher accuracy.
- Reduced blade diameter. The blades are 30% slimmer than regular insulated blades for better accessibility.
- ISO 8764 / DIN 5260
- Individually inspected and manufactured according to IEC 60900.



BE-8610SL



## 1000V ERGO COMBINATION TIP SCREWDRIVERS WITH SLIM BLADES

### Three Component Handle with Black Oxide Tips

Product Code	Overall Length (inches)	Blade Length (inches)	Point Size	Tip Width (inches)
BE-8510SL	8 1/2"	5"	1	3/16"
BE-8520SL	8"	4"	2	1/4"

#### Features

- Insulated screwdriver with SLIM blades for combination slotted/Phillips tip head screws developed according to the scientific ERGO™ process.
- For work on live equipment, up to 1000 V.
- Handle: 3-component handle, for maximum user comfort.
- Color coded handles indicate tip type and show tip type symbol on bottom of handle for quick identification.
- High performance alloy steel blade, insulation molded directly onto blade. Black finish tip for higher accuracy.
- Reduced blade diameter. The blades are 30% slimmer than regular insulated blades for better accessibility.
- ISO 8764 / DIN 5260
- Individually inspected and manufactured according to IEC 60900.



BE-8520SL



ergo



## 1000V ERGO COMBINATION TIP SCREWDRIVERS WITH SLIM BLADES

### Three Component Handle with Black Oxide Tips

Product Code	Overall Length (inches)	Blade Length (inches)	Point Size	Tip Width (inches)
BE-8710SL	8"	4"	1	3/16"
BE-8720SL	8 1/2"	5"	2	1/4"

#### Features

- Insulated screwdriver with SLIM blades for combination slotted/Pozidriv tip head screws developed according to the scientific ERGO™ process
- For work on live equipment, up to 1000 V
- Handle: 3-component handle, for maximum user comfort.
- Color coded handles indicate tip type and show tip type symbol on bottom of handle for quick identification.
- High performance alloy steel blade, insulation molded directly onto blade. Black finish tip for higher accuracy
- Reduced blade diameter. The blades are 30% slimmer than regular insulated blades for better accessibility
- ISO 8764 / DIN 5260
- Individually inspected and manufactured according to IEC 60900



BE-8710SL

ergo



## 1000V ERGO POZIDRIV® SCREWDRIVERS WITH SLIM BLADES

### Three Component Handle with Black Oxide Tips

Product Code	Overall Length (inches)	Blade Length (inches)	Point Size
BE-8810SL	8"	4"	1
BE-8820SL	12 1/2"	8"	2

#### Features

- Insulated screwdriver with SLIM blades for Pozidriv head screws developed according to the scientific ERGO™ process
- For work on live equipment, up to 1000 V
- Handle: 3-component handle, for maximum user comfort.
- Color coded handles indicate tip type and show tip type symbol on bottom of handle for quick identification.
- High performance alloy steel blade, insulation molded directly onto blade. Black finish tip for higher accuracy
- Reduced blade diameter. The blades are 30% slimmer than regular insulated blades for better accessibility
- ISO 8764 / DIN 5260
- Individually inspected and manufactured according to IEC 60900



BE-8810SL

ergo



## 1000V ERGO TORX® SCREWDRIVERS WITH SLIM BLADES

### Three Component Handle with Black Oxide Tips

Product Code	Overall Length (inches)	Blade Length (inches)	TORX® Size
BE-8910SL	7 3/8"	4"	T10
BE-8915SL	7 3/8"	4"	T15
BE-8920SL	7 3/8"	4"	T20
BE-8925SL	8"	5"	T25
BE-8930SL	8 3/4"	6"	T30

#### Features

- Insulated screwdriver with SLIM blades for TORX® head screws developed according to the scientific ERGO™ process
- For work on live equipment, up to 1000 V
- Handle: 3-component handle, for maximum user comfort.
- Color coded handles indicate tip type and show tip type symbol on bottom of handle for quick identification.
- High performance alloy steel blade, insulation molded directly onto blade. Black finish tip for higher accuracy
- Reduced blade diameter. The blades are 30% slimmer than regular insulated blades for better accessibility
- ISO 8764 / DIN 5260
- Individually inspected and manufactured according to IEC 60900



BE-8910SL

SCREWDRIVERS

INSULATED TOOLS





### 1000V BAHCOFIT SLOTTED SCREWDRIVER

Two Component Handle with Black Oxide Tip

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width (Inches)
B196.025.075	6 3/4"	3"	3/32"
B196.030.100	7 3/4"	4"	1/8"
B196.035.100	7 3/4"	4"	9/64"
B196.040.100	7 3/4"	4"	5/32"
B196.055.125	8 3/4"	5"	7/32"
B196.065.150	10"	6"	1/4"
B196.080.175	11 1/2"	7"	5/16"
B196.100.200	12 1/2"	8"	3/8"
B196.120.200	12 1/2"	8"	1/2"



B196.035.100



### 1000V BAHCOFIT PHILLIPS SCREWDRIVER

Two Component Handle with Black Oxide Tip

Product Code	Overall Length (Inches)	Blade Length (Inches)	Point Size
B197.000.075	6 3/4"	3"	0
B197.001.080	7"	3.2"	1
B197.002.100	8"	4"	2
B197.003.150	10 1/2"	6"	3
B197.004.200	12 1/2"	8"	4



B197.002.100



### 1000V BAHCOFIT POZIDRIV SCREWDRIVER

Two Component Handle with Black Oxide Tip

Product Code	Overall Length (Inches)	Blade Length (Inches)	Point Size
B142.000.075	6 3/4"	3"	# 0
B142.001.080	7"	3.2"	# 1
B142.002.100	8"	4"	# 2
B142.003.150	10 1/2"	6"	# 3



B142.002.100



### 1000V BAHCOFIT NUTDRIVER

Two Component Handle with Black Oxide Tip

Product Code	Overall Length (Inches)	Blade Length (Inches)	Size (mm)
B199.055.125	9"	5"	5.5
B199.060.125	9"	5"	6
B199.070.125	9 1/2"	5"	7
B199.080.125	9 1/2"	5"	8
B199.090.125	9 1/2"	5"	9
B199.100.125	9 1/2"	5"	10
B199.110.125	9 1/2"	5"	11
B199.120.125	9 1/2"	5"	12
B199.130.125	9 1/2"	5"	13



B199.055.125

#### Features

- The two component handle is a patented design which is 75% rubber and with vertical grooves provides the perfect grip.
- Tip type symbol on the handle for quick identification
- Black oxide tips prevent chipping of chrome to reduce possible contamination of work location.
- High performance alloy steel blades prevent corrosion and can be easily cleaned.

