MOBILE SOLUTIONS: ROAD CHESTS







KRA6210FPB0

KRA6200/KRA6210F Series Heavy-Duty Road Chests

- · Corner gussets keep corners square
- Three stiffeners behind front cover provide strength; inside padding protects drawers
- Cover and front are hinged together for quick, easy access to all tools
- Overlap on lid allows water to flow past without entering the front section
- Handles on KRA6210F Series provide easier lifting (Handle: 8-3533 add color suffix)
- Three friction hinges keep the front cover from slamming
- Optional steel drawer divider sets: KADDS2402 2" drawer, KADDS2404 4" drawer

Cubic inches (cm ³)	Square inches (cm²)		Net Weight, lb (kg)		Shipping Weight, lb (kg)	
11,937 (195,612)	3,460 (2	2,323)	282 (128)*		325 (147)*	
Specifications	Drawers	Width, inches (m	ım) Dej	oth, inches (mm)	Height, inches (mm)	
	4	36 (914)		24 (610)	24 (610)	
Drawers	2	30-1/2 (775)		21-3/4 (552)	1-3/4 (44)	
	2	30-1/2 (775)		21-3/4 (552)	3-5/8 (92)	
Top Compartment	-	34-7/8 (885)		22-1/2 (570)	5-1/2 (139)	

^{*}Add 25 lb for cage on KRA6200F

Colors Available

Red	Gloss Black	Royal Blue	Candy Apple Red	Extreme Green	Electric Orange	Midnight Blue	Storm Gray	Combat Green	Comba Tan
PBO	PC	PCM	PJH	PJJ	PJK	PDG	PRJ	_	-
BN	BFI	BET	BPS	BKG	BKH	BQD	PWZ	PZR	PZS
	РВО	PBO PC	PBO PC PCM	PBO PC PCM PJH	Black Blue Apple Red Green PBO PC PCM PJH PJJ	Black Blue Apple Red Green Orange PBO PC PCM PJH PJJ PJK	Red Gloss Black Royal Blue Candy Apple Red Apple Red Extreme Green Electric Orange Midnight Blue PBO PC PCM PJH PJJ PJK PDG	Red Gloss Black Royal Blue Candy Apple Red Apple Red Extreme Green Electric Orange Midnight Blue Storm Gray PBO PC PCM PJH PJJ PJK PDG PRJ	Black Blue Apple Red Green Orange Blue Gray Green PBO PC PCM PJH PJJ PJK PDG PRJ —

Optional Waterproof Covers

Stock No.	Description
KRA6200F	Cover (Black)
KRA6200F	Cover (Red)
KRA6210F	Cover (Red)



MOBILE TOOL CHESTS

All Weather Tool Chests

- · Heavy-duty roll cage ribs, heavy-duty butterfly hinges and durable, shock-resistant material
- Stainless steel hardware resists corrosion in harsh environments
- · Telescoping trolley handle with 43" reach
- · Drawers fully extend on Snap-on® proprietary composite slides so entire contents of the drawer may be easily viewed and accessed
- Drawers include positive stops to prevent inadvertent removal
- · Configurable drawers
- · Drawer material made with Zerust corrosion inhibitor to help prevent tools from rusting

- Fully enclosed ball bearing solid rubber wheels absorb shock and allow for use on grass, gravel or paved surfaces
- 22.1" wheel base on the wide corners for stability
- Pressure relief valve automatically regulates airflow during altitude changes
- Water resistant when submerged to one meter
- 7-1/2 x 10-3/8" U-shaped side handles may be griped with two hands by up to four and capable of supporting over 250 lbs.
- Snap-in padlock holder with 250 lbs. of break-in resistance
- Stackable design even when fully loaded
- Net weight 44 lbs. (20 kg)
- · Meets or exceeds applicable military standards





KMC18062PGR





KMC18043POR

WW-7NS	Nonslin	Drawer	Liner	Kit

For KMC18043 Series seven drawer units only

TCK18043BR Tool Control Kit

Tool Control Kit for KMC18 seven drawer units only

KMC18-1DRW Single Deep Drawer

Fits KMC18 and KMOC18

KMC18-2DRW Double Deep Drawer


Fits KMC18 and KMOC18

RKKMOC18HL Handle Replacement Kit

 For the KMC18 and KMOC18 series of All Weather Tool Chests **RKKMOC18WH Wheel Kit**

For the KMC18 and KMOC18 series of All Weather Tool Chests

Stock No.	Drawers
KMC18043*	7
KMC18062*	8



Colors Available

Stock No.

KM0C1804*

KM0C1800*





Drawers

CU	W	31	440	ana	nie	
Non						i

e :	Black	Orange	Combat	Combat

KMOC18610RBK All-Weather Open Top Mobile Tool Chest 7 Drawer

- Open Top Compartment with Storage Space of 21.2 W x 15.4 H x 3.2" D when lid is closed
- Fully Extendable drawers with Positive Stops to prevent inadvertent removal
- Drawer material made with Zerust® corrosion inhibitor to help prevent tools from rusting
 All Terrain Wheel and Wheel Well design allow for use on grass, gravel or paved surfaces
- Pressure Relief Valve regulates airflow during altitude changes
- 7-1/2 x 10-3/8" U-shaped side handles that may be gripped with two hands by up to four people
- · Side handles capable of supporting over 250 lb
- Stackable design even when fully loaded
- Snap-in Padlock Holder with 250 lb of break-in resistance
- 304 and 316 stainless steel hardware resists corrosion in harsh environments
- · Heavy-duty roll cage ribs, Heavy-duty butterfly hinges and durable, shockresistant material
- · Meets or exceeds applicable military standards
- Telescoping trolley handle with 43" reach
- Configurable drawers drawers interchangeable with other mobile tool chests



KMOC18610RBK Tools not included.

Soft-Sided Tool Bag with Wheels **TB50W Soft-Sided Tool Bag with Wheels**

- Multiple pockets inside and outside to store a multitude of smaller items
- Large gate mouth opening to store larger items and for easy access
- Made of durable 1680 denier oxford nylon fabric for strength and durability
- · 36" telescoping handle with wheels to roll rather than carry the bag

Dimensions: 20" W x 12" D x 12" H















- Read and follow Instructions and Safety Messages in the Manual accompanying the product.
 Read Safety Precautions on pages W1-W4

MOBILE SOLUTIONS: AVIATION DOG BOXES



Aviation Dog Boxes

Aviation technicians told us what they need, and we listened. This line of rolling tool boxes have convenient hand-tow handles. Available in three sizes, these dog

Interchangeable Handles

- Small and medium dog boxes feature an interchangeable hard steel wagon-style handle that keeps the box from wandering or nipping at your heels, or a soft nylon leash so you can choose the hand-tow handle that best fits your needs
- Handles can be quickly installed or changed with the wire lock pin Deluxe Wagon-Style Handle
- The large dog boxes feature a deluxe hard steel wagon-style handle that is easy to steer and easy to control
- The swivel feature allows for a comfortable pulling position while the spring-loaded action keeps the handle in the upright position, when the box is at rest

boxes let you load up the tools you need for a specific task and comfortably wheel them across the tarmac, from hangar to hangar, through the terminal or on a plane

Hinged And Foldable Top

- Both large dog boxes feature a front lid that folds up and under the top lid to create a convenient, flat work surface, while still allowing access to the drawers
- When fully closed, the hinged cover lets you keep the drawers and box securely locked

Removable Chassis

 Each dog box can be removed from the rolling chassis with convenient lifting handles to allow for stationary storage on a bench or roll cab for easy accessibility

Rubber Wheels

- All models feature rubber caster wheels for a smooth and quiet ride along with maximum shock absorption
- · Wheels can also be locked for safety



Specifications	KRDB265	KRDB269	KRDB24	KRDB18
Brand	Snap-on®	Snap-on®	Blue-Point®	Blue-Point®
Description	Large, 5-Drawer Dog Box	Large, 9-Drawer Dog Box	Small Dog Box	Medium Dog Box
Storage Space Cubic inches (cm³)	4,452 (72,955)	4,288 (70,268)	2,540 (41,623)	1,530 (25,072)
Storage Space (Square Inches)	1,814 (11,703)	1,753 (11,310)	670 (4,322)	525 (3,387)
Number of Trays	_	_	4	4
Number of Drawers	5 full length	3 full length, 6 compartment	-	_
Cantilever, Split-Top Opening	61 -2 -	-	Yes	Yes
Flat Work Top	Yes	Yes		_
Handle Type Wagon		Wagon	Wagon or Leash (Interchangeable)	Wagon or Leash (Interchangeable)
Grip Type	Soft	Soft		
Wheel Type	Rubber	Rubber	Rubber	Rubber
Removable Chassis	Yes	Yes	Yes	Yes
Length, inches (mm)	26 (660)	26 (660)	24 (610)	18 (457)
Width, inches (mm)	14-3/4 (375)	14-3/4 (375)	12 (305)	10 (254)
Height, inches (mm)	17-1/4 (438)	17-1/4 (438)	12 (305)	13-1/4 (337)
Weight, lb (kg)	103 (47)	103 (47)	55 (25)	32 (14)

Designed to be pulled by hand

Already own a Snap-on® tool box? Add a rolling chassis to create your own dog box DB18CHASSIS 18" Rolling Chassis

Includes interchangeable hard and soft handles (Fits KRW48C)

DB24CHASSIS 24" Rolling Chassis

• Includes interchangeable hard and soft handles (Fits KRU24B)

DB26CHASSIS 26" Rolling Chassis

Includes hard handle only (Fits KRA2055F and KRA4059F)

56

Snapon.com 1.877.762.7664




KRBC50TB Series Roll Cart (Blue-Point®)

- · New self-closing drawer retention system keeps drawers from drifting open
- Heavy-duty cart push handle
 6 x 2" heavy-duty casters (brakes on two of the casters)
 Rugged 1 pc bumper guards
- · Retractable side work table
- · Prybar and tool holders on each side of the cart
- · Can holder included

Specifications	KRBC50TB		
Cubic inches (cm³)	11,283 (184,900)		
Square inches (cm²)	3,314 (21,380)		
Width, inches (mm)	36 (914)		
Height, inches (mm)	42 (1,071)		
Depth, inches (mm)	22-3/8 (569)		
Load Capacity, lb (kg)	800 (362)		
Mawers	5		
Caster Size, inches	6 x 2		
Net Weight, lb (kg)	180 (81.5)		
Shipping Weight, lb (kg)	216 (98)		

Does not include bottom tray

















Gray Blk Trim

KRBC100A Series Shop Cart (Blue-Point®)

- Bulk items (up to 18" tall, 31" wide or 19" deep) can be secured behind the rolling locking door
 • (2) narrow drawers and (2) wide drawers
- · Locking pry bar cabinet can accommodate (20) prybars and/or screwdrivers
- · Factory installed slot-attached bumpers, no adhesive, help to protect nearby vehicles
- Slotted side panels hold Snap-on® slotted accessories
- Lockable top section is 5" deep

Cubic inches (cm³)	Square inc			ight, lb (kg)	Load Capacity, lb (kg)		
18,749 (307,241)	2,901 (800 (362)			
Specifications	Drawers			Depth,		Height, inches	
D	1	26 (67	9)	18 (4	144)	5 (116)	
Drawers	2	12 (31	4)	18 (4	144)	2 (51)	
Top Compartment	1	31 (79	4)	20 (4	195)	5 (126)	

Colors Available
















































KRBC200A Series Shop Cart (Blue-Point®)

- Top compartment is 13-1/2" deep to accommodate power tool holder, standing storage of power tools with batteries, magnetic wrench racks, deep sockets and personal bulk items
- Charging Capability: Top area is designed for optional KAPS5 Power Strip with (5) offset AC outlets and (2) USB outlets, KAPS5BRKT Cord Wrap Bracket for 15' cord
- Sliding lid for easy top compartment access
 (5) wide drawers and (2) bottom drawers are almost 5" deep
- Locking prybar cabinet included
- Rugged corner bumpers (improved non-adhesive mechanical installation)
- Rubber raised edge work surface
- Seven great-looking Blackout colors, black trim, black logo
- Slotted side panels hold Snap-on® accessories: KAS12APWRPC Power Tool Rack; KAS12APV Shelf, KAHK63 Hooks, KAT12APV 12" Can Tray, KATR12PV T-Handle Rack

Cubic inches (cm³)			Net We	ight, lb (kg)	Load	Load Capacity, lb (kg)	
18,574 (304,367)			80 (82)	500 (227)			
Specifications	Drawers	Width, inches (mm)		Depth, inches (mm)		Height, inches	
2	3	27 (67	27 (679)		18 (444)		
Drawers	2	27 (679)		18 (4	44)	5 (116)	
Top Compartment	1	31 (788)		20 (4	95)	18 (412)	
Prybar Cabinet	1	15 (38	30)	4 (1	01)	9 (226)	

Colors Available















Gloss Black

Royal Blue

Electric Green Orange

Storm Gray

KRBCP50 Series Shop Cart (Blue-Point®)

- · Large unit with five drawers, 11,283 cubic inches of storage capacity
- Power outlets under lid: (3) standard and (2) USB
- Five drawers (3 wide, 2 narrow)
- Updated blackout components (casters, lock, handles blacked out)
- Includes 18" side shelf and a side storage tray

Specifications	KRBCP50		
Square inches (cm²)	3,314 (21,381)		
Net Weight, lb (kg)	183 (83)		
Shipping Weight, lb (kg)	213 (97)		
Depth, inches (mm)	21 (533)		
Height, inches (mm)	42 (1,067)		
No. of Drawers	5		
Cubic inches (cm³)	11,283 (184,895)		
Load Capacity, lb (kg)	1,200 (544)		
Top Compartment Dimensions, inches (mm)	35 W x 21 D x 5 H (889 W x 533 D x 127 H		



Colors Available















58



KRBCKS3082" Sliding Lid, 12" Deep Top Compartment, Three-Drawer Roll Cart (Blue-Point®)

- 12" deep top compartment allows standing storage of power tools, batteries and go-to equipment items
- · Sliding lid makes top compartment access easy without moving work
- Three wide drawers; 3" deep bottom tray
 Charging capability: top area is designed for optional KAPS5 Power Strip which has (5) offset AC outlets and (2) USB outlets, KAPS5BRKT Cord Wrap for 15' cord (for power tool storage optional KA18X5PC Five Tool Rack is recommended)
- · Seven great-looking blackout colors, black trim with black logo

Cubic inches (cm³)	3,314 (21,381)		Net Weight, lb (kg)	Shipping Weight, lb (kg)
11,399 (186,796)			183 (83)	213 (97)
Specifications	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)
Drawers	3	35 (889)	21 (533)	42 (1,067)
Top Compartment Dimensions, inches (mm)	-	31 (787)	17 (432)	12 (305)
Bottom Shelf	_	31 (787)	19.5 (495)	3" (76)



Colors Available

















Extreme

Electric

KRBCKF40 Series 32" Four-Drawer Roll Cart (Blue-Point®)

- · Flip lid with gas spring closure for convenient access to top compartment with screwdriver storage
 • Narrow drawers (2) and wide drawers (2) for organizing
- different types of tools
- · Strong, press fit custom molded bumpers for a professional appearance
- Four swivel casters for easy maneuverability
- Slotted side panels hold optional Snap-on® accessories: KAS12APWRPC Power Tool Rack; KAS12APV Shelf, KAT12APV 12" Can Tray, KATR12PV T-Handle Rack
- Seven great-looking black out colors, black trim with black logo

Cubic inches (cm³)	inches (cm³) Square inches (cm²)		Net Weight, lb (kg)	Shipping Weight lb (kg)	
9,183 (150,482)	2,86	3 (18,471)	185 (84)	216 (98)	
Specifications	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)	
	2	12.5	17.5	2	
Drawers	1	26.73	17.5	2	
3	1	26.73	17.5	4.6	
Top Compartment Dimensions, inches (mm)	-	31 (787)	19 (483)	5 (127)	
Bottom Shelf	1-0	31.5 (800)	19.5 (500)	3.5 (88)	



Colors Available















Green Orange





Purple
























KRBC10TB Series Roll Cart (Blue-Point®)

- 2,400 in² (7,428 in³) of storage space and 540 lb load capacity
- Locking flip top with gas shocks
- (4) locking drawers when lid is closed
- Screwdriver storage is in top compartment
- Retractable side work table
- Quick-disconnect system for the gas shocks allows the lid to be turned over the back of the cart 270° for full access to the cart from the front, back
- · Plated fasteners resist corrosion and self-locking nuts ensure a rigid, secure assembly
- · Locking support tabs add strength, increase load capacity and facilitate quick assembly
- Protective rubber bumpers
- Made from heavy-gauge steel for superior strength
- Comes with casters assembled

	Cubic inc	Cubic inches (cm³)		quare inches (cm²) Lo		Load Capacity, lb (kg)	
	7,428 (121,700)	2,40	0 (15,480)		540 (245)	
	Drawers	Width, inc	hes (mm)	Depth, inches	(mm)	Height, inches (mm)	
Specifications	4	30-1/2	(775)	20-1/2 (52	:1)	41-1/4 (1,048)	
	2	11-1/2	(292)	17-1/2 (44	4)	2-1/2 (63.5)	
Drawers	1	24-1/2	(622)	17-1/2 (44	4)	2-1/2 (63.5)	
	1	24-1/2	(622)	17-1/2 (44	4)	2-1/2 (63.5)	
Bottom Shelf	2	30 (7	(62)	19 (482)		3-1/2 (88.9)	
Top Compartment	-	30 (7	(62)	19 (482)		2-1/2 (63.5)	
External Tray (rear)	_	15-3/8 (390)		4 (101)		3-3/8 (85.9)	
External Tray (front)	_	15-3/8	(390)	4 (101)		2 (50.8)	

















KRBC7TD Series Roll Cart (Blue-Point®)

- · Four swivel casters (two locking)
- · Six liners on drawer and tray, and one rubber mat on side work shelf
- · Latch system to unlock all four drawers once the top lid has been opened with a key
- Gas springs on lid for greater control
- Folding side work shelf provides extra work space
- · Provides secure mobile tool storage
- Tubular locks on lid and prybar compartment
 Locking flip top lid with full length piano hinge
- Locking prybar compartment securely holds all length prybars and screwdrivers

	Net	Weight, lb (kg)	Load Capacity, lb (kg)			
	112.2 (50.8)		300 (136)			
	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)		
Specifications	4	35 (889)	17 (431)	41 (1,041)		
	2	13-13/16 (350)	15-3/8 (398)	2 (50.8)		
Drawers	1	27-9/16 (700)	15-7/16 (391)	2 (50.8)		
	1	27-9/16 (700)	15-7/16 (391)	4 (101)		
Bottom Shelf	1	27-9/16 (700)	15-7/16 (391)	3 (76.2)		

Colors Available







60



KRBC2T Series Roll Cart (Blue-Point®)

- 150-lb load capacity
- · Rugged construction with rolled edges and welded post holders
- 4 x 1-1/8" casters, two locking and two standard
- Trays feature rolled edges for improved strength and rigidity
- Trays measure 30" W x 17" D
- Casters are 4 x 1-1/8" (two locking and two standard)

	Net Weight, lb (kg)		Load Capacity, lb (kg)		
KRBC2TD		38 (17.2)	: <u></u> :		
KKDCLID	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches	
Specifications		30 (762)	17 (432)	41 (1,041)	
Trays	2	30 (762)	17 (432)	-	

KRBC3TD-1 Locking Drawer

· Optional add-on locking drawer for KRBC2TD

350ABMF09 Replacement Add-On Tray



KRBC3T Series Roll Cart (Blue-Point®)

- · Features locking drawer with tubular lock for added tool security
- Two sturdy, 3" deep trays are positioned for convenience
 150 lb (68 kg) load capacity per tray
- Made of heavy-gauge steel
- Friction drawer slides
- 4 x 1-1/8" casters (two locking, two standard)

	Net W	eight, lb (kg)	Load Capacity, lb (kg) 300 (136)		
KRBC3T		65 (29.5)			
KKBOOT	Drawers	Width, inches (mm)	Depth, inches (mm)	Height, inches (mm)	
Specifications	_	32 (813)	17-13/16 (452)	41 (1,041)	
Trays	2	30 (762)	17 (428)	3 (76.2)	
Drawer	1	27 (685)	14-1/2 (368)	4 (101)	

KRBC3TD-1 Locking Drawer

Optional add-on locking drawer for KRBC2TD and KRBC3TE

KRBC3TE Roll Cart (Blue-Point®)

Colors Available

Colors Available


























Read Safety Precautions on pages W1-W4

SERVICE TRAYS

AS

SOSTPCA‡ Automotive Service Tray

- Leg clearance of 25" allows service tray to slide under hood from the front or side of vehicle
- Height adjustable support post (36.5–48.6") allows tray to clear fender or front end on most vehicles
- Removable p arts tray and screwdriver holders built into the tray
- · Protective bumpers included for the support post
- Tray will hold maximum of 125 lb and the drawer 25 lb

SOSTPLUS[‡] Truck Service Tray PLUS

- · New taller design means it can be used on trucks
- · Wider base to handle the taller height; provides better stability
- Large, heavy-duty casters for easier moving
- Top is able to rotate approximately 45° slightly left or right of center
- Hang more accessories with the larger top tray side wall/lip
- Larger tray provides more surface space
- Larger crank gear for less cranking to raise and lower the tray
- · Bigger bottom basket for even more storage underneath



BLPUHSTPC[‡] Underhood Service Tray (Blue-Point®)

- · Convenience with less user motion and fatigue
- 24" leg clearance allows the service tray to slide under the hood from the front or the side of the vehicle
- · Parts dividers and screwdriver holders built into the tray
- Protective bumpers included for top tray and support post
- 3" heavy-duty swivel casters
- Height-adjustable support post adjusts from 35-13/16-48-3/8" for the tray to clear the fender or front end of most vehicles
- EVA pads in all tray compartments
- Dimensions (fully assembled): 29-1/2" L x 26" W x 48-3/8" H
- Maximum load capacity: 75 lb (34 kg)



BOXES AND TOTE TRAYS



YA481

Plastic Boxes

Plastic tool boxes are ideal for a wide range of storage needs. YA481-BLK and YA483-BLK are made of tough injection-molded black plastic to ensure a durable precise fitting lid. Top carrying handle, tension latches, tote tray and padlock provision are also featured

Stock No.	Dimensions, inches	
YA481-BLK	14-1/2 W x 7-1/4 D x 4-1/2 H	
YA483-BLK	20-1/4 W x 9 D x 7-3/4 H	

62

Snapon.com 1.877.762.7664



STORAGE CASES, TOTE TRAYS AND WALL CABINETS

Parts Storage Cases

KRP5CAB Five-Drawer Storage Cabinet

- Use to store or inventory small tools and parts
- · Black, heavy-duty polypropylene cabinet with five removable drawers (KRP5PB)
- · Each drawer features a translucent plastic divider system that allows full customization for individual needs
- · Drawers are easily removable for transport to job location
- Units can be stacked or wall mounted
- · Resistant to common solvents
- Cabinet dimensions are 15-1/2" W x 14-1/2" D x 16" H

KRP5PB Storage Drawer

- · Plastic storage drawer for KRP5CAB parts storage cabinet
- Each drawer features 16 translucent section dividers for unlimited customizing options (KRP5PB-16 = 16 Dividers)
- Drawer measures 13-5/8" W x 9-5/8" D x 2-1/4" H

YA485 Parts Storage Case (Blue-Point®)

- Similar to YA402 except interchangeable partitions can form 8-32 compartments
- 18" W x 12" D x 3" H



Tote Trays

KRP1001A Plastic Tote Tray

- · Made of tough, rust-proof, nonconductive, chemical-resistant polymer
- Includes two deep end pockets
- Bottom drawer is divided into 12 compartments and can be opened from either side
- 16-5/8" L x 10-1/4" W x 6-7/8" H

KTA3A Metal Tote Tray

- Tubular pull-up handle lifts 1-5/8"
- Measures 20-1/4 x 8 x 3-1/4" with handle down

KTA8PV Metal Tote Tray

- Drops in any 14" wide (4" deep) drawers on KRL1000 and KRL700 Series tool storage units
- Four non-skid rubber feet protect finished surfaces from scratching
- · Raised lips hold tray securely in drawer
- Tubular pull-up handle raises 1-3/4"
- Measures 14-13/16" L x 10" W x 3-13/16" H with handle down
- Black textured finish



Wall Cabinets

KRA276D 33-7/8" Two-Door Wall Cabinet

- · Wall cabinet provides security and inventory control
- · Can be mounted to wall, stationary bench or roll cab
- Ruggedly built of heavy-gauge steel for durability
- Theft-resistant cylinder locks and a two-point locking system provide protection for your tools
 • Features PLEXIGLAS® door panels to permit checking tool
- inventory without opening doors
 Cabinet measures 33-7/8" W x 24-3/4" H x 6" D









- Do not open multiple drawers.
- ‡These products can expose you to chemicals which are known to the state of

California to cause cancer and reproductive harm. See pages P1-P2 for details.
• Read safety precautions on pages W1-W4





Metal Boxes

		No. Cubic inches (cm ³) Square inches (cm ²) Dimensions, in		Description/Features
		684 (4,413)	Overall: 20-19/32 x 8-1/2 x 14-1/4 Top 3 Drawers: 17-13/16 x 7-5/16 x 2 Bottom Drawer: 17-13/16 x 7-5/16 x 2-1/2	Four-Drawer Locking Box with Lid (Blue-Point®)
KRA25D	(RA25D 1,568 (25,690) 180 (1,161)		20-7/8 x 8-3/4 x 8-3/4	Metal Box with Partitioned Tote Tray (Blue-Point®)
KRW48C	1,530 (25,070)	476 (3,071)	18 x 10 x 13-1/4	Cantilever Lid (Blue-Point®)
UT22K	1,444 (23,660)	525 (3,387)	Overall: 22 x 8 x 9; 4 Small Trays: 22 x 4 x 2	22" Long Cantilever Box
KRW182B	1,137 (18,630)	-	18-1/2 x 8-1/2 x 9-1/2	Two-Drawer Locking Box with Lid (Blue-Point®)
KRA24	A24 1,155 (18,930) 154 (994)		19-7/8 x 7-3/4 x 7-1/2	Box with Tote Tray
KRU24B	2,540 (41,623)	670 (4,322)	Bottom Section: 23-3/5 x 11-3/5 x 7-1/4	Red 24" Long Box with Cantilever Under Lid (Blue-Point®)



Tote Bags

- · Rugged, versatile tote bags are constructed from heavy duty 600 x 300 D-polyester
- · Water-resistant PVC backing
- Reinforced top hem
- Wide top opening for easy access
- Padded handles and shoulder strap
- Embroidered logos

TB10A Collapsible Tote Bag

- Folds flat for convenient storage using hook-and-loop with metal snap corner closures
- · Multiple interior and exterior pockets
- · Fold-down interior bin dividers
- · Molded plastic bottom for strength
- Overall dimensions: 18" L x 8" W x 9" H

TB20A Tote Bag

- Multiple interior and exterior pockets
- Removable plastic parts storage bin accessed via lower side storage pocket
- Overall dimensions: 15" L x 10-1/2" W x 12" H

TB30 Tote Bag

- · Ultimate small tool organizer
- Multi-organizing pockets
- Heavy-duty zippers
- Overall dimensions 13" L x 10" W x 8" H

TB40 Tote Bag

- Lots of cargo space for cordless tools, etc.
- Heavy-duty shoulder strap
- Water-resistant D-polyester fabric and reinforced top hem for sturdy construction
- Multiple pockets, inside and out
- · Wide opening for easy access
- Heavy-duty zippersWill hold an 18" pry-bar in diagonal mounts on the inside wall
- · Maximum carrying capacity of 27 lb
- Overall dimensions 17" L x 9" W x 11" H

TB50 Tote Bag

- · Multiple pockets both inside and on the exterior
- Easy grip handleSpecial hard body design
- Overall dimensions 20 x 11 x 9"

CTTOTEA Power Tool Tote Bag

- Wide opening for easy access to tools—extra padding for protection
- Durable 600 Denier exterior for strength
- · Interior pockets and compartments for tool organization
- · Padded handles for comfortable transport
- Reinforced bottom for strength
- Six external pockets for extra storage
- Approximate inside dimensions, open: 18" L x 8" W x 11-1/2" D (457 x 203 x 292 mm)

BPTOTE Tote Bag (Blue-Point®)

- · Heavy-duty 600 x 300 D-polyester
- · Water-resistant, rugged and versatile
- Wide top opening for easy access
- · Multiple interior and external pockets for organization
- Overall dimensions: 16-1/2" L x 10-1/2" W x 12-1/4" H









TB50

BPTOTE














STATIONARY STORAGE

- SpeeDrawer capability in every drawer: a wide selection of color-matching dividers to organize parts and a shop's common-use tools
- Patented Lock 'N Roll® System makes opening the drawers a snap and prevents them from drifting open
- · Heavy-duty superior ball bearing drawer slides for smooth, dependable performance
- · Corner gusset design strengthens without reducing storage capacity
- Pallet jack base: 11-gauge base provides
- a stationary platform

 Drawer Labels: each drawer has a label on drawer trim for customization and organization













Stationary Storage Drawer Sizes and Configurations

Base Stock No.	Description	Drawers	Drawer Configuration (Qty)		
KSND032	Narrow Desk	3	(1) 2", (1) 4", (1) 12"		
KSNB051	Narrow Bench	5	(2) 2", (1) 4", (1) 6", (1) 8"		
KSNT051	Narrow Tall Bench	5	(1) 2", (1) 4", (2) 6", (1) 8"		
KSNC071	Narrow Counter	7	(2) 2", (3) 4", (1) 6", (1) 8"		
KSNS081	Narrow Standing Counter	8	(2) 2", (4) 4", (1) 6", (1) 8"		
KSNE101	Narrow Eye Level	10	(2) 2", (4) 4", (3) 6", (1) 8"		
KSPD041	Standard Plus Desk	4	(1) 2", (2) 4", (1) 8"		
KSPB051	Standard Plus Bench	5	(2) 2", (1) 4", (1) 6", (1) 8"		
KSPT031	Standard Plus Tall Bench	3	(1) 2", (2) 12"		
KSPC061	Standard Plus Counter	6	(4) 4", (1) 6", (1) 8"		
KSPS081	Standard Plus Standing Counter	8	(2) 2", (4) 4", (1) 6", (1) 8"		
KSPE081	Standard Plus Eye Level	8	(2) 4", (5) 6", (1) 8"		
KSED041	Extra-Wide Desk	4	(1) 2", (2) 4", (1) 8"		
KSEB051	Extra-Wide Bench	5	(2) 2", (1) 4", (1) 6", (1) 8"		
KSET051	Extra-Wide Tall Bench	5	(1) 2", (1) 4", (2) 6", (1) 8"		
KSEC071	Extra-Wide Counter	7	(2) 2", (3) 4", (1) 6", (1) 8"		

Base Stock No.	Description	Drawers	Drawer Configuration (Qty)		
KSES081	Extra-Wide Standing Counter	8	(2) 2", (4) 4", (1) 6", (1) 8"		
KSEE101	Extra-Wide Eye Level	10	(2) 2", (4) 4", (3) 6", (1) 8"		
KSDD041	Double-Wide Desk	4	(1) 2", (2) 4", (1) 8"		
KSDB051	Double-Wide Bench	5	(2) 2", (1) 4", (1) 6", (1) 8"		
KSDT051	Double-Wide Tall Bench	5	(1) 2", (1) 4", (2) 6", (1) 8"		
KSDC071	Double-Wide Counter	7	(2) 2", (3) 4", (1) 6", (1) 8"		
KSDS081	Double-Wide Standing Counter	8	(2) 2", (4) 4", (1) 6", (1) 8"		
KSDE101	Double-Wide Eye Level	10	(2) 2", (4) 4", (3) 6", (1) 8"		
KSSD041	Standard Width Desk	4	(1) 2", (2) 4", (1) 8"		
KSSB061	Standard Width Bench	6	(2) 2", (3) 4", (1) 6"		
KSST051	Standard Width Tall Bench	5	(1) 2", (1) 4", (2) 6", (1) 8"		
KSSC071	Standard Width Counter	7	(2) 2", (3) 4", (1) 6", (1) 8"		
KSSS081 Standard Width Standing Counter		8	(2) 2", (4) 4", (1) 6", (1) 8"		
KSSE101	Standard Width Eye Level	10	(2) 2", (4) 4", (3) 6", (1) 8"		



Storage units are available in four standard colors. Red (PBN), Gloss Black (PB), Royal Blue (PCN), Arctic Silver (ZBB). Add suffix to base stock number















Narrow Width Stationary Storage

Stationary Storage	Specifications	KSNE101AA	KSNS081AA	KSNC071AA	KSNT051AA	KSNB051AA	KSND032AA
	Description	10-Drawer Narrow Eye-Level	Eight-Drawer Narrow Standing Counter	Seven-Drawer Narrow Counter	Five-Drawer Narrow Tall Bench	Five-Drawer Narrow Bench	Three-Drawer Narrow Desk
Capacity	Square inches (cm²)	4,694 (30,286)	3,756 (24,229)	3,286 (21,200)	2,347 (15,143)	2,347 (15,143)	1,408 (9,086)
	Cubic inches (cm³)	21,683 (355,328)	15,888 (260,353)	14,032 (229,944)	12,405 (203,281)	10,321 (169,125)	8,694 (142,462)
Footprint	Width, inches (mm)	22-1/2 (572)	22-1/2 (572)	22-1/2 (572)	22-1/2 (572)	22-1/2 (572)	22-1/2 (572)
	Depth, inches (mm)	29 (737)	29 (737)	29 (737)	29 (737)	29 (737)	29 (737)
	Height (unit only), inches (mm)	60-3/4 (1,543)	47-7/16 (1,204)	43 (1,092)	38-1/2 (978)	34-1/8 (867)	29-11/16 (753)
Drawers	No. of Drawers	10	8	7	5	5	3
	Base Type	Pallet Jack	Pallet Jack	Pallet Jack	Pallet Jack	Pallet Jack	Pallet Jack
	Slides, lb (kg) (ball bearing)	227 (103)	227 (103)	227 (103)	227 (103)	227 (103)	227 (103)
	Double Slide (included)	No	No	No	No	No	No
Extras	Work Surface	Non-Directional Rubber	Non-Directional Rubber	Non-Directional Rubber	Non-Directional Rubber	Non-Directional Rubber	Non-Directional Rubber

























Standard Width Stationary Storage

Stationary Storage	Specifications	KSSE101AA	KSSS081AA	KSSC071AA	KSST051AA	KSSB061AA	KSSD041AA
	Description	10-Drawer Standard Eye-Level	Eight-Drawer Standard Standing Counter	Seven-Drawer Standard Counter	Five-Drawer Standard Tall Bench	Six-Drawer Standard Bench	Four-Drawer Standard Desk
Capacity	Square inches (cm²)	6,712 (43,302)	5,369 (34,641)	4,698 (30,311)	3,356 (21,651)	4,027 (25,981)	2,685 (17,321)
	Cubic inches (cm³)	31,002 (508,025)	22,715 (372,236)	20,062 (328,759)	17,736 (290,638)	14,429 (236,448)	12,103 (198,327)
Footprint	Width, inches (mm)	30 (762)	30 (762)	30 (762)	30 (762)	30 (762)	30 (762)
	Depth, inches (mm)	29 (737)	29 (737)	29 (737)	29 (737)	29 (737)	29 (737)
	Height (unit only), inches (mm)	60-3/4 (1,543)	47-7/16 (1,204)	43 (1,092)	38-1/2 (978)	34-1/8 (867)	29-11/16 (753)
Drawers	No. of Drawers	10	8	7	5	6	4
	Base Type	Pallet Jack	Pallet Jack	Pallet Jack	Pallet Jack	Pallet Jack	Pallet Jack
	Slides, lb (kg) (ball bearing)	227 (103)	227 (103)	227 (103)	227 (103)	227 (103)	227 (103)
	Double Slide (included)	Yes (8 drawers)	Yes (6 drawers)	Yes (5 drawers)	Yes (4 drawers)	Yes (4 drawers)	Yes (3 drawers)
Extras	Work Surface	Non-Directional Rubber	Non-Directional Rubber	Non-Directional Rubber	Non-Directional Rubber	Non-Directional Rubber	Non-Directional Rubber



Storage units are available in four standard colors.
Red (PBN), Gloss Black (PB),
Royal Blue (PCN), Arctic Silver (ZBB).
Adsuffix to base stock number for special colors.















Standard Plus Width Stationary Storage

Stationary Storage	Specifications	KSPE081AA	KSPS081AA	KSPC061AA	KSPT031AA	KSPB051AA	KSPD041AA
	Description	Eight-Drawer Standard Plus Eye-Level	Eight-Drawer Standard Plus Standing Counter	Six-Drawer Standard Plus Counter	Three-Drawer Standard Plus Tall Bench	Five-Drawer Standard Plus Bench	Four-Drawer Standard Plus Desk
Capacity	Square inches (cm²)	6,587 (42,498)	6,587 (42,498)	4,940 (31,873)	2,470 (15,937)	4,117 (26,561)	3,294 (21,249)
	Cubic inches (cm³)	38,835 (636,384)	27,867 (456,657)	25,013 (409,891)	22,560 (369,695)	18,102 (296,644)	14,847 (243,306)
Footprint	Width, inches (mm)	35-5/8 (905)	35-5/8 (905)	35-5/8 (905)	35-5/8 (905)	35-5/8 (905)	35-5/8 (905)
	Depth, inches (mm)	29 (737)	29 (737)	29 (737)	29 (737)	29 (737)	29 (737)
	Height (unit only), inches (mm)	60-3/4 (1,543)	47-7/16 (1,204)	43 (1,092)	38-1/2 (978)	34-1/8 (867)	29-11/16 (753)
Drawers	No. of Drawers	8	8	6	3	5	4
	Base Type	Pallet Jack	Pallet Jack	Pallet Jack	Pallet Jack	Pallet Jack	Pallet Jack
	Slides, lb (kg) (ball bearing)	227 (103)	227 (103)	227 (103)	227 (103)	227 (103)	227 (103)
	Double Slide (included)	Yes (8 drawers)	Yes (6 drawers)	Yes (6 drawers)	Yes (2 drawers)	Yes (3 drawers)	Yes (3 drawers)
Extras	Work Surface	Non-Directional Rubber	Non-Directional Rubber	Non-Directional Rubber	Non-Directional Rubber	Non-Directional Rubber	Non-Directional Rubber

























Extra Wide Width Stationary Storage

Stationary Storage	Specifications	KSEE101AA	KSES081AA	KSEC071AA	KSET051AA	KSEB051AA	KSED041AA
	Description	10-Drawer Extra-Wide Eye-Level	Eight-Drawer Extra-Wide Standing Counter	Seven-Drawer Extra-Wide Counter	Five-Drawer Extra-Wide Tall Bench	Five-Drawer Extra-Wide Bench	Four-Drawer Extra-Wide Desk
Capacity	Square inches (cm²)	10,757 (69,402)	8,606 (55,521)	7,530 (48,581)	5,379 (34,701)	5,379 (34,701)	4,303 (27,761)
	Cubic inches (cm³)	48,085 (787,971)	35,125 (575,589)	31,033 (508,532)	27,625 (452,687)	22,848 (374,418)	18,756 (307,361)
Footprint	Width, inches (mm)	45 (1,143)	45 (1,143)	45 (1,143)	45 (1,143)	45 (1,143)	45 (1,143)
	Depth, inches (mm)	29 (737)	29 (737)	29 (737)	29 (737)	29 (737)	29 (737)
	Height (unit only), inches (mm)	60-3/4 (1,543)	47-7/16 (1,204)	43 (1,092)	38-1/2 (978)	34-1/8 (867)	29-11/16 (753)
Drawers	No. of Drawers	10	8	7	5	5	4
	Base Type	Pallet Jack	Pallet Jack	Pallet Jack	Pallet Jack	Pallet Jack	Pallet Jack
	Slides, lb (kg) (ball bearing)	227 (103)	227 (103)	227 (103)	227 (103)	227 (103)	227 (103)
	Double Slide (included)	Yes (8 drawers)	Yes (6 drawers)	Yes (5 drawers)	Yes (4 drawers)	Yes (3 drawers)	Yes (3 drawers)

Colors Available

Gloss Royal Arctic
Red Black Blue Silver

Storage units are available in four standard colors. Red (PBN), Gloss Black (PB), Royal Blue (PCN), Arctic Silver (ZBB). Add suffix to base stock number for special colors.















Double Wide Width Stationary Storage

Stationary Storage	Specifications	KSDE101AA	KSDS081AA	KSDC071AA	KSDT051AA	KSDB051AA	KSDD041AA
-	Description	10-Drawer Double- Wide Eye-Level	Eight-Drawer Double-Wide Standing Counter	Seven-Drawer Double-Wide Counter	Five-Drawer Double- Wide Tall Bench	Five-Drawer Double- Wide Bench	Four-Drawer Double-Wide Desk
Capacity	Square inches (cm²)	14,803 (95,501)	11,842 (76,401)	10,362 (66,851)	7,401 (47,751)	7,401 (47,751)	5,921 (38,201)
	Cubic inches (cm³)	66,168 (1,084,304)	48,334 (792,052)	42,703 (699,777)	38,013 (622,929)	31,441 (515,226)	25,810 (422,951)
Footprint	Width, inches (mm)	60 (1,524)	60 (1,524)	60 (1,524)	60 (1,524)	60 (1,524)	60 (1,524)
	Depth, inches (mm)	29 (737)	29 (737)	29 (737)	29 (737)	29 (737)	29 (737)
	Height (unit only), inches (mm)	60-3/4 (1,543)	47-7/16 (1,204)	43 (1,092)	38-1/2 (978)	34-1/8 (867)	29-11/16 (753)
Drawers	No. of Drawers	10	8	7	5	5	4
	Base Type	Pallet Jack	Pallet Jack	Pallet Jack	Pallet Jack	Pallet Jack	Pallet Jack
	Slides, lb (kg) (ball bearing)	227 (103)	227 (103)	227 (103)	227 (103)	227 (103)	227 (103)
	Double Slide (included)	Yes (8 drawers)	Yes (6 drawers)	Yes (5 drawers)	Yes (4 drawers)	Yes (3 drawers)	Yes (3 drawers)











ACCESSORIES: WORK SURFACES







KWSP2954BST

Stainless Steel Work Surfaces and Power Tops

Stainless steel tops turn roll cabs into moveable workbenches. Constructed from high-grade, 16-gauge 304 stainless steel. Marine edge keeps sockets and parts from rolling off. Tops are 1-7/8" thick. Installation hardware included.

Stock No.	Use on	Width, inches (mm)	Depth, inches (mm)
KRSST5300	KRA5318, KRA5311	53-1/16 (1,347)	19-1/2 (495)
KS2924ASTN	22-1/2" Stationary Storage	22-3/8 (568)	29 (737)
KS2930ASTN	30" Stationary Storage	30 (762)	29 (737)
KS2936ASTN	35-5/8" Stationary Storage	35-1/2 (902)	29 (737)
KS2945ASTN	45" Stationary Storage	44-7/8 (1,140)	29 (737)
KS2960ASTN	60" Stationary Storage	59-7/8 (1,521)	29 (737)
KS2972ASTN	72" Stationary Storage	71-5/32 (1,807)	29 (737)
KS2990ASTN	90" Stationary Storage	89-7/8 (2,283)	29 (737)
KWSN2040AST	KRA Series 40" Roll Cabs, Square Corner	39-3/4 (1,010)	19-1/2 (495)
KWSN2436BST	KRA2407	35-9/16 (903)	23-7/8 (606)
KWSN2455AST	KCP1422, KCP2422, KRA2422, KRA2411	54-7/16 (1,382)	24 (610)
KWSN2473AST	KCP1423, KCP2423, KRA2423, KRA2432, KRA2496	73-3/8 (1,864)	23-7/8 (606)
KWSN2920ST	KRL1098, KRL1011, KRL1015, KMP7099, KMP1099	29 (737)	20 (508)
KWSN2954AST	KTL1022, KMP1022	54-3/16 (1,376)	29 (737)
KWSN2973AST	KTL1023, KMP1023, KRL1033, KMP1033	72-13/16 (1,849)	29 (737)
KWSN3060BST	KERN602, KETN602, KERE602, KETE602	60 (1,524)	30 (762)
KWSN3068BST	KERN681, KETN682, KETP682	68 (1,727)	30 (762)
KWSN3084BST	KERN842, KERP842, KETN843, KETP843	84 (2,134)	30 (762)
KWSN711ST	KRL711, KRL715, KMP799	24 (610)	20 (508)
KWSN722AST	KRL722	54 (1,371)	24 (610)
KWSP2455AST	KRA2411, KRA2422, KCP2422, KCP1422	54-7/16 (1,382)	24 (610)
KWSP2473AST	KRA2423, KRA2432, KRA2496, KCP2423, KCP1423	73 (1,854)	24 (610)
KWSP2954BST	KMP1022, KTL1022	54 (1,371)	29 (737)
KWSP2973BST	KMP1023, KTL1023, KMP1033, KRL1033	73 (1,854)	29 (737)
KWSP3060DST	KETN602	60 (1,524)	30 (762)
KWSP3068DST	KERN681, KETN682, KETP682	68 (1,727)	30 (762)
KWSP3084DST	KERN842, KERP842, KETN843, KETP843	84 (2,134)	30 (762)
KWSP722CST	KRL722	54 (1,371)	24 (610)



Bedliner Work Surfaces

The steel work surface is coated with a substance similar to that used in truck beds. Extremely durable, easy to clean, chemical and abrasion resistant, and won't crack or peel. Installation hardware is included. Tops are 1-7/8" thick.



KWSN711BL

Stock No.	Use on	Depth, inches (mm)	Width, inches (mm)
KS2924ABLN	22-1/2" Stationary Storage	29 (737)	22-7/16 (570)
KS2930ABLN	30" Stationary Storage	29 (737)	30 (762)
KS2936ABLN	35-5/8" Stationary Storage	29 (737)	35-1/2 (902)
KS2945ABLN	45" Stationary Storage	29 (737)	44-7/8 (1,140)
KS2960ABLN	60" Stationary Storage	29 (737)	59-7/8 (1,521)
KS2972ABLN	72" Stationary Storage	29 (737)	71-5/32 (1,807)
KS2990ABLN	90" Stationary Storage	29 (737)	89-7/8 (2,283)
KWSN2420BL	KRA2406, KRA2406A, KRA1406	23-7/8 (606)	20 (508)
KWSN2436BBL	KRA2407	24 (610)	36 (914)
KWSN2455ABL	KCP1422, KCP2422, KRA2422, KRA2411	24 (610)	54-7/16 (1,382)
KWSN2473ABL	KRA2423, KRA2432, KRA2496, KCP2423, KCP1423	24 (610)	73 (1,854)
KWSN2920BL	KRL1098, KRL1011, KRL1015, KMP7099, KMP1099	20 (508)	29 (737)
KWSN2954ABL	KTL1022, KMP1022	29 (737)	54-3/16 (1,376)
KWSN2973ABL	KMP1023, KTL1023, KRL1033, KMP1033	29 (737)	72-13/16 (1,849)
KWSN3060ABL	KETN602	30 (762)	60 (1,524)
KWSN3068ABL	KERN681, KETN682, KETP682	30 (762)	68 (1,727)
KWSN3084ABL	KERN842, KERP842, KETN843, KETP843	30 (762)	84 (2,134)
KWSN722ABL	KRL722	24 (610)	54-3/16 (1,376)
KWSN711BL	KRL711, KRL715, KMP799	20 (508)	24 (610)



Bedliner PowerTop™

Stock No.	Use on	Depth, inches (mm)	Width, inches (mm)	
KWSP2455ABL	KRA2411, KRA2422, KCP2422, KCP1422	24 (610)	54-7/16 (1,382)	
KWSP2473ABL	KRA2423, KRA2432, KRA2496, KCP2423, KCP1423	24 (610)	73 (1,854)	
KWSP2954BBL	KMP1022, KTL1022	29 (737)	54 (1,371)	
KWSP2973BBL	KMP1023, KTL1023, KRL1033, KMP1033	29 (737)	73 (1,854)	
KWSP3060CBL	KETN602	30 (762)	60 (1,524)	
KWSP3068CBL	KERN681, KETN682, KETP682	30 (762)	68 (1,727)	
KWSP3084CBL	KERN842, KERP842, KETN843, KETP843	30 (762)	84 (2,134)	
KWSP722CBL	KRL722	24 (610)	54 (1,371)	













