



BOSCH



ALWAYS THE RIGHT CHOICE



**BOSCH
EXPERT**

**BOSCH
PRO**

www.bosch-professional.com

JULY Edition



**THE BEST
YOUR TOOL
CAN GET.**

BOSCH PROFESSIONAL
ACCESSORIES

ALLIANCE SUPPLIES SDN.BHD.

www.alliance-supplies.com | www.alliancesuppliesonline.com.my | info@alliance-supplies.com | T: +606 3338889/8887/8898

Contents

Description

Page

Accessories

Metal Drilling: The Complete Range Hand Held Applications	3
HSS-G Metal Drill Bit	4 - 5
HSS-G Set, 1/4" Hex Shank HSS-G Metal Drill Bit, HSS-CO Cobalt 135° Metal Drill Bit	6
Screwdriver Bit, Bulk Screwdriver Bit	7
Drill In All Materials: Totally Precise	8
Straight Shank Drill Bit- Masonry (CYL-2), Silver Percussion (CYL-3), Hex-9 Multi Construction Drill Bit, Hex-9 Hard Ceramic Drill Bit, Core Drill Bit, Multi Purpose (CYL-4), Ceramic Expert Drill Bit (CYL-9 Ceramic)	9
From the SDS inventor: High Robustness In Concrete	10
SDS Plus Drill Bit- SDS Plus-1	11
SDS Plus Drill Bit- SDS Plus-5 (New Shrink Sleeve Packaging), SDS Plus-5X, SDS Plus-7X	12-15
SDS Plus Core Cutter, SDS Max Core Cutter, SDS Max-4	16
SDS Max Hammer Drill Bit- SDS Max- 7, SDS Max- 8X	17
SDS Plus Chisel, Hexagonal Chisel	18
Perfect For Diamond Cutting, Grinding And Drilling	19
Best for & Standard for Diamond Cutting Disc , Diamond Drill Bits/ Holesaw	20-23
Complete Range Of Circular Saw Blades: Incomparable Precision Of Cuts	24
Circular Saw Accessories	25
The Complete Hole Saw Range: For Maximum Performance In All Applications	26
Bi-Metal Holesaw	27
Progressor Holesaw	28-29
Expert Sheet Metal Arbored	30
Jigsaw Blades: Unrivalled Capability In All Kinds Of Materials	31
Cutting & Sawing	32
Jigsaw Accessories	33-35
Reciprocating Saw Blades: Longest Lifetime In Toughest Materials	36
Sabre Saw Blade: Carbide Series	37-38
Sabre Saw Blade & Reciprocating Saw Blade	39-41
Cordless Multi- Cutter Accessories	42-43
X-lock The Ultimate Changing System For Grinders: Perfect For Cutting, Grinding And Brushing	44
Bonded & Coated Abrasive. Accessories for Angle Grinder & Cut Off Machine	45
Bonded & Coated Abrasive. Accessories for Angle Grinder & Straight Grinders	46
Coated Velcro Disc	47
Hand Sanding Sheets	48
Foam & Sponge Abrasive (hand sanding), Non Woven Abrasive for Metal & Inox	49
Multi Sander Accessories, Bench Grinder Accessories, Belt Sander Accessories	50
TCT Annular Cutter, Multi Sander Accessories, Key Chuck & Keyless Chuck, Chuck Key	51
Straight Grinder, Trimmer and Router Accessories, Angle Grinder Accessories, Polisher & Angle Grinder Accessories	52
Sanding & Polishing for Drill, De-rusting Accessories for Drill, Shaping Accessories for Drill	53
Router Bit (Carbide- Tipped) - 1/4" Shank	54
Planer Accessories, Other Tools, Foam Rubber Cutter Accessories	55
Shear Accessories (Metal), Nibbler Accessories (Metal), Vacuum Cleaner Accessories	56
Hot Air Gun Accessories	57

Service

Rotary Hammer, Demolition Hammer, Grease for Hammer, Oil for Hammer	58
--	-----------



Metal Drilling:


THE COMPLETE RANGE FOR HAND HELD APPLICATIONS

The best your tool can get. Bosch Professional Accessories.



ALLIANCE SUPPLIES SDN.BHD.

www.alliance-supplies.com | www.alliancesuppliesonline.com.my | info@alliance-supplies.com | T:+606 3338889/8887/8898



135° split point



Precise drilling



**German industrial
norm DIN 338**



HSS-G Metal Drill Bit

Part Number	Diameter (mm)	Quantity per Pack (in piece)	Working length L1 (mm)	Total length L2 (mm)
HSS-G Metal Drill Bit				
2 608 595 049	1.0	10	12	34
2 608 585 467	1.1	10	14	36
468	1.2	10	16	38
469	1.3	10	16	38
470	1.4	10	18	40
2 608 595 050	1.5	10	18	40
2 608 585 471	1.6	10	20	43
472	1.7	10	20	43
473	1.8	10	22	46
474	1.9	10	22	46
2 608 595 051	2.0	10	24	49
2 608 585 475	2.1	10	24	49
2 608 595 052	2.2	10	27	53
2 608 585 476	2.3	10	27	53
477	2.4	10	30	57
2 608 595 053	2.5	10	30	57
2 608 585 478	2.6	10	30	57
479	2.7	10	33	61
2 608 595 054	2.8	10	33	61
2 608 585 480	2.9	10	33	61
2 608 595 055	3.0	10	33	61
2 608 585 481	3.1	10	36	65
2 608 595 056	3.2	10	36	65
057	3.3	10	36	65
2 608 585 482	3.4	10	39	70
2 608 595 058	3.5	10	39	70
332	3.6	10	39	70
2 608 585 483	3.7	10	39	70
484	3.8	10	43	75
485	3.9	10	43	75
2 608 595 059	4.0	10	43	75
2 608 585 486	4.1	10	43	75
2 608 595 060	4.2	10	43	75
2 608 585 487	4.3	10	47	80
2 608 595 333	4.4	10	47	80
061	4.5	10	47	80
2 608 585 488	4.6	10	47	80
489	4.7	10	47	80
2 608 595 334	4.8	10	52	86
2 608 585 490	4.9	10	52	86
2 608 595 062	5.0	10	52	86
2 608 585 491	5.1	10	52	86
2 608 595 063	5.2	10	52	86
2 608 585 492	5.3	10	52	86
493	5.4	10	57	93
2 608 595 064	5.5	10	57	93
2 608 585 494	5.6	10	57	93
495	5.7	10	57	93
2 608 595 065	5.8	10	57	93
2 608 585 496	5.9	10	57	93
2 608 595 066	6.0	10	57	93
2 608 585 497	6.1	10	63	101
2 608 595 067	6.2	10	63	101
2 608 585 498	6.3	10	63	101
2 608 595 335	6.4	10	63	101
068	6.5	10	63	101
2 608 585 499	6.6	10	63	101
2 608 595 336	6.7	10	63	101
069	6.8	10	69	109
2 608 585 500	6.9	10	69	109


(1.0 - 7.9mm) 10 pcs / pkt

(8.0 - 13.0mm) 5 pcs / pkt

(14.0 - 16.0mm) 4 pcs / pkt

Note: *Items marked are based on **Indent Basis**.

Valid in West Malaysia and while stocks last only.




135° split point



Precise drilling



**German industrial
norm DIN 338**




HSS-G Metal Drill Bit


Part Number	Diameter (mm)	Quantity per Pack (in piece)	Working length L1 (mm)	Total length L2 (mm)
2 608 595 070	7.0	10	69	109
2 608 585 501	7.1	10	69	109
2 608 595 337	7.2	10	69	109
2 608 585 502	7.3	10	69	109
503	7.4	10	69	109
2 608 595 071	7.5	10	69	109
2 608 585 504	7.6	10	75	117
505	7.7	10	75	117
506	7.8	10	75	117
507	7.9	10	75	117
2 608 595 072	8.0	5	75	117
2 608 585 508	8.1	5	75	117
509	8.2	5	75	117
510	8.3	5	75	117
511	8.4	5	75	117
2 608 595 073	8.5	5	75	117
2 608 585 512	8.6	5	81	125
513	8.7	5	81	125
2 608 595 074	8.8	5	81	125
2 608 585 514	8.9	5	81	125
2 608 595 075	9.0	5	81	125
2 608 585 515	9.1	5	81	125
516	9.2	5	81	125
517	9.3	5	81	125
518	9.4	5	81	125
2 608 595 076	9.5	5	81	125
2 608 585 519	9.6	5	87	133
520	9.7	5	87	133
2 608 595 338	9.8	5	87	133
2 608 585 521	9.9	5	87	133
2 608 595 077	10.0	5	87	133
2 608 585 522	10.1	5	87	133
523	10.2	5	87	133
524	10.3	5	87	133
525	10.4	5	87	133
2 608 595 078	10.5	5	87	133
2 608 585 526	10.6	5	87	133
527	10.7	5	94	142
528	10.8	5	94	142
529	10.9	5	94	142
2 608 595 079	11.0	5	94	142
2 608 585 530	11.1	5	94	142
531	11.2	5	94	142
532	11.3	5	94	142
533	11.4	5	94	142
2 608 595 080	11.5	5	94	142
2 608 585 534	11.6	5	94	142
535	11.7	5	94	142
536	11.8	5	101	151
537	11.9	5	101	151
2 608 595 081	12.0	5	101	151
2 608 585 538	12.1	5	101	151
539	12.2	5	101	151
540	12.3	5	101	151
541	12.4	5	101	151
2 608 595 082	12.5	5	101	151
2 608 585 542	12.6	5	101	151
543	12.7	5	101	151
544	12.8	5	101	151
545	12.9	5	101	151
2 608 595 083	13.0	5	101	151
2 608 585 593	14.0	4	108	160
594	15.0	4	114	169
595	16.0	4	120	178

Note: *Items marked are based on Indent Basis.

Valid in West Malaysia and while stocks last only.



D-point



DIN 338, cobalt content 5%.
Right-hand cutting Type N, drill bit
tip 135°, split point manufactured
to DIN 1412 C, diameter tolerance
h 8.
Suitable for drilling - only with
cooling - in alloyed and unalloyed
steel up to a tensile strength of
1000 N/mm², stainless steel
V2A/V4A, cast iron.



1



2



3



HSS-G Set

Part Number	Diameter (mm)	Quantity per Pack (in piece)	Working length L1 (mm)	Total length L2 (mm)
HSS-G Set				
1 2 607 019 114	2, 3, 4, 5 & 6	HSS-G 5 pcs Set		
115	1 to 10 (by 1.0 mm)	HSS-G 10 pcs Set		
116	1 to 10 (by 0.5 mm)	HSS-G 19 pcs Set		

Hex Shank HSS-G Metal Drill Bit

2 608 577 045	2	1	24	60
048	3	1	33	72
052	4	1	43	83
056	5	1	52	91
058	6	1	57	98
2 061	8	1	75	117
146	2/3/4/5/6/7/8/10	8		

HSS-CO Cobalt 135° Metal Drill Bit Suitable for V2A & V4A (INOX) Stainless Steel or Pipe

3 2 608 585 872	1.0	10	12	34
873	1.5	10	18	40
874	2.0	10	24	49
875	2.5	10	30	57
876	3.0	10	33	61
877	3.2	10	36	65
878	3.3	10	36	65
879	3.5	10	39	70
880	4.0	10	43	75
881	4.1	10	43	75
882	4.2	10	43	75
883	4.5	10	47	80
884	4.8	10	52	86
885	5.0	10	52	86
886	5.1	10	52	86
887	5.2	10	52	86
888	5.5	10	57	93
889	6.0	10	57	93
890	6.5	10	63	101
891	6.8	10	69	109
892	7.0	10	69	109
893	7.5	10	69	109
894	8.0	5	75	117
895	8.5	5	75	117
896	9.0	5	81	125
897	9.5	5	81	125
898	10.0	5	87	133
899	10.2	5	87	133
900	10.5	5	87	133
901	11.0	5	94	142
902	11.5	5	94	142
903	12.0	5	101	151
904	12.5	5	101	151
905	13.0	5	101	151

(1.0 - 7.5mm) 10 pcs / pkt (8.0 - 13.0mm) 5 pcs / pkt

Note: *Items marked are based on Indent Basis.
Valid in West Malaysia and while stocks last only.



1



2



3



Bulk Screwdriver Bit (100pcs / pkt)

2 608 522 372	Double ended screw driver bit 65mm Golden (100pcs)
373	Double ended screw driver bit 110mm Golden (100pcs)

Screwdriver Bit

Part Number	Description	Quantity per Pack (in piece)
2 608 522 255	Screwdriver Bit (PH2-150) (5pcs) Gold	
265	Screwdriver Bit (PH2-SL6-65) (10pcs) Grey	
266	Screwdriver Bit (PH2-SL6-110) (10pcs) Grey	
1	405 Impact Bit PH2 X 65mm (10pcs Pack)	
	406 Impact Bit PH2 X 110mm (10pcs Pack)	
	407 Impact Bit PH2 X 150mm (5pcs Pack)	
2	491 Impact Control Power Bit (3pcs Set)	
	2 608 521 041 Philips #2 magnetised, Gold (10pcs x 45 mm)	
	042 Philips #2 magnetised, Gold (10pcs x 65 mm)	
	043 Philips #2 magnetised, Gold (10pcs x 110 mm)	
3	2 607 019 454 10 pieces Screwdriver Bit Set	

Note: *Items marked are based on Indent Basis.
Valid in West Malaysia and while stocks last only.

Drill in all materials:

**TOTALLY
PRECISE**

The best your tool can get. Bosch Professional Accessories.





1

2

3

4

5



Straight Shank Drill Bit

Part Number

BOSCH EXPERT
BOSCH PRO

Description

Masonry (CYL-2)

1	2 608 578 114	Masonry Drill Bit	(3 mm x 30/60 mm)
	115	Masonry Drill Bit	(4 mm x 40/75 mm)
	116	Masonry Drill Bit	(5 mm x 50/85 mm)
	117	Masonry Drill Bit	(5.5 mm x 50/85 mm)
	118	Masonry Drill Bit	(6 mm x 60/100 mm)
	119	Masonry Drill Bit	(6.5 mm x 60/100 mm)
	120	Masonry Drill Bit	(8 mm x 80/120 mm)
	159	Masonry Drill Bit	(9 mm x 80/120 mm)
	121	Masonry Drill Bit	(10 mm x 80/120 mm)
	122	Masonry Drill Bit	(12 mm x 90/150 mm)
	123	Masonry Drill Bit	(14 mm x 90/150 mm)
	160	Masonry Drill Bit	(16 mm x 90/150 mm)
	124	Masonry Drill Bit Set	(6/8/10)
	155	Masonry Drill Bit Set	(4/5/6/8/10)
	156	Masonry Drill Bit Set	(3/4/5/6/7/8/9/10)

Multi Purpose (CYL-4)

	2 608 680 798	Multi Purpose Drill Bit	5 pcs Set (4, 5, 6, 8 & 10 mm)
	799	Multi Purpose Drill Bit	8 pcs Set (3, 4, 5, 5.5, 6, 7, 8 & 10 mm)

Hex-9 Multi Construction Drill Bit (Replacement for CYL-4)

2	2 608 900 569	HEX-9 MultiConstruction Drill Bit, 3x45x90	
	570	HEX-9 MultiConstruction Drill Bit, 4x45x90	
	571	HEX-9 MultiConstruction Drill Bit, 5x50x100	
	572	HEX-9 MultiConstruction Drill Bit, 5.5x60x100	
	573	HEX-9 MultiConstruction Drill Bit, 5.5x90x150	
	574	HEX-9 MultiConstruction Drill Bit, 6x60x100	
	575	HEX-9 MultiConstruction Drill Bit, 6x90x150	
	579	HEX-9 MultiConstruction Drill Bit, 7x50x100	
	580	HEX-9 MultiConstruction Drill Bit, 7x90x150	
	581	HEX-9 MultiConstruction Drill Bit, 8x50x100	
	582	HEX-9 MultiConstruction Drill Bit, 10x90x150	
	583	HEX-9 MultiConstruction Drill Bit, 12x90x150	
	585	HEX-9 MultiConstruction Drill Bit, 5pc set 4/5/6/8	
NEW*	2 608 902 370	HEX-9 MultiConstruction Drill Bit, 7pc set 4/5/6/8/10/12	
	366	HEX-9 HardCeramic + HEX-9 MultiConstruction Drill Bit, 6mm	
	367	HEX-9 HardCeramic + HEX-9 MultiConstruction Drill Bit, 8mm	

Ceramic Expert Drill Bit (CYL-9 Ceramic)

3	2 608 587 160	Ceramic 5.5 mm x 70 mm	
	162	Ceramic 6.5 mm x 80 mm	
	167	Ceramic 14.0 mm x 90 mm	
	168	Ceramic 16.0 mm x 90 mm	

Hex-9 Hard Ceramic Drill Bit (Replacement for CYL-9)

4	2 608 900 587	HEX-9 HardCeramic 3x90	
	588	HEX-9 HardCeramic 4x90	
	589	HEX-9 HardCeramic 5x90	
	2 608 579 506	590 HEX-9 HardCeramic 6x90	
		591 HEX-9 HardCeramic 7x90	
		592 HEX-9 HardCeramic 8x90	
		593 HEX-9 HardCeramic 10x90	
		594 HEX-9 HardCeramic 12x90	
		595 HEX-9 HardCeramic 3pc set (5/6/8)	
5	2 607 017 598	2 607 017 598 Hard Tile Drilling Total Solution Set	

Core Drill Bit

	2 608 596 668	3 mm to 14 mm (Diameter) , 58mm (Length)	
--	---------------	--	--

Note: *Items marked are based on Indent Basis.
 Valid in West Malaysia and while stocks last only

From the SDS inventor:

HIGH ROBUSTNESS IN CONCRETE

The best your tool can get. Bosch Professional Accessories.





SDS-Plus shank

**SDS-plus-1**
Optimum drillingStandard carbide
Standard lifetime

2-cutter

2-flute U-shape
Standard lifetime/
Good dust removal

SDS Plus Drill Bit

Part Number

Description

SDS Plus-1**2 608 680 257** 4.0 x 50/110 mm**258** 5.0 x 50/110 mm**259** 5.0 x 100/160 mm**260** 5.5 x 50/110 mm**261** 5.5 x 100/160 mm**262** 6.0 x 50/110 mm**263** 6.0 x 100/160 mm**264** 6.0 x 150/210 mm**265** 6.5 x 50/110 mm**266** 6.5 x 100/160 mm**267** 7.0 x 50/110 mm**268** 7.0 x 100/160 mm**269** 8.0 x 50/110 mm**270** 8.0 x 100/160 mm**271** 8.0 x 150/210 mm**272** 8.0 x 200/260 mm**273** 10.0 x 100/160 mm**274** 10.0 x 150/210 mm**275** 10.0 x 200/260 mm**276** 10.0 x 400/460 mm**277** 12.0 x 100/160 mm**278** 12.0 x 150/210 mm**279** 12.0 x 200/260 mm**280** 12.0 x 400/460 mm**281** 14.0 x 100/160 mm**282** 14.0 x 150/210 mm**283** 14.0 x 200/260 mm**284** 14.0 x 400/460 mm**285** 16.0 x 150/210 mm**286** 16.0 x 250/310 mm**287** 16.0 x 400/460 mm**288** 18.0 x 200/260 mm**289** 18.0 x 400/460 mm**290** 20.0 x 200/260 mm**291** 20.0 x 400/460 mm**292** 22.0 x 200/260 mm**293** 22.0 x 400/460 mm**294** 25.0 x 200/260 mm**295** 25.0 x 400/460 mm**2 608 579 118** SDS Plus Hammer Drill Bit 6, 8, 10 x 160 mm (3pcs set)**119** SDS Plus Hammer Drill Bit 5, 6 x 110 mm, 6, 8, 10 x 160 mm (5pcs set)**120** SDS Plus Hammer Drill Bit 6 x 160 mm - 2pcs, 8, 10, 12 x 160 mm (5pcs set)**122** SDS Plus Hammer Drill Bit 6 x 160 mm (10pcs set)**123** SDS Plus Hammer Drill Bit 8 x 160 mm (10pcs set)**124** SDS Plus Hammer Drill Bit 10 x 160 mm (10pcs set)**125** SDS Plus Hammer Drill Bit 12 x 160 mm (10pcs set)

Valid in West Malaysia and while stocks last only.



1



SDS Plus Drill Bit

Part Number Description
SDS Plus-5 (Discontinued, while stock last basis)

2 608 579 166	4.0 x 50/115 mm
167	5.0 x 50/115 mm
168	5.0 x 100/165 mm
169	5.5 x 50/115 mm
170	5.5 x 100/165 mm
171	6.0 x 50/115 mm
172	6.0 x 100/165 mm
173	6.5 x 50/115 mm
174	6.5 x 100/165 mm
175	7.0 x 50/115 mm
176	7.0 x 100/165 mm
177	8.0 x 50/115 mm
178	8.0 x 100/165 mm
179	8.0 x 150/215 mm
180	9.0 x 100/165 mm
181	9.0 x 150/215 mm
182	10.0 x 50/115 mm
183	10.0 x 100/165 mm
184	10.0 x 200/265 mm
185	10.0 x 250/315 mm
186	10.0 x 400/465 mm
187	11.0 x 100/165 mm
188	11.0 x 150/215 mm
189	11.0 x 200/265 mm
190	12.0 x 100/165 mm
191	12.0 x 200/265 mm
192	12.0 x 400/465 mm
193	13.0 x 100/165 mm
194	13.0 x 200/265 mm
195	14.0 x 100/165 mm
196	14.0 x 150/215 mm
197	14.0 x 250/315 mm
198	15.0 x 100/165 mm
199	15.0 x 200/265 mm
200	16.0 x 150/215 mm
201	16.0 x 250/315 mm
202	16.0 x 400/465 mm
203	16.0 x 550/615 mm
204	17.0 x 150/215 mm
205	18.0 x 150/200 mm
206	18.0 x 400/450 mm
207	19.0 x 150/200 mm
208	19.0 x 250/300 mm
209	19.0 x 400/450 mm
210	20.0 x 150/200 mm
211	20.0 x 250/300 mm
212	20.0 x 400/450 mm
213	22.0 x 200/250 mm
214	22.0 x 400/450 mm
215	24.0 x 200/250 mm
216	24.0 x 400/450 mm
217	25.0 x 200/250 mm
218	25.0 x 400/450 mm
219	26.0 x 200/250 mm

Valid in West Malaysia and while stocks last only.

SDS PLUS-5X DRILL BIT THE BEST YOUR TOOL CAN GET.

Does not break when hitting rebar thanks to its 4-cutter head.
Bosch Professional Accessories.
It's in your hands.



SDS plus-5X

Does not break when hitting rebar thanks to its 4-cutter head.



SDS plus-5X

Efficient drilling and resistant to rebar



- Suitable for masonry, concrete and reinforced concrete
- Appropriate for all rotary hammers with SDS-plus holder
- Full range with diameter from 5mm to 25mm



SDS Plus Drill Bit

Part Number Description


SDS Plus-5 X

BOSCH PRO

2 608 706 861	2 608 706 861	4x50x110
2 608 833 771	863	5x50x110
772	864	5x100x160
774	869	5.5x50x110
775	870	5.5x100x160
777	875	6x50x110
778	876	6x100x160
781	881	6.5x50x110
782	882	6.5x100x160
785	886	7x50x110
786	887	7x100x160
788	890	8x50x110
789	891	8x100x160
790	892	8x150x210
795	898	9x100x160
796	899	9x150x210
797	901	10x50x110
800	904	10x100x160
798	902	10x200x260
801	905	10x250x310
803	907	10x400x460
804	909	11x100x160
805	910	11x150x210
807	912	11x200x260
809	914	12x100x160
806	911	12x200x260
812	917	12x400x460
813	920	13x100x160
815	922	13x200x260
816	923	14x100x160
817	924	14x150x210
819	926	14x250x310
822	931	15x100x160
823	932	15x200x260
825	934	16x150x210
827	936	16x250x310
829	938	16x400x460
2 608 836 626	939	16x550x610
628	940	17x150x210
631	943	18x150x200
633	945	18x400x450
636	947	19x150x200
637	948	19x250x300
638	949	19x400x450
639	950	20x150x200
640	951	20x250x300
641	952	20x400x450
644	954	22x200x250
645	955	22x400x450
647	957	24x200x250
648	958	24x400x450
649	959	25x200x250
650	960	25x400x450
651	961	26x200x250

**** Find out more range from us**

Valid in West Malaysia and while stocks last only.



SDS Plus Drill Bit


Part Number

Description

SDS Plus-7 X

BOSCH EXPERT

2 608 900 055	3.5x50x115mm
056	3.5x100x165mm
057	4x50x115mm
058	4x100x165mm
059	5x50x115mm
060	5x100x165mm
061	5x150x215mm
062	5x200x265mm
063	5x250x315mm
064	5x400x465mm
065	5.5x50x115mm
066	5.5x100x165mm
067	5.5x150x215mm
068	5.5x200x265mm
069	5.5x250x315mm
070	5.5x400x465mm
071	6x50x115mm
072	6x100x165mm
073	6x150x215mm
074	6x200x265mm
075	6x250x315mm
076	6x400x465mm
077	6.5x50x115mm
078	6.5x100x165mm
079	6.5x150x215mm
080	6.5x200x265mm
081	6.5x250x315mm
083	7x50x115mm
084	7x100x165mm
085	7x150x215mm
087	8x50x115mm
088	8x100x165mm
089	8x150x215mm
090	8x200x265mm
091	8x250x315mm
092	8x300x365mm
093	8x400x465mm
094	9x100x165mm
096	10x50x115mm
097	10x100x165mm
098	10x150x215mm
099	10x200x265mm
100	10x250x315mm
101	10x300x365mm
102	10x400x465mm
105	11x100x165mm
106	11x150x215mm



SDS Plus Drill Bit

Part Number

Description

SDS Plus-7 X

BOSCH EXPERT

2 608 900 107	11x200x265mm
108	12x100x165mm
109	12x150x215mm
110	12x200x265mm
111	12x250x315mm
112	12x300x365mm
113	12x400x465mm
116	13x100x165mm
117	13x150x215mm
118	13x200x265mm
119	14x100x165mm
120	14x150x215mm
121	14x200x265mm
122	14x250x315mm
123	14x300x365mm
124	14x400x465mm
127	15x100x165mm
128	15x200x261mm
129	15x400x465mm
130	16x150x215mm
131	16x200x265mm
132	16x250x315mm
133	16x400x465mm
134	16x550x615mm
135	16x950x1000mm
136	17x150x215mm
137	17x250x315mm
138	18x200x265mm
139	18x400x450mm
140	18x550x600mm
141	18x950x1000mm
142	20x200x265mm
143	20x400x450mm
144	20x550x600mm
145	20x950x1000mm
146	22x200x250mm
147	22x400x450mm
148	22x550x600mm
149	22x950x1000mm
150	24x400x450mm
151	25x400x450mm
152	25x550x600mm
153	25x950x1000mm
154	28x400x450mm
155	30x400x450mm

SDS-Plus shank



Fine grade high durable carbide
Long lifetime/
Best wear resistance

Asymmetric carbide teeth
The number of cutters is adapted to the diameter



2-flute spiral

> Optimised 2-flute spiral for excellent dust transportation
> Reduces heat development and increase the lifetime

Top grade carbide "Made by Bosch"

> Highly durable top grade carbide tip
> Proven cross cutter breaker design with 130° angle

Rebar Cutting Capability

> 4-cutter head support drilling in reinforced concrete and minimise carbide cracks
> Design of the carbide reduce jamming while drilling in concrete



SDS Plus Core Cutter

Part Number

BOSCH PRO

Description

Accessories for Core Cutters

1	2 608 550 057		SDS Plus Core Cutter Mounting Shank (M16 x 105 mm)
	2 608 598 110		SDS Plus Core Cutter Mounting Shank (M16 x 220 mm)
2	046		SDS-plus shank for core cutters with M16, one-piece (175mm)
	047		SDS-plus shank for core cutters with M16, one-piece (340mm)
	048		SDS-plus shank for core cutters with M16, one-piece (440mm)
3	2 608 596 157	2 608 707 193	SDS Plus Core Cutter Pilot Drill Bit (8 x 120 mm)
4	2 608 550 074		SDS Plus 9 Core Cutter 40 x 50/72 mm
	075		SDS Plus 9 Core Cutter 50 x 50/72 mm
	076		SDS Plus 9 Core Cutter 68 x 50/72 mm
	077		SDS Plus 9 Core Cutter 82 x 50/72 mm

SDS Max 4

SDS Max 4 (4 cutter design)

5	2 608 685 860	2 608 706 778	SDS-max 4 (16 x 200/340 mm)
	861	779	SDS-max 4 (16 x 400/540 mm)
	862	780	SDS-max 4 (18 x 200/340 mm)
	863	781	SDS-max 4 (18 x 400/540 mm)
	864	783	SDS-max 4 (20 x 200/320 mm)
	865	784	SDS-max 4 (20 x 400/520 mm)
	866	786	SDS-max 4 (22 x 200/320 mm)
	867	787	SDS-max 4 (22 x 400/520 mm)
	868	791	SDS-max 4 (25 x 200/320 mm)
	869	792	SDS-max 4 (25 x 400/520 mm)
	870	795	SDS-max 4 (28 x 200/320 mm)
	871	796	SDS-max 4 (28 x 400/520 mm)
	872	798	SDS-max 4 (30 x 200/320 mm)
	873	799	SDS-max 4 (30 x 400/520 mm)
	874	800	SDS-max 4 (32 x 200/320 mm)
	875	801	SDS-max 4 (32 x 400/520 mm)
	876	803	SDS-max 4 (35 x 400/520 mm)
	877	806	SDS-max 4 (40 x 400/520 mm)



SDS-Max shank



SDS Max Hammer Drill Bit

Part Number	BOSCH EXPERT	Description
SDS Max-7		
2 608 586 797		SDS-max Speed X (35 x 600/720 mm)
800		SDS-max Speed X (38 x 400/520 mm)
802		SDS-max Speed X (40 x 400/520 mm)
803		SDS-max Speed X (40 x 600/720 mm)
807		SDS-max Speed X (52 x 400/520 mm)

SDS Max-8X (Replacement for SDS Max 7)

2 608 578 602	2 608 900 201	Hammer drill bit SDS-max-8X 12 x 200 x 340 mm
	202	Hammer drill bit SDS-max-8X 12 x 400 x 540 mm
604	203	Hammer drill bit SDS-max-8X 12 x 600 x 740 mm
605	204	Hammer drill bit SDS-max-8X 12 x 800 x 940 mm
	207	Hammer drill bit SDS-max-8X 14 x 200 x 340 mm
	208	Hammer drill bit SDS-max-8X 14 x 400 x 540 mm
608	209	Hammer drill bit SDS-max-8X 14 x 600 x 740 mm
609	210	Hammer drill bit SDS-max-8X 14 x 800 x 940 mm
	214	Hammer drill bit SDS-max-8X 16 x 200 x 340 mm
	215	Hammer drill bit SDS-max-8X 16 x 400 x 540 mm
614	216	Hammer drill bit SDS-max-8X 16 x 600 x 740 mm
615	217	Hammer drill bit SDS-max-8X 16 x 800 x 940 mm
	221	Hammer drill bit SDS-max-8X 18 x 200 x 340 mm
	222	Hammer drill bit SDS-max-8X 18 x 400 x 540 mm
621	223	Hammer drill bit SDS-max-8X 18 x 600 x 740 mm
622	224	Hammer drill bit SDS-max-8X 18 x 800 x 940 mm
	228	Hammer drill bit SDS-max-8X 20 x 200 x 320 mm
	229	Hammer drill bit SDS-max-8X 20 x 400 x 520 mm
628	230	Hammer drill bit SDS-max-8X 20 x 600 x 720 mm
	231	Hammer drill bit SDS-max-8X 20 x 800 x 920 mm
631	233	Hammer drill bit SDS-max-8X 22 x 200 x 320 mm
	234	Hammer drill bit SDS-max-8X 22 x 400 x 520 mm
633	235	Hammer drill bit SDS-max-8X 22 x 600 x 720 mm
634	236	Hammer drill bit SDS-max-8X 22 x 800 x 920 mm
636	238	Hammer drill bit SDS-max-8X 24 x 200 x 320 mm
	239	Hammer drill bit SDS-max-8X 24 x 400 x 520 mm
638	240	Hammer drill bit SDS-max-8X 25 x 200 x 320 mm
	241	Hammer drill bit SDS-max-8X 25 x 400 x 520 mm
640	242	Hammer drill bit SDS-max-8X 25 x 600 x 720 mm
	243	Hammer drill bit SDS-max-8X 25 x 800 x 920 mm
643	245	Hammer drill bit SDS-max-8X 26 x 200 x 320 mm
644	246	Hammer drill bit SDS-max-8X 26 x 400 x 520 mm
	247	Hammer drill bit SDS-max-8X 28 x 200 x 320 mm
	248	Hammer drill bit SDS-max-8X 28 x 400 x 520 mm
647	249	Hammer drill bit SDS-max-8X 28 x 600 x 720 mm
648	250	Hammer drill bit SDS-max-8X 28 x 800 x 920 mm
650	252	Hammer drill bit SDS-max-8X 30 x 200 x 320 mm
	253	Hammer drill bit SDS-max-8X 30 x 400 x 520 mm
652	254	Hammer drill bit SDS-max-8X 32 x 200 x 320 mm
653	255	Hammer drill bit SDS-max-8X 32 x 400 x 520 mm
654	256	Hammer drill bit SDS-max-8X 32 x 600 x 720 mm
	257	Hammer drill bit SDS-max-8X 32 x 800 x 920 mm

Note: *Items marked are based on Indent Basis.
Valid in West Malaysia and while stocks last only.

ALLIANCE SUPPLIES SDN.BHD.

SDS-Plus shank (1 to 7)

SDS-Max shank (8 to 13)

19mm Hexagonal shank for USH 10 & 1 1/8" Hexagonal shank for USH 27 (14 to 20)



SDS Plus Chisel

Part Number	BOSCH PRO	Description
1 2 609 390 576	2 608 690 549	Pointed Chisel 250 mm (1 pc pack)
2 394	2 608 690 548	Flat Chisel 20 x 250 mm (1 pc pack)
3 2 608 690 101	2 608 690 554	Spade Chisel 40 x 250 mm
4 1 618 601 004		Gouging Chisel 22 x 250 mm
5 2 608 690 091	2 608 690 572	Tile Chisel 40 x 260 mm (1 pc pack)
122		Pencil Chisel Flat 10 x 160 mm
120		Pencil Chisel Pointed 10 x 160 mm (10 pcs per pack)

Hexagonal Chisel

6	2 608 684 774		Hex. Pointed Chisel 17 x 280 mm (10 pcs pack)
7	775		Hex. Flat Chisel 17 x 280 mm (10 pcs pack)

8	1 618 600 023	2 608 690 565	Pointed Chisel	280 mm
	012	2 608 690 558	Pointed Chisel	600 mm
	2 608 690 128	2 608 690 552	SDS Max Pointed Chisel	400 mm (10 pcs pack)
	125	2 608 690 563	SDS Max Flat Chisel	400 mm (10 pcs pack)
	1 618 600 203	2 608 690 565	Flat Chisel	600 x 25 mm
9	2 608 690 097	2 608 690 557	Spade Chisel	350 x 50 mm (Self- sharpening)
	1 618 601 008	2 608 690 570	Spade Chisel	300 x 80 mm
10	007	2 608 690 568	Spade Chisel	350 x 115 mm
	1 618 601 019		Tile Chisel	300 x 80mm
11	1 618 633 102		Tamping Plate	150 x 150 mm
12	1 618 609 003		Shank for Tamping Plate and Bush Hammer Head	220 mm
13	2 608 690 167	2 608 690 550	R-Tec Pointed Chisel (twist & self sharpening)	400mm - 1 pc
	168	2 608 690 561	R-Tec Pointed Chisel (twist & self sharpening)	400mm- 10 pcs pack
14	124	2 608 690 551	R-Tec Sharp Flat Chisel (self sharpening)	400 x 25mm- 1 pc
	166	2 608 690 575	R-Tec Sharp Flat Chisel (self sharpening)	400 x 25mm- 10 pcs pack

For Model GSH 14C

15		2 608 690 188	22mm Hexagonal Shank Pointed Chisel, 400mm
16		190	22mm Hexagonal Shank Flat Chisel, 30 x 400mm

For Model USH 27 & GSH 27

17	2 608 690 106	2 608 690 573	28 mm Hexagonal Shank Pointed Chisel, 400 mm
	1 618 600 019	2 608 690 562	28 mm Hexagonal Shank Pointed Chisel, 520 mm
18		2 608 690 567	28 mm Hexagonal Shank Flat Chisel, 35 x 520 mm
19	1 618 661 000	2 608 690 584	28 mm Hexagonal Shank Spade Chisel, 80 x 400 mm

For Model GSH 16

20	2 608 690 111	2 608 690 560	30 mm Hexagonal Shank Pointed Chisel 400 mm
21	112	2 608 690 576	30 mm Hexagonal Flat Chisel 400 x 35mm
22	113		30 mm Hexagonal Spade Chisel, 75 x 450 mm

PERFECT FOR DIAMOND CUT- TING, GRINDING AND DRILLING

The best your tool can get. Bosch Professional Accessories.

19



Bosch Diamond Accessories Catch the Speed



For angle grinder and marble cutter

Best for Series

Ceramic

- Designed for cutting tiles, with 20/16 mm bore for angle grinders.
- For cutting ceramic wall and floor tiles used in bathrooms and kitchens. Highly efficient for tilers: Precision.

Part number	BOSCH PRO	Diameter mm	Type	Bore diameter mm	Cutting width mm	Segment height mm
2 608 603 615		105	Turbo	20 / 16	1.4	8

- Fast diamond and bond matrix helps to reduce the high temperatures caused from cutting, optimized diamond compounds enables effortless clean cut.

2 608 600 704		105	Continuous	20 / 16	1.7	5
---------------	--	-----	------------	---------	-----	---

Stone

- For hard materials such as granite and natural stone.
- Hot-press that ensures stable long lifetime.

2 608 602 276	2 608 615 271	105	Segmented	20 / 16	1.7	12
---------------	---------------	-----	-----------	---------	-----	----

Granite

2 608 615 097		110	Turbo Rim	20 / 16	2	10
---------------	--	-----	-----------	---------	---	----

Concrete

- Problem solver in concrete for basic needs.
- Hot-press that ensures stable long lifetime.

2 608 600 924		105	Segmented	20 / 16	1.7	12
---------------	--	-----	-----------	---------	-----	----

Universal

- Ideal for general building materials such as concrete, masonry, brick and granite.
- Excellent cutting speed thanks to its optimised diamond components.

2 608 603 740	105	Turbo	20 / 16	1.8	7
2 608 602 523	105	Segmented	20 / 16	1.7	12
2 608 676 934	105	Continuous	20 / 16	2	12

- The all-rounder in all site materials. The successful combination of long life with good performance enables effortless cutting.

2 608 603 329	125	Segmented	25.4/22.3	2	12
331	180	Segmented	25.4/22.3	2.4	12
332	230	Segmented	25.4/22.3	2.4	12



Valid in West Malaysia and while stocks last only.

ALLIANCE SUPPLIES SDN.BHD.

www.alliance-supplies.com | www.alliancesuppliesonline.com.my | info@alliance-supplies.com | T:+606 3338889/8887/8898

Standard for Diamond Cutting Discs

Economized spending, good performance.

Part number	Diameter mm	Type	Bore diameter mm	Cutting width mm	Segment height mm	Material
2 608 603 726	105	Segmented	20 / 16	1.9	7	Universal
2 608 615 111	125	Segmented	22.23 / 20	2.0	10	Universal
113	180	Segmented	25.4 / 22.23	2.4	10	Universal
114	230	Segmented	25.4 / 22.23	2.6	10	Universal

Standard for Universal



- Balanced speed and lifetime for good cutting performance in all building materials.



Standard for Ceramic



- Fine diamond grains provide clean cutting edge and good speed for usage in ceramic.



2 608 603 729	105	Continuous	20 / 16	1.9	7	Ceramic
----------------------	-----	------------	---------	-----	---	---------

Standard for Stone



- Smooth and fast cutting especially in wet cutting application in stone.



2 608 603 728	105	Segmented	20 / 16	1.9	7	Stone
----------------------	-----	-----------	---------	-----	---	-------

Standard for Concrete



- Good performance in lifetime. Efficient blade for cutting concrete.



2 608 603 727	105	Segmented	20 / 16	1.9	7	Concrete
----------------------	-----	-----------	---------	-----	---	----------



Diamond Cutting Disc

Part Number

BOSCH EXPERT
BOSCH PRO

Description

Diamond Blade for Mini Grinder & Concrete Cutter

Best for Series

1	2 608 600 704	2 608 615 271	105 x 16/20 mm, Continuous, For Tile
2	2 608 602 276		105 x 16/20 mm, Segmented, For Stone (Wet & Dry Cut)
3	924		105 x 16/20 mm, Segmented, For Concrete (Dry Cut)
	2 608 676 934		105 x 16/20 mm (12 mm Segment), Continuous, Universal (Discontinued, while stocks last basis)
4	2 608 602 523		105 x 16 /20 mm (12 mm Segment), Universal (Dry or Wet Cutting) (Replacement for 2 608 603 309 & 2 608 676 934)
NEW*5	2 608 603 615		110 x 20/16mm, Turbo, Tiles
	2 608 615 097		110 x 20/16mm, Turbo Rim, Granite
	2 608 603 329		125 x 25.4/22.3 mm (12 mm Segment), Segmented, Universal
	331		180 x 25.4/22.3 mm (12 mm Segment), Segmented, Universal
	332		230 x 25.4/22.3 mm (12 mm Segment), Segmented, Universal
	2 608 615 109	2 608 900 652	76 x 1.9 / 10 mm, For Tile (For GWS 12-76 V-EC)

Standard for Series

6	2 608 603 726		Universal, 105 x 16/20 mm
	727		Concrete, 105 x 16/20 mm
	728		Stone, 105 x 16/20 mm
	729		Ceramic, 105 x 16/20 mm
	2 608 615 232		Universal, 110 x 16/20 mm
NEW*	2 608 615 230		Turbo Continuous, Multimaterial, 110x 16/20mm
	2 608 615 111		Universal, 125 x 22.23/20 mm
	113		Universal, 180 x 25.4/22.23 mm
	114		Universal, 230 x 25.4/22.23 mm

Diamond Blade for Floor Saw

Standard for Concrete

7	2 608 615 005	2 608 602 543	DCD Standard for Concrete (300mm x 25.4/27)
	006		DCD Standard for Concrete (350mm x 25.4/27)
	007	2 608 602 545	DCD Standard for Concrete (400mm x 25.4/27)

Standard for Asphalt

8	2 608 615 016	2 608 602 625	DCD Standard for Asphalt (350mm x 25.4/27)
	017	2 608 602 626	DCD Standard for Asphalt (400mm x 25.4/27)
	018	2 608 602 627	DCD Standard for Asphalt (450mm x 25.4/27)
	019		DCD Standard for Asphalt (500mm x 25.4/27) (Discontinued, while stocks last basis)

Note: *Items marked are based on Indent Basis.

Valid in West Malaysia and while stocks last only.

Diamond coating

For a long life in the hardest tiles

Thin cutting edge

For fast, clean cuts

Power-Change adapter

For fast and safe attachment and release of the holesaw, with just one click.

Special side holes

For easy removal of core pieces



1



2



3



4

Diamond Drill Bits / Holesaw

Part Number		Description	Diameter
	BOSCH EXPERT		
	BOSCH PRO		
1	2 608 599 049	Diamond tile drill bit	6 mm
	50	Diamond tile drill bit	8 mm
	51	Diamond tile drill bit	10 mm
	52	Diamond tile drill bit	12 mm
	2 607 011 626	Diamond tile drill bit set	6+6+8 mm
2	2 608 580 302	2 608 901 553 Diamond Holesaw	20 mm
	303	554 Diamond Holesaw	22 mm
	304	555 Diamond Holesaw	25 mm
	305	556 Diamond Holesaw	29 mm
	306	557 Diamond Holesaw	32 mm
	307	558 Diamond Holesaw	35 mm
	308	559 Diamond Holesaw	38 mm
	394	560 Diamond Holesaw	41 mm
	310	562 Diamond Holesaw	51 mm
	311	563 Diamond Holesaw	54 mm
3	2 608 598 142	Centring Aid for Diamond Drill Bit	
4	2 608 580 327	Centring Aid for Wet Drill Bits & Diamond Holesaw	

Note: *Items marked are based on Indent Basis.
Valid in West Malaysia and while stocks last only.



Complete range of circular saw blades:

INCOMPARABLE PRECISION OF CUTS

The best your tool can get. Bosch Professional Accessories.

24





1



2



3



4



Circular Saw Accessories

Part Number	BOSCH EXPERT BOSCH PRO	Description	Bore / Reduction Ring	Cutting / Blade Thickness (mm)
Cordless Range				
2 608 837 752		Cordless for multi material (for GKS 12 V-LI)	85x1.5/1x15 T30	
666		Cordless for wood (for GKS 12 V-LI)	85x1.1/0.7x15 T20	
685		Cordless for wood (for GKS 18V-57 & GKS 185-LI)	165x1.5/1x20 T24	
702		Cordless for wood (for GKS 18V-68 GC)	184x1.6/1.1x20 T24	
703		Cordless for wood (for GKS 18V-68 GC)	184x1.6/1.1x20 T48	
746		Cordless for Cordless for steel (for GKM 18V-50)	184x1.6/1.1x20 T48	
768		Cordless for aluminium (for GKS 18V-68 GC)	184x2/1.5x20 T56	
* More cordless range available, kindly refer to sales team				
Expert For Wood				
1 2 608 642 970		6 1/8" 160 x 2.0 / 1.4 x 25.4 T24	20/19/16/ 5/8"	
971		6 1/8" 160 x 2.0 / 1.4 x 25.4 T40	20/19/16/ 5/8"	
972		6 1/8" 160 x 2.0 / 1.4 x 25.4 T60	20/19/16/ 5/8"	
983		7 1/4" 160 x 2.0 / 1.4 x 25.4 T30	20/19/16/ 5/8"	
984		7 1/4" 160 x 2.0 / 1.4 x 25.4 T40	20/19/16/ 5/8"	
985		7 1/4" 160 x 2.0 / 1.4 x 25.4 T60	20/19/16/ 5/8"	
999		9 1/4" 235 x 2.2 / 1.5 x 30 T40	1"/25	
2 608 643 000		9 1/4" 235 x 2.2 / 1.5 x 30 T60	1"/25	
009		10" 254 x 2.5 / 1.8 x 30 T80	1"/25	
010		10" 254 x 2.5 / 1.8 x 30 T100	1"/25	
024		12" 305 x 2.5 / 1.8 x 30 T40	1"/25/20	
026		12" 305 x 2.5 / 1.8 x 30 T80	1"/25/20	
027		12" 305 x 2.5 / 1.8 x 30 T100	1"/25/20	
033		14" 356 x 3.2 / 2.2 x 30 T60	1"/25/20	
035		14" 356 x 3.2 / 2.2 x 30 T100	1"/25/20	
Expert for Wood: For GCM 8SJL				
2 608 642 993		CSB expert for wood	8 1/2" 216 x 2.5 / 1.5 x 25.4 T80	
995		CSB expert for wood	8 1/2" 216 x 2.5 / 1.5 x 25.4 T60	
2 608 640 447		CSB multi material	8 1/2" 216 x 2.5 / 1.8 x 30 T80 (Reduction Ring 2600100)	
Expert for Stainless Steel: For GCD 12JL				
2 608 644 284		CSB expert for stainless steel	305 x 25.4 mm x 80T	
Expert for Steel : For GCD 12JL				
2 608 643 060		CSB expert for steel	12" 305 x 2.6 / 2.2 x 25.4 T60	
061		CSB expert for steel	12" 305 x 2.6 / 2.2 x 25.4 T80	
Non-Ferrous Metal Cutting (Aluminium)				
2 2 608 642 202	2 608 901 585	Circular Saw Blade 10" x 100 TCT - 30mm / 25mm & 1"		2.7 / 2
203	586	Circular Saw Blade 10" x 120 TCT - 30mm / 25mm & 1"		2.7 / 2
209	589	Circular Saw Blade 12" x 100 TCT - 30mm / 20mm, 25mm & 1"		2.7 / 2
210	588	Circular Saw Blade 12" x 120 TCT - 30mm / 20mm, 25mm & 1"		2.7 / 2
213	593	Circular Saw Blade 14" x 100 TCT - 30mm / 20mm, 25mm & 1"		2.7 / 2
214	592	Circular Saw Blade 14" x 120 TCT - 30mm / 20mm, 25mm & 1"		2.7 / 2
110 mm Carbide Multi Wheel				
3 2 608 623 011	2 608 901 196	76mm Carbide Multi Wheel	10mm	
4 2 608 642 952	201	110mm Carbide Multi Wheel	20 / 16mm	
	193	125mm Carbide Multi Wheel X-LOCK		
	682	230x22.23mm Carbide Multi Wheel		
** No more reduction ring included under Expert packaging				
85mm Standard for Wood: For GKS 12V-LI				
2 608 643 071	2 608 901 595	85 x 15 x 1,1 mm, T20	15mm	
Eco for Wood				
2 608 644 669		Eco for Wood H	110x20-12 (4")	
2 608 839 390		Eco for Wood H	110x20-40 (4")	
2 608 844 564		Eco for Wood	125x20x30T (5")	
2 608 644 718		Eco for Wood	184x25.4-16 (7")	
2 608 644 304		Eco for Wood H	184x25.4-30 (7")	
317		Eco for Wood H	180x25.4-40 (7")	
318		Eco for Wood H	184x25.4-60 (7")	
306		Eco for Wood B	230x30-60 (9")	
310		Eco for Wood B	250x25.4-80 (9")	
311		Eco for Wood B	250x25.4-100 (9")	
314		Eco for MM/ AL B	250x25.4-120 (9")	

Note: *Items marked are based on Indent Basis.

Valid in West Malaysia and while stocks last only.




The complete Hole Saw range:

FOR MAXIMUM PERFORMANCE IN ALL APPLICATIONS

The best your tool can get. Bosch Professional Accessories.

26





- **HSS Bi-Metal** with 8% cobalt : For long life.
- **Vario Tooth Strip**: For precise and fast cuts.
- **Safety Stopper**: Prevents breakthrough.

Bi-Metal Holesaw

Part Number	BOSCH PRO	Description	Diameter (mm/inch)
2 608 584 778	2 608 594 437	PRO Sheet Metal Power Change Plus Hole Saw	16 mm = 5/8"
779	438	PRO Sheet Metal Power Change Plus Hole Saw	17 mm = 11/16"
780	439	PRO Sheet Metal Power Change Plus Hole Saw	19 mm = 3/4"
781	440	PRO Sheet Metal Power Change Plus Hole Saw	20 mm = 25/32"
782	441	PRO Sheet Metal Power Change Plus Hole Saw	21 mm = 13/16"
783	442	PRO Sheet Metal Power Change Plus Hole Saw	22 mm = 7/8"
784	443	PRO Sheet Metal Power Change Plus Hole Saw	25 mm = 1"
785	444	PRO Sheet Metal Power Change Plus Hole Saw	27 mm = 1 1/16"
786	445	PRO Sheet Metal Power Change Plus Hole Saw	29 mm = 1 1/8"
787	446	PRO Sheet Metal Power Change Plus Hole Saw	30 mm = 1 3/16"
788	447	PRO Sheet Metal Power Change Plus Hole Saw	32 mm = 1 1/4"
789	448	PRO Sheet Metal Power Change Plus Hole Saw	33 mm = 1 5/16"
790	449	PRO Sheet Metal Power Change Plus Hole Saw	35 mm = 1 3/8"
791	450	PRO Sheet Metal Power Change Plus Hole Saw	38 mm = 1 1/2"
792	451	PRO Sheet Metal Power Change Plus Hole Saw	40 mm = 1 9/16"
793	452	PRO Sheet Metal Power Change Plus Hole Saw	41 mm = 1 5/8"
794	453	PRO Sheet Metal Power Change Plus Hole Saw	44 mm = 1 3/4"
795	454	PRO Sheet Metal Power Change Plus Hole Saw	48 mm = 1 7/8"
796	455	PRO Sheet Metal Power Change Plus Hole Saw	51 mm = 2"
797	456	PRO Sheet Metal Power Change Plus Hole Saw	54 mm = 2 1/8"
798	457	PRO Sheet Metal Power Change Plus Hole Saw	57 mm = 2 1/4"
799	458	PRO Sheet Metal Power Change Plus Hole Saw	60 mm = 2 3/8"
800	459	PRO Sheet Metal Power Change Plus Hole Saw	64 mm = 2 1/2"
801	460	PRO Sheet Metal Power Change Plus Hole Saw	65 mm = 2 9/16"
802	461	PRO Sheet Metal Power Change Plus Hole Saw	67 mm = 2 5/8"
803	462	PRO Sheet Metal Power Change Plus Hole Saw	68 mm = 2 11/16"
804	463	PRO Sheet Metal Power Change Plus Hole Saw	70 mm = 2 3/4"
805	464	PRO Sheet Metal Power Change Plus Hole Saw	73 mm = 2 7/8"
806	465	PRO Sheet Metal Power Change Plus Hole Saw	76 mm = 3"
807	466	PRO Sheet Metal Power Change Plus Hole Saw	79 mm = 3 1/8"
808	467	PRO Sheet Metal Power Change Plus Hole Saw	83 mm = 3 1/4"
809	468	PRO Sheet Metal Power Change Plus Hole Saw	86 mm = 3 3/8"
810	469	PRO Sheet Metal Power Change Plus Hole Saw	89 mm = 3 1/2"
811	470	PRO Sheet Metal Power Change Plus Hole Saw	102 mm = 4"
854	471	PRO Sheet Metal Power Change Plus Hole Saw	127 mm = 5"
855	472	PRO Sheet Metal Power Change Plus Hole Saw	152 mm = 6"
816	475	PRO Sheet Metal Power Change Plus Hole Saw Ejection Spring	
2 608 594 256	2 608 900 507	Power Change Plus Mandrel Hex (8.7mm) include HSS-Co pilot drill bit	
257	512	Pilot drill Plus HSS-Co Ø 7.15 x 65mm	
264	504	Power Change Plus Mandrel Hex (3/8" 8.7mm)	
266	506	Power Change Plus mandrel SDS Plus	

Note : For sizes less than 25 mm doesn't equip with spring.

Note: *Items marked are based on Indent Basis.

Valid in West Malaysia and while stocks last only.

More robustness and precision thanks to improved system

Double Lifetime Thanks to The New Design

Improved robustness of hexagon shank
Increased Hexagon from 8.0 to 8.7 mm

Robust & Precise
The improved design & materials ensures a stable and precise system



Improved guidance of the pilot drill
Due to cylindrical guidance

Hole now release in 3 second
Standardised edges real for all diameters
from 14 to 210mm



Enlarged cutting depth
Enables to cut material up to 44mm



Double Lifetime
Improved Bosch HSS Bi-Metal with 8% cobalt alloy, enlarged HSS stripe and redesigned teeth ensures extreme durability

Outstanding performance
Enhanced progressive tooth geometry for fast & smooth cuts and faster chip clearance

Progressor For Wood And Metal Holesaw

Part Number **BOSCH PRO** Description

Suitable for Aluminium, Wood, Inox, Wood Laminate, Non-ferrous Material, Plastics, Steel, Cast Iron

2 608 594 195	2 608 594 364	14 mm Progressor for Wood&Metal
196	365	16 mm Progressor for Wood&Metal
197	366	17 mm Progressor for Wood&Metal
198	367	19 mm Progressor for Wood&Metal
199	368	20 mm Progressor for Wood&Metal
200	369	21 mm Progressor for Wood&Metal
201	370	22 mm Progressor for Wood&Metal
202	371	24 mm Progressor for Wood&Metal
203	372	25 mm Progressor for Wood&Metal
204	373	27 mm Progressor for Wood&Metal
205	374	29 mm Progressor for Wood&Metal
206	375	30 mm Progressor for Wood&Metal
207	376	32 mm Progressor for Wood&Metal
208	377	33 mm Progressor for Wood&Metal
209	378	35 mm Progressor for Wood&Metal
210	379	37 mm Progressor for Wood&Metal
211	380	38 mm Progressor for Wood&Metal
212	381	40 mm Progressor for Wood&Metal
213	382	41 mm Progressor for Wood&Metal
214	383	43 mm Progressor for Wood&Metal
215	384	44 mm Progressor for Wood&Metal
216	385	46 mm Progressor for Wood&Metal
217	386	48 mm Progressor for Wood&Metal
218	387	51 mm Progressor for Wood&Metal
219	389	52 mm Progressor for Wood&Metal
220	390	54 mm Progressor for Wood&Metal
221	391	56 mm Progressor for Wood&Metal
222	392	57 mm Progressor for Wood&Metal
223	393	59 mm Progressor for Wood&Metal
224	394	60 mm Progressor for Wood&Metal
225	395	64 mm Progressor for Wood&Metal
226	396	65 mm Progressor for Wood&Metal
227	397	67 mm Progressor for Wood&Metal
228	398	68 mm Progressor for Wood&Metal
229	400	70 mm Progressor for Wood&Metal
230	401	73 mm Progressor for Wood&Metal
231	402	76 mm Progressor for Wood&Metal
232	403	79 mm Progressor for Wood&Metal
233	404	83 mm Progressor for Wood&Metal
234	405	86 mm Progressor for Wood&Metal
235	406	89 mm Progressor for Wood&Metal
236	407	92 mm Progressor for Wood&Metal
237	408	95 mm Progressor for Wood&Metal
238	409	98 mm Progressor for Wood&Metal
239	410	102 mm Progressor for Wood&Metal
240	411	105 mm Progressor for Wood&Metal
241	412	108 mm Progressor for Wood&Metal
242	413	111 mm Progressor for Wood&Metal
243	414	114 mm Progressor for Wood&Metal
245	416	127 mm Progressor for Wood&Metal
248	419	152 mm Progressor for Wood&Metal
192	425	14 piece Universal-Set Progressor for Wood&Metal
253	2 608 900 508	Power Change Plus mandrel hex 8.7mm, incl. Drill HSS-G Ø 7.15x85 mm
254	513	Pilot drill Plus HSS-G Ø 7.15 x 8.5mm
255	514	Pilot drill Plus HSS-Co Ø 7.15 x 8.5mm
264	504	Power Change Plus mandrel hex 8.7mm
266	506	Power Change Plus mandrel SDS Plus
2 608 522 411	509	Power Change Plus (SDS Plus shank) incl. pilot drill HSS-G 85mm

Note: *Items marked are based on Indent Basis.

Valid in West Malaysia and while stocks last only.



Hex Shank:

Option 1
2 608 594 256
65mm HSS-Co +
8.7mm Hex Shank



Option 2
2 608 594 264
2 608 594 257
New Power
Change Plus System +
8.7mm Hex Shank +
65mm HSS-Co



SDS Plus Shank:

2 608 594 266
2 608 594 257
SDS Plus Shank +
65mm HSS-Co
pilot drill bit



Solution to new BiM Progressor hole saw (cutting depth 44mm)



Hex Shank:

Option 1
2 608 594 264
2 608 594 254 (HSS-G)

Option 2
2 608 594 264
2 608 594 255 (HSS-Co)

85mm
HSS-G
pilot
drill bit



8.7mm
Hex Shank



85mm
HSS-Co
pilot
drill bit



Option 3
2 608 594 253



85mm
HSS-G
pilot
drill bit
+
8.7mm
Hex Shank

SDS Plus Shank

Option 1
2 608 522 411



New Power
Change Plus System +
85mm Length HSS-G
pilot drill bit +
SDS Plus Shank

Option 2
2 608 594 266
2 608 594 255



85mm
HSS-Co
pilot
drill bit
+
SDS
Plus Shank

Expert Sheet Metal Arbored



Tungsten Carbide Technology
Increased hardness due to highest quality carbide grit with extra fine pre-alloyed powders for an extremely long lifetime. No teeth breakage due to excellent brazing process.



Optimized teeth design
Extremely sharp, thin cutting edges and ideal gullet design guarantee very fast cutting speed and efficient chip removal.



Stepped pilot drill bit
Prevents tip impact in order to protect the supreme quality carbide tipped teeth.



Ejection spring
Guarantees automatic disc ejection for efficient continuous cutting.

Ø14 - 65 mm, **10 mm** shank
Ø70 - 120 mm, **13 mm** shank

Diameter (mm)	Soft Steel (min-1)	Stainless Steel (min-1)
15	850 - 1270	530 - 1060
20	640 - 950	400 - 800
30	420 - 640	270 - 530
40	320 - 480	200 - 400
60	210 - 320	130 - 270
80	160 - 240	100 - 200
100	130 - 190	80 - 160
120	110 - 160	70 - 130

Expert Sheet Metal Arbored

Part Number	EXPERT	Description
2 608 594 005	2 608 901 399	TCT Hole Saw, 16 mm
008	402	TCT Hole Saw, 19 mm
009	403	TCT Hole Saw, 20 mm
011	405	TCT Hole Saw, 22 mm
014	408	TCT Hole Saw, 25 mm
015	409	TCT Hole Saw, 26 mm
017	411	TCT Hole Saw, 28 mm
019	413	TCT Hole Saw, 30 mm
021	415	TCT Hole Saw, 32 mm
024	418	TCT Hole Saw, 35 mm
027	421	TCT Hole Saw, 38 mm
058	452	TCT Hole Saw, Center Drill Bit
059	453	TCT Hole Saw, Spring
060	454	TCT Hole Saw, Screw

Note: * TCT Hole Saw range available from 14 mm to 120 mm. It can be ordered based on **Indent Basis**.
Valid in West Malaysia and while stocks last only.



Jigsaw Blades:

UNRIVALLED CAPABILITY IN ALL KINDS OF MATERIALS

The best your tool can get. Bosch Professional Accessories.

31



ALLIANCE SUPPLIES SDN.BHD.

www.alliance-supplies.com | www.alliancesuppliesonline.com.my | info@alliance-supplies.com | T: +606 3338889/8887/8898



AFFORDABLE QUALITY GET THE JOB DONE

METAL	Name	Cutting material mm	Length mm	Tooth pitch mm	QTY pack	Part number 2608...
	Basic for Metal					
	T 118 A	Sheet metals (1-3)	68	1.1-1.5	5	631 013
	T 118 B	Sheet metals (2.5-4)	68	1.9-2.3	5	631 014
	T 118 G	Sheet metals (0.5-1.5)	68	0.7	5	631 012
	T 318 A	Sheet metals (1-3) Thin-walled pipes profiles (Ø-63)	107	1.20	5	631 319
	T 318 B	Sheet metals (2.5-4) Thin-walled pipes profiles (Ø-63)	108	2.0	5	631 404

WOOD	Name	Cutting material mm	Length mm	Tooth pitch mm	QTY pack	Part number 2608...
	Clean for wood					
	T 101 AO*	Softwood, laminated panels (1.5-15)	59	1.4	5	630 031
	T 101 BR	Softwood, laminated panels (3-30)	77	2.5	5	630 014
	T 101 B	Softwood (3-30)	77	2.7	5	630 030
	T 101 D	Softwood (10-60)	77	4-5.2	5	630 032
	T 301 CD	Softwood (10-45)	93	3	5	637 590
	Speed for wood					
	T 244 D*	Softwood (5-50)	77	4-5.2	5	630 058
	T 144 D	Softwood (5-50)	77	4-5.2	5	630 040
	T 344 D	Softwood, construction timber (3-100)	127	4	5	633 A34
	T 744 D	Softwood, construction timber	155	4	3	663 314 *
	Basic for wood					
	T 111 C	Softwood (4-50)	77	3	5	630 033

*Especially for curve cuts

RELIABLE PERFORMANCE: SOLUTION FOR SPECIAL APPLICATION

METAL	Name	Cutting material mm	Length mm	Tooth pitch mm	QTY pack	Part number 2608...
	Speed for Metal					
	T 121 AF	Sheet metals (1-3)	68	1.2	5	636 699
	T 121 BF	Sheet metals (2.5-4)	68	2.0	5	636 702
	T 121 GF	Sheet metals (0.5-1.5)	68	0.8	5	636 696
	T 321 AF	Sheet metals (1-3) Thin-walled pipes + profiles (Ø-63)	109	1.2	5	636 705
	T 321 BF	Sheet metals (2.5-4) Thin-walled pipes + profiles (Ø-63)	109	2.0	5	636 707
	Special for Alu					
	T 127 D	Aluminium and non-ferrous metal (2-15), Pipe-profile (Ø-60)	77	3.0	5	631 017
	T 227 D*	Aluminium and non-ferrous metal (2-15), Pipe-profile (Ø-90)	77	3.0	5	631 030
	Basic for Inox					
	T 118 EFS	Inox / stainless steel (1.5-4)	59	1.4	5	636 420
	T 118 GFS	Inox / stainless steel (0.5-1.5)	59	0.8	5	636 440

*Especially for curve cuts

WOOD	Name	Cutting material mm	Length mm	Tooth pitch mm	QTY pack	Part number 2608...
	Clean for Hardwood					
	T 101 AOF*	Hardwood, laminated panels (1.5-15)	59	1.4	5	634 233 *
	T 101 AIF	Hardwood, laminated panels (2-30)	77	1.7	5	634 897 *
	T 101 BF	Hardwood, laminated panels (3-30)	77	2.7	5	634 234
	Speed for Hardwood					
	T 144 DF	Hardwood, softwood (5-50)	77	4-5.2	5	634 567
	T 344 DF	Hardwood, softwood (5-100)	128	4	5	634 243 *

*Especially for curve cuts

Plastics & Specialties	Name	Cutting material mm	Length mm	Tooth pitch mm	QTY pack	Part number 2608...
	Carbide Special for Ceramics					
	T 130 RF	Ceramics	59		5	633 104
	Clean for					
	T 102 BF	PMMA	68	1.8	5	636 781
	T 102 H	PVC/PA/PS sheet	77	2.3	5	667 446
	T 102 D	PP/PE	77	4	5	667 444
	T 302 H	PVC/PA/PS sheet & profile	109	2.3	5	667 448
	T 313 AW	Carpet/leather/rubber (<100)	129		3	635 187 *

Note: *Items marked are based on Indent Basis.
Valid in West Malaysia and while stocks last only.



1



2



3



4



5



6



7

Jigsaw Accessories

Part Number	BOSCH EXPERT BOSCH PRO	Description
1	2 607 010 079	Anti-Splintering Device (5 pcs) - Applicable for all Bosch Jigsaw
2	1 609 200 265	Screwdriver for GST 60 / 80 PBE

Jigsaw Blade Set

3	2 607 010 629	10pcs Basic for Wood Standard Cassette (T 119 BO, T 119 B, T 111 C)
4	630	10pcs Basic for Wood & Metal Standard Cassette (T 119 BO, T 119 B, T 111 C, T 218 A, T 118 G, T 118 A, T 118 B) (Replacing 2608010148)

Jigsaw Blade for Wood (5 pcs card)

	2 608 630 014	T 101 BR (Reversed teeth, fine straight cut 4 ~ 30 mm)
	030	T 101 B (Fine straight cut 4 ~ 30 mm) (Replacing T 119 B)
5	031	T 101 AO (Fine curved cut 2 ~ 20 mm)
	032	T 101 D (Fine straight cut 6 ~ 60 mm)
	033	T 111 C (Coarse quick cut 2 ~ 30 mm)
6	040	T 144 D (Straight quick cut 6 - 60 mm)
	058	T 244 D (Quick curved cut 6 ~ 60 mm)
	2 608 663 751	2 608 900 551 T 308 B Extra Clean for Wood (Straight Cut, 5 - 50 mm, 91 mm length) (5 pcs)
	868	2 608 900 555 T 308 BO Extra Clean for Wood (Curve cut, 5 - 50 mm, 91mm length)


Jigsaw Blade for Wood (3 pcs card)

	2 608 637 944	T 344 D** (Thick construction wood, softwood (5 - 100 mm), Clipboards, Fibre boards, Plywood) (3 pcs)
--	---------------	--

Jigsaw Blade for Wood (5 pcs card)

	2 608 630 310	T 119 BO (Tightest curved cut 2 ~ 20 mm)
	2 608 633 A35	T 144 DP (Parallel cut, soft wood & fibre board 5 - 50 mm)
	2 608 637 590	T 301 CD (Fine quick cut 4 ~ 60 mm)
7	2 608 634 567	T 144 DF (Bi-Metal/quick clean cut, wood & nail 6 ~ 60 mm)

Note: *Items marked are based on Indent Basis.
Valid in West Malaysia and while stocks last only.



Jigsaw Accessories

Part Number **BOSCH EXPERT** Description
BOSCH PRO

Jigsaw Blade for Metal (5 pcs card)

2 608 631 010	T 101 A	(Aluminium 10 mm & ideal for Perspex 2 ~ 20 mm)
012	T 118 G	(Straight cut, Thin materials 0.2 ~ 1.0 mm)
013	T 118 A	(Straight cut, Very Thin materials 1.5 ~ 3.0 mm)
014	T 118 B	(Straight cut, 3 ~ 6 mm)
017	T 127 D	(Straight quick cut, Aluminium 4 ~ 15 mm)
030	T 227 D	(Curved cut, Aluminium 4 ~ 15 mm)

Speed Jigsaw Blade for Metal (5 pcs card)

1	2 608 636 696	2 608 655 104	T 121 GF / T121GFC (fine - thin sheet) 5 pcs
	699	106	T 121 AF / T121AFC (normal - general thickness) 5 pcs
	702	110	T 121 BF / T121BFC (cparse - thick sheets) 5 pcs
	705		T 321 AF (normal - long blade for hollow pipe / sandwich sheets) 5 pcs (Replacing T318A)
	707		T 321 BF (coarse - long blade for thick hollow pipe / thick sandwich sheets) 5 pcs (Replacing T318B)

Special - Tungsten Carbide (TC) tipped Jigsaw Blade (3 pcs card)

2	2 608 630 663	2 608 900 561	T 118 AHM (Straight cut, stainless steel 1.0 ~ 2.0 mm)
3	665	562	T 118 EHM (Straight cut, stainless steel 2.0 ~ 4.0 mm)
4	2 608 633 175	563	T 141 HM (Quick cut, fibreglass & chipboard 6 ~ 60 mm)
	176	564	T 341 HM (Quick coarse cut, aerated concrete 6 ~ 80 mm)

Progressor Jigsaw Blade (5 pcs card)

	2 608 638 473	T 123	X Metal Progressor
	2 608 633 528	T 234	X Wood Progressor
5	2 608 634 994	T 345	XF Universal Progressor

Note: *Items marked are based on Indent Basis.
Valid in West Malaysia and while stocks last only.

ALLIANCE SUPPLIES SDN.BHD.

www.alliance-supplies.com | www.alliancesuppliesonline.com.my | info@alliance-supplies.com | T:+606 3338889/8887/8898



Jigsaw Accessories

Part Number	BOSCH EXPERT BOSCH PRO	Description
Jigsaw Blade for Plastic (5 pcs card)		
1	2 608 667 444	T 102 D Jig Saw Blade for PP (5pcs)
	446	T 102 H Jig Saw Blade for PVC (5pcs)
	448	T 302 H Jig Saw Blade for PVC (5pcs - long)
	2 608 636 781	T 102 BF Jig Saw Blade for PMMA (5pcs)
	2 608 667 449	2 608 900 565 T 108 BHF Jig Saw Blade for Carbon Fiber (3pcs)
	450	2 608 900 566 T 301CHM Jig Saw Blade for Carbon Fiber (3pcs)

Bi-Metal Jigsaw Blades for various materials (5 pcs card)

	2 608 634 503	T 118 BF (Thick material, curved cut, perspex 3 ~ 20mm) (Discontinued, replaced by T121BF / T121BFC)
2	505	T 118 AF (Straight cut, non-ferrous metals 2 ~ 10 mm) (Discontinued, replaced by T121AF/ T121AFC)
	234	T 101 BF (Fine straight cut, blockboard 4 ~ 30 mm)
3	2 608 636 420	T 118 EFS (Stainless steel 1.5 ~ 4.0 mm)
4	442	T 118 GFS (Stainless steel 0.5 ~ 1.5 mm)
	2 608 636 569	2 608 900 544 T 308 BF, Extra Clean for Hard Wood, Laminated board, (Straight cut, 5 - 50 mm)

For Makita (5 pcs card)

	2 608 667 854	Wood - Basic 3 x MA111C, 2 x MA 101 BC
	857	Wood/Metal - Basic 1 x T 119 BO, 1 x T 119 B, 1 x T 111 C, 1 x T 118 A, 1 x T 118 B

Special for Ceramic Blade (3 pcs card)

5	2 608 633 104	Sawblade (T 130 RF) (Replacing 2 608 633 R06)
	105	Sawblade (T 150 RF) (Discontinued, while stocks last basis; replaced by 2 608 900 567)
6	2 608 900 567	Sawblade (T 150 RD)

Note: *Items marked are based on Indent Basis.
Valid in West Malaysia and while stocks last only.

ALLIANCE SUPPLIES SDN.BHD.

www.alliance-supplies.com | www.alliancesuppliesonline.com.my | info@alliance-supplies.com | T:+606 3338889/8887/8898



CARBIDE TECHNOLOGY

Reciprocating Saw Blades:

LONGEST LIFETIME IN TOUGHEST MATERIALS

36

The best your tool can get. Bosch Professional Accessories.



ALLIANCE SUPPLIES SDN.BHD.

www.alliance-supplies.com | www.alliancesuppliesonline.com.my | info@alliance-supplies.com | T: +606 3338889/8887/8898



Reciprocating Saw Blades: Carbide Series

LONGEST LIFETIME IN TOUGHEST MATERIALS

Bosch Carbide technology cuts through the toughest materials - empowering professionals to perform with maximum efficiency.

EXPERT 'Thick Tough Metal' Blades

ASSORTMENT: S555CHC, S955CHC, S1155CHC, S1255CHC

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Thick gauge blade offers extra robustness and stability
- 3 Wide body for precise, straight cuts
- 4 Extra coating makes Carbide even tougher



CARBIDE TECHNOLOGY

Model	Length(mm)	Pack Qty	Part No.
S 555 CHC	100	1	2 608 900 364
S 955 CHC	150	1	2 608 900 365
S 1155 CHC	225	1	2 608 900 368
S 1255 CHC	300	1	2 608 900 371

EXPERT 'Thin Tough Metal' Blades

ASSORTMENT: S522EHM, S922EHM, S1022EHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Extra-fine teeth cut very thin material with ease



CARBIDE TECHNOLOGY

Model	Length(mm)	Pack Qty	Part No.
S 522 EHM	115	1	2 608 900 359
S 922 EHM	150	1	2 608 900 360
S 1022 EHM	200	1	2 608 900 363

EXPERT 'Cement Cast Iron' Blades

ASSORTMENT: S1750RD

EXPERT

- 1 Extremely durable cutting edge using Bosch Diamond Technology
- 2 Thick gauge blade offers extra robustness and stability



DIAMOND TECHNOLOGY

Model	Length(mm)	Pack Qty	Part No.
S 1750 RD	250	1	2 608 900 383

EXPERT 'Window Demolition' Blades

ASSORTMENT: S956DHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Tapered tip reaches deeper into tight spaces
- 3 Side set teeth to cut thicker materials effectively
- 4 First tooth designed to allow plunge cut



CARBIDE TECHNOLOGY

Model	Length(mm)	Pack Qty	Part No.
S 956 DHM	150	1	2 608 900 385

EXPERT 'Medium-Thick Tough Metal' Blades

ASSORTMENT: S955HHM, S1155HHM, S1255HHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Wide body for precise, straight cuts
- 3 Fine teeth cut thinner material with ease



CARBIDE TECHNOLOGY

Model	Length(mm)	Pack Qty	Part No.
S 955 HHM	150	1	2 608 900 373
S 1155 HHM	225	1	2 608 900 374
S 1255 HHM	300	1	2 608 900 377

EXPERT 'Vehicle Rescue' Blades

ASSORTMENT: S957CHM, S1157CHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Thick gauge blade offers extra robustness and stability
- 3 First tooth designed to allow plunge cut
- 4 Tapered tip reaches deeper into tight spaces



CARBIDE TECHNOLOGY

Model	Length(mm)	Pack Qty	Part No.
S 957 CHM	150	1	2 608 900 378
S 1157 CHM	225	1	2 608 900 380

EXPERT 'Wood with Metal Demolition' Blades

ASSORTMENT: S967XHM, S1167XHM, S1267XHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Reinforced teeth withstand the extreme abuse of demolition work
- 3 Progressive tooth pitch to cut material of every thickness
- 4 Tapered tip reaches deeper into tight spaces
- 5 Thick gauge blade offers extra robustness and stability



CARBIDE TECHNOLOGY

Model	Length(mm)	Pack Qty	Part No.
S 967 XHM	150	1	2 608 900 396
S 1167 XHM	225	1	2 608 900 398
S 1267 XHM	300	1	2 608 900 401

Note : Item marked in red are based on **Indent Basis**.
Valid in West Malaysia and while stocks last only.

EXPERT 'Hard Nail Pallets' Blades

ASSORTMENT: S1122CHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Highly flexible body can be bent for flush cuts
- 3 Reverse tip prevents jamming and kickback
- 4 Reinforced shank transition for longer shank life



Model	Length(mm)	Pack Qty	Part No.
S 1122 CHM	225	1	2 608 900 387

EXPERT 'Multi Material' Blades

ASSORTMENT: S956XHM, S1156XHM, S1256XHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Progressive tooth pitch to cut material of every thickness
- 3 Tapered tip reaches deeper into tight spaces
- 4 Thick gauge blade offers extra robustness and stability
- 5 Wide body for precise, straight cuts



Model	Length(mm)	Pack Qty	Part No.
S 956 XHM	150	1	2 608 900 389
S 1156 XHM	225	1	2 608 900 391
S 1256 XHM	300	1	2 608 900 394

EXPERT 'Aerated Concrete' Blades

ASSORTMENT: S1141HM, S1241HM, S2041HM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Thick gauge blade offers extra robustness and stability
- 3 Wide body for precise, straight cuts
- 4 Large gullet teeth chew through the toughest materials fast



Model	Length(mm)	Pack Qty	Part No.
S 1141 HM	225	1	2 608 900 408
S 1241 HM	300	1	2 608 900 410
S 2041 HM	400	1	2 608 900 413

EXPERT 'Tough Wood' Blades

ASSORTMENT: S1142KHM, S1242KHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Tapered tip reaches deeper into tight spaces
- 3 Thick gauge blade offers extra robustness and stability
- 4 Wide body for precise, straight cuts
- 5 Large gullet teeth chew through the toughest materials fast



Model	Length(mm)	Pack Qty	Part No.
S 1142 KHM	225	1	2 608 900 403
S 1242 KHM	300	1	2 608 900 406

Note: *Items marked are based on **Indent Basis**.
Valid in West Malaysia and while stocks last only.

EXPERT 'Wood with Metal' Blades

ASSORTMENT: S715LHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Narrow blade is perfect for curved cuts



Model	Length(mm)	Pack Qty	Part No.
S 715 LHM	190	1	2 608 900 384

EXPERT 'Hollow Brick' Blades

ASSORTMENT: S1543HM, S1243HM, S2243HM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Thick gauge blade offers extra robustness and stability
- 3 Wide body for precise, straight cuts
- 4 Large gullet teeth chew through the toughest materials fast



Model	Length(mm)	Pack Qty	Part No.
S 1243 HM	300	1	2 608 900 417
S 1543 HM	240	1	2 608 900 414
S 2243 HM	455	1	2 608 900 418

EXPERT 'Fiber Plaster' Blades

ASSORTMENT: S641HM

EXPERT


- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Tapered tip reaches deeper into tight spaces
- 3 Thick gauge blade offers extra robustness and stability



Model	Length(mm)	Pack Qty	Part No.
S 641 HM	150	1	2 608 900 407



1
2
4
6



Model Part Number **BOSCH PRO** Application Description

Bi - Metal Range - For Model GSA 1100 E, GSA 1200 PE & GSA 1200 E (5 pcs pack)

	S 922EF	2 608 656 015		Flexible for metal	Thin cut (150 x 19 x 0.9), metal (1.5 - 4 mm), closed pipe/profile (<100 mm). 18 TPI (BiM/milled)
	S 1122EF	020		Flexible for metal	Flush cut (225 x 19 x 0.9), thin metal (1.5 - 4 mm), closed pipe/profile (<175 mm). 18 TPI (BiM/milled)
1	S 922BF	014		Flexible for metal	Fast cut (150 x 19 x 0.9), metal (3 - 8 mm), closed pipe/profile (<100 mm). 14 TPI (BiM/milled)
2	S 1122BF	019		Flexible for metal	Flush fast cut (225 x 19 x 0.9), thick metal (3 - 8 mm), closed pipe/profile (<175 mm) 14 TPI (BiM/milled)
	S 522EF	012		Progressor for Metal	(100 x 19 x 0.9mm), Thin sheet metals (1.5 - 4 mm). 18 TPI (BiM/milled) (Replacement for S 522 AF)
	S 927 BEF/ S 937 BEF	2 608 657 523	2 608 658 991	Endurance for Heavy Metal	fine & precise cut (150 x 25 x 1.1), medium-thick to thick sheet metals (3-8mm), thin-walled closed and open profiles and pipes (<100mm), 14+18 TPI (BiM)
4	S 1127BEF/ S 1137BEF	2 608 657 524	2 608 658 994	Endurance for Heavy Metal	Fine & precise cut (225 x 25 x 1.1), medium-thick to thick sheet metals (3-8mm), thin-walled closed and open profiles and pipes (<175mm).
	S 1227BEF/ S 1237BEF	2 608 658 147	2 608 658 996	Endurance for Heavy Metal	Fine, precise cuts (300 x 25 x 1.1), medium-thick to thick sheet metals (3-8mm), thin-walled closed and open profiles and pipes (<250mm).
6	S 936 CHF/ S 937HBF	2 608 657 525	2 608 658 997	Endurance for Heavy Metal	Fast cut (150 x 25 x 1.1), thick sheet metals (4-12mm), thick-walled closed and open profiles and pipes (<100mm), 8+10 TPI (BiM)
	S 1136CHF/ S 1137HBF	2 608 657 526	2 608 658 998	Endurance for Heavy Metal	Fast and precise cut (225 x 25 x 1.1), thick sheet metals (4-12mm), thick-walled closed and open profiles and pipes (<175mm), 8+10 TPI (BiM)

Note: *Items marked are based on **Indent Basis**.
Valid in West Malaysia and while stocks last only.



Sabresaw Blade & Reciprocating Saw Blade

Model	Part Number	Application	Description
High Carbon Steel / Bi-Metal Range - For Model GSA 1100 E, GSA 1200 PE & GSA 1200 E (5 pcs pack)			
S 644D	2 608 650 673	Top for wood	Clean Cut (150 x 19 x 1.25), construction wood (<100mm). 6 TPI (HCS/ground)
S 1531L	676	Top for wood	Fast cut (240 x 19 x 1.5), coarse wood (<190 mm). 5 TPI (HCS/ground)
S 1542K	682	Top for Wood	Fast cut (240 x 19 x 1.5), Firewood, damp wood (<190 mm). 5 TPI (HCS/ground) (Replacement for S1111K)
S 1122VF	2 608 654 981	Flexible for wood and metal	Flush cut (225 x 19 x 0.9), wood/metal (<175 mm), alu profile (3 - 10 mm), plastic profile (<175 mm). 10 - 14 TPI (BiM/milled)
S 1222VF	2 608 656 022	Flexible for wood and metal	Flush cut (300 x 19 x 0.9), wood/metal (<250 mm), alu profile (3 - 10 mm), plastic profile (<250 mm). 10 - 14 TPI (BiM/milled)
S 511DF	2 608 657 723	Heavy for wood and metal	Fast cut (100 x 19 x 0.9 mm), wood with nail/ metal, chipboard, plastic pipe, epoxy. 6 TPI (BiM/milled) (For Model GSA 12V-LI)
S 1411DF	2 608 654 763	Heavy for wood and metal	Fast cut (300 x 19 x 1.25), wood/metal (<250 mm), fibre glass (<60mm). 6 TPI (BiM/milled)
S 3456XF	406	Progressor for wood and metal	Power cut (200 x 19 x 1.25), wood/metal (<150 mm), alu profile (3 - 18 mm), fibre glass (<150 mm). 6 - 12 TPI (BiM/milled)
S 611DF	2 608 656 258	Heavy for Wood and Metal	Plunge cut (150 x 22 x 1.25), Wood with nails/metal, chipboard (<100 mm), plastic profiles (<100 mm), plastics/glass fibre reinforced plastic, solid (<50 mm). 6 TPI (BiM/milled) (Replacement for S711DF)

Note: *Items marked are based on Indent Basis.
Valid in West Malaysia and while stocks last only.

Expert Thick Tough Material

Progressor for Wood / Metal



Endurance for Aerated Concrete




Endurance for Vehicle Rescue



Sabresaw Blade & Reciprocating Saw Blade

Model	Part Number	BOSCH EXPERT	Application	Description
Carbide Range				
S 956XHM	2 608 653 099	2 608 900 389	Progressor for wood/metal	(150 x 25 x 1.25) Progressor for Wood + Metal CT (1 piece pack)
S 1156XHM	2 608 653 100	391	Progressor for wood/metal	(225 x 25 x 1.25) Progressor for Wood + Metal CT (1 piece pack)
S 1141HM	2 608 650 971	408	Endurance for Aerated Concrete	(225 x 19 x 1.25), concrete, red brick, fibre cement (<175mm), glass fibre reinforced plastic/epoxy (<150mm), 3 TPI (Ground) (1 piece pack)
S 1241HM	2 608 650 972	410	Endurance for Aerated Concrete	(300 x 22 x 1.5), concrete, red brick, fibre cement (<250mm), glass fibre reinforced plastic/epoxy (<150mm), 3 TPI (Ground) (1 piece pack)
S 957CHM	2 608 653 130	378	Endurance for Vehicle Rescue	(150 x 10 x 1.35) Plunge Cutting Capability, Specific rescue techniques such as roof cut and 3rd door. (1 piece pack)
S 1157CHM	2 608 653 132	380	Endurance for Vehicle Rescue	(225 x 20 x 1.35) Plunge Cutting Capability, Specific rescue techniques such as roof cut and 3rd door. (1 piece pack)
S 922EHM	2 608 653 097	360	Endurance for Stainless Steel	(150 x 19 x 1.0) For cutting stainless, hardened & high-alloy steel. Smooth sawing, (1 piece pack)
S 1155CHM	2 608 653 182		Endurance for Heavy Metal	(225 x 25 x 1.25 mm) Precise cutting, for heavy gauge cast iron, hardened steel, high-alloy profile, pipe and tube. (1 piece pack) (Discontinued, replaced by S 1155CHC)
S 1155CHC		368	Expert Thick Tough Material	(225 x 25 x 1.25 mm) Perfect for straight cuts, for tough steel, Cast iron (1 piece pack)
S 715LHM		384	EXPERT Wood with Metal	(190 x 12 x 1.5 mm) Curved cuts, for wood with tough metal, Construction wood with mortar and nails. (1 piece pack) (Replacement for S 711DF)

Note: *Items marked are based on Indent Basis.
Valid in West Malaysia and while stocks last only.



Cordless Multi-Cutter Accessories

Part Number	BOSCH EXPERT BOSCH PRO	Model	Description	Quantity	Diameter
Grinding					
For Model GOP 12V-28, GOP 18V-28, GOP 30-28					
1	2 608 000 493	2 608 669 125	AVZ 93G	Delta Sanding Plate	1 93 mm
	2 608 607 540		RedWoodTop (Set)	Delta Sanding Sheet Mixed Sets (10pcs/set)	10 93 mm
2	2 608 661 629	2 608 669 067	AIZ 32 APB / AIZ 32 API	BIM, Wood+Metal, Curved-Tec	5 32 x 50 mm
3	630	2 608 669 071	AIZ 32 BSPB / AIZ32 BSPI	BIM, Hardwood, Curved-Tec	5 32 x 50 mm
4	626		AIZ 32 EPC	HCS, Wood, Curved-Tec	5 32 x 50 mm
5	628		AIZ 20 AB	BIM, Wood+Metal	5 20 x 30 mm
Plungecut (Wide)					
6	2 608 662 017	2 608 669 082	All 65 BSPB	BIM, Hardwood, Curved-Tec	1 65 x 40 mm
Plungecut (Narrow)					
7	2 608 661 641		AIZ 10 AB	BIM, Wood + Metal	1 10 x 20 mm
5	640		AIZ 20 AB	BIM, Wood+Metal	1 20 x 30 mm
2	644	2 608 669 066	AIZ 32 APB/AIZ 32 API	BIM, Wood+Metal, Curved-Tec	1 32 x 50 mm
3	645	2 608 669 070	AIZ 32 BSPB/AIZ32 BSPI	BIM, Hardwood, Curved-Tec	1 32 x 50 mm
4	637		AIZ 32 EPC	HCS, Wood, Curved-Tec	1 32 x 50 mm
8	2 608 662 018	2 608 900 014	AIZ 32 AT	Carbide, Metal	1 20 x 40 mm
Segment Sawing					
9	2 608 661 636	2 608 669 086	ACZ 85 EB/ ACZ85EIB	BIM, Wood+Metal	1 85 mm
10	643		ACZ 85 EC	HCS, Wood	1 85 mm
Carbide RIFF					
11	2 608 661 642	2 608 669 120	ACZ 85 RT3 /ACZ85 RT3	Carbide, Grout+Abrasive	1 85 mm
12		2 608 900 034	ACZ 85 RD4	Diamond, Grout + Abrasive	1 85 mm

Note: *Items marked are based on **Indent Basis**.
Valid in West Malaysia and while stocks last only.



13



14



15




16



17



18



19



20



21



22

Cordless Multi-Cutter Accessories

Part Number	BOSCH EXPERT BOSCH PRO	Model	Description	Quantity	Diameter
Carbide RIFF					
13	2 608 661 757	2 608 900 041	AVZ 70 RT4	Carbide, Grout+Abrasive	1 70 mm
14	868	2 608 669 122	AIZ 32 RT5	Carbide, Grout+Abrasive	1 32 x 30 mm

Knife/Scraper

15	2 608 661 646		ATZ 52 SC	HCS, Multi Material	1 52 x 26 mm
16	647		ATZ 52 SFC	HCS, Multi Material	1 52 x 45 mm
17	693	2 608 669 123	ACZ 100 SWB	BIM, Multimaterial, Serrated	1 100mm
18	691		AIZ 28 SC	HCS, Multi Material	1 28 x 40 mm

Set

19	2 608 662 342		Carbide Blade/Grout, Scraper/Grout, Plungecut Blade/Metal + Wood	3pcs Basic Tile Set	
20	343		Segment Blade/Wood, Plungecut Blade/Wood, Plungecut Blade/Wood + Metal	3pcs Basic Wood Set	
21	2 608 661 694		ACZ85EB, AIZ32APB, ATZ52SFC, 10pcs Expert for Wood&Paint	13 pcs universal set	
NEW*	2 608 664 677		AIZ20AB x2, AIZ24ECx2, ACZ85EC x1, AII65BSPCx1	OMT Starlock 6 PC Blade Set	
NEW*	2 608 669 146		AIZ20AB x2, AIZ24ECx2, ACZ85EC x1, AIZ32APBx1, AII65BSPCx2, AII65APBx1	OMT Starlock 9 PC Essential Set	

Note: *Item marked are based on Indent Basis.
Valid in West Malaysia and while stocks last only.

**XLOCK**

X-LOCK the ultimate
changing system for grinders:

PERFECT FOR CUTTING, GRINDING AND BRUSHING

The best your tool can get. Bosch Professional Accessories.





1



3



5



2



4



6



7



Bonded & Coated Abrasive. Accessories for Angle Grinder & Cut Off Machine

Part Number **BOSCH EXPERT** Description

Bonded Abrasive for Angle Grinder & Cut Off Machine

Grinding Disc

1	2 608 602 267	Inox Grinding Disc (4" x 5.8 6x 16.0 mm)
	2 608 600 434	4" Flexible Inox / Stainless Steel Grinding Disc (4" x 3.0 x 16.0mm) (Discontinued, while stocks last)
NEW*	2 608 602 488	Grinding Disc - Expert for Inox (125x6x22.23mm)
NEW*	2 608 600 540	Grinding Disc - Expert for Inox (180x6x22.23mm)
NEW*	2 608 600 541	Grinding Disc - Expert for Inox (230x6x22.23mm)
	2 608 620 690	Flexible Grinding Disc (100 x 2.8 x 16.0 mm) (Replacement for 2608 600 434)
	2 608 600 017	Grinding Disc (4" x 6.0 x 16.0 mm)
	263	Grinding Disc (5" x 6.0 x 22.2 mm)
	264	Grinding Disc (7" x 6.0 x 22.2 mm)
	265	Grinding Disc (9" x 6.0 x 22.2 mm)
	2 608 601 705	76mm Inox Grinding Disc (76 x 4 x 10mm) (2pcs pkt) (For GWS 12-76 V-EC)

Cutting Disc

2	2 608 601 520	Cutting Disc - Inox (76 x 1.0 x 10mm)(5pcs) (For GWS 12-76 V-EC)
3	2 608 901 468	Cutting Disc - 4" Expert for Inox (105 x 1.0 x 16.0mm)
NEW*	2 608 603 171	Cutting Disc- Standard for Inox (125x1x22.23mm)
NEW*	2 608 619 771	Cutting Disc- Standard for Inox (180x1.6x22.23mm)
NEW*	2 608 619 773	Cutting Disc- Standard for Inox (230x1.9x22.23mm)
4	2 608 619 343	Cutting Disc - Standard for Metal (4" x 1.2 x 16.0mm)
5	2 608 619 701	Cutting Disc - Metal / Stainless Inox (4" x 1.2 x 16.0mm)
	2 608 619 766	Cutting Disc - Standard for Metal (14" x 2.8 x 25.4mm)
	2 608 600 266	Cutting Disc (thin) - Steel (4" x 1.2 x 16.0 mm)
	091	Cutting Disc - Steel (4" x 2.5 x 16.0 mm)
	270	Cutting Disc - Steel (5" x 3.0 x 22.2 mm)
	272	Cutting Disc - Steel (7" x 3.0 x 22.2 mm)
	274	Cutting Disc - Steel (9" x 3.3 x 22.2 mm)
	276	Cutting Disc - Steel (12" x 3.0 x 25.4 mm)
	277	Cutting Disc - Steel (14" x 3.0 x 25.4 mm)
	2 608 619 276	Cutting Disc for Heavy Metal (14" x 3.0 x 25.4mm)
	2 608 602 751	Cutting Disc - Steel (14" x 3.0 x 25.4 mm) - Economy Speed Cut
	2 608 600 428	Cutting Disc - Steel (16" x 3.6 x 25.4 mm)
7	2 608 900 531 2 608 900 531	Diamond Metal Cutting (105x20/16mm)

Note: *Item marked are based on **Indent Basis**. MOQ of **600 pcs** required
Valid in West Malaysia and while stocks last only.



1



2



3



Bonded & Coated Abrasive. Accessories for Angle Grinder & Straight Grinders

Part Number **BOSCH EXPERT** Description

Flap Disc

1	2 608 601 675	100mm - Alox Flap Disc - Grit 36
	676	100mm - Alox Flap Disc - Grit 60
	677	100mm - Alox Flap Disc - Grit 80
	678	100mm - Alox Flap Disc - Grit 120

Flap Disc, Best for Metal (Replacement for Flap Disc For Stainless Steel)

2	2 608 619 326	100mm X571, best for metal, grit 40
	327	100mm X571, best for metal, grit 60
	328	100mm X571, best for metal, grit 80
	329	100mm X571, best for metal, grit 120

Flexible Flap Disc

	2 608 603 699	100mm Flexible Flap Disc (P40)
	700	100mm Flexible Flap Disc (P60)
	701	100mm Flexible Flap Disc (P80)
	702	100mm Flexible Flap Disc (P100)
	703	100mm Flexible Flap Disc (P120)
	704	100mm Flexible Flap Disc (P150)
	705	100mm Flexible Flap Disc (P180)
	706	100mm Flexible Flap Disc (P220)
	707	100mm Flexible Flap Disc (P320)

Fibre Disc

	2 608 608 N92	Ø 100 X 16mm Brown Aluminium Oxide P24 (50pcs/box)
	N93	Ø 100 X 16mm Brown Aluminium Oxide P36 (50pcs/box)
	N94	Ø 100 X 16mm Brown Aluminium Oxide P60 (50pcs/box)
	N95	Ø 100 X 16mm Brown Aluminium Oxide P80 (50pcs/box)
	N96	Ø 100 X 16mm Brown Aluminium Oxide P100 (50pcs/box)
	N97	Ø 100 X 16mm Brown Aluminium Oxide P120 (50pcs/box)

Strip Disc

	2 608 619 287	4" Inch Clean & Strip Disc
--	---------------	----------------------------

Bosch Net M480 (for GTR 550)

3	2 608 621 180	2 608 900 707	Net, 225mm, 80, 25x
	181	708	Net, 225mm, 100, 25x
	182	709	Net, 225mm, 120, 25x
	183	710	Net, 225mm, 150, 25x
	184	711	Net, 225mm, 180, 25x
	185	712	Net, 225mm, 220, 25x
	186	713	Net, 225mm, 240, 25x
	187	714	Net, 225mm, 320, 25x
	188	715	Net, 225mm, 400, 25x

Valid in West Malaysia and while stocks last only.



1



2



Coated Velcro Disc

Part Number Description

Coated C411 Velcro Disc, 125mm diameter, 6 holes

1	2 608 608	T51	125mm - 6 holes, Grit 60# (50pcs/box)
		T52	125mm - 6 holes, Grit 80# (50pcs/box)
		T53	125mm - 6 holes, Grit 100# (50pcs/box)
		T54	125mm - 6 holes, Grit 120# (50pcs/box)
		T55	125mm - 6 holes, Grit 150# (50pcs/box)
		T56	125mm - 6 holes, Grit 180# (100pcs/box)
		T57	125mm - 6 holes, Grit 220# (100pcs/box)
		T58	125mm - 6 holes, Grit 240# (100pcs/box)
		T59	125mm - 6 holes, Grit 280# (100pcs/box)
		T60	125mm - 6 holes, Grit 320# (100pcs/box)
		T61	125mm - 6 holes, Grit 400# (100pcs/box)
		T62	125mm - 6 holes, Grit 500# (100pcs/box)
		T63	125mm - 6 holes, Grit 600# (100pcs/box)

Coated C411 Velcro Disc, 125mm diameter, 8 holes

2	2 608 608	T64	125mm - 8 holes, Grit 60# (50pcs/box)
		T65	125mm - 8 holes, Grit 80# (50pcs/box)
		T66	125mm - 8 holes, Grit 100# (50pcs/box)
		T67	125mm - 8 holes, Grit 120# (50pcs/box)
		T68	125mm - 8 holes, Grit 150# (50pcs/box)
		T69	125mm - 8 holes, Grit 180# (100pcs/box)
		T70	125mm - 8 holes, Grit 220# (100pcs/box)
		T71	125mm - 8 holes, Grit 240# (100pcs/box)
		T72	125mm - 8 holes, Grit 280# (100pcs/box)
		T73	125mm - 8 holes, Grit 320# (100pcs/box)
		T74	125mm - 8 holes, Grit 400# (100pcs/box)
		T75	125mm - 8 holes, Grit 500# (100pcs/box)
		T76	125mm - 8 holes, Grit 600# (100pcs/box)

125mm 8 holes velcro disc Best for wood & metal (Red)

	2 608 621	577	125mm Velcro #40 (5pcs)
		578	125mm Velcro #60 (5pcs)
		579	125mm Velcro #80 (5pcs)
		580	125mm Velcro #120 (5pcs)
		581	125mm Velcro #180 (5pcs)
		582	125mm Velcro #240 (5pcs)
		583	125mm Velcro #320 (5pcs)

Note: *Item marked are based on Indent Basis.
Valid in West Malaysia and while stocks last only.

Expert for Wet + Dry

High removal rate and consistent surface finish



- Suitable for wet and dry sanding of all car body parts.



- Excellent consistent surface finish due to premium silicon carbide grain.
- Highly flexible for all contours and shapes thanks to water resistant latex paper.

Item	Application	Part Number	Grain/Grit Size	Size(mm)	Packaging
1	Wet & Dry	2 608 621 527	60	230*280	100 Pieces /Cardboard/ Shrinkpacked
2	Wet & Dry	2 608 621 528	80	230*280	100 Pieces /Cardboard/ Shrinkpacked
3	Wet & Dry	2 608 621 529	100	230*280	100 Pieces /Cardboard/ Shrinkpacked
4	Wet & Dry	2 608 621 530	120	230*280	100 Pieces /Cardboard/ Shrinkpacked
5	Wet & Dry	2 608 621 531	150	230*280	100 Pieces /Cardboard/ Shrinkpacked
6	Wet & Dry	2 608 621 532	180	230*280	100 Pieces /Cardboard/ Shrinkpacked
7	Wet & Dry	2 608 621 533	220	230*280	100 Pieces /Cardboard/ Shrinkpacked
8	Wet & Dry	2 608 621 534	240	230*280	100 Pieces /Cardboard/ Shrinkpacked
9	Wet & Dry	2 608 621 535	320	230*280	100 Pieces /Cardboard/ Shrinkpacked
10	Wet & Dry	2 608 621 536	400	230*280	100 Pieces /Cardboard/ Shrinkpacked
11	Wet & Dry	2 608 621 537	500	230*280	100 Pieces /Cardboard/ Shrinkpacked
12	Wet & Dry	2 608 621 538	600	230*280	100 Pieces /Cardboard/ Shrinkpacked
13	Wet & Dry	2 608 621 539	800	230*280	100 Pieces /Cardboard/ Shrinkpacked
14	Wet & Dry	2 608 621 540	1000	230*280	100 Pieces /Cardboard/ Shrinkpacked
15	Wet & Dry	2 608 621 541	1200	230*280	100 Pieces /Cardboard/ Shrinkpacked
16	Wet & Dry	2 608 621 542	1500	230*280	101 Pieces /Cardboard/ Shrinkpacked
17	Wet & Dry	3 608 621 543	2000	230*280	102 Pieces /Cardboard/ Shrinkpacked
18	Wet & Dry	4 608 621 544	2500	230*280	103 Pieces /Cardboard/ Shrinkpacked




Storage Do's and Don'ts

Recommendation for correct storage of abrasives:



- Temperature:
15 to 25°C



- Relative humidity:
40-70%



- Store in
original
packaging



- Never on
concrete
floors



- Never by
an open
window



- Never near
to a radiator



1



2



3



4



Foam & Sponge Abrasive (hand sanding)

Part Number	BOSCH EXPERT	Description	Packaging
Combi Abrasive Sponge (Best for Flat + Edge) MOQ: 50pcs			
2 608 608 223	2 608 901 168	Fine	50 pcs / box

Color Foam Block (Best for Flat & Edge) MOQ: 50pcs

1	2 608 608 225	2 608 901 169	Medium	50 pcs / box
	226	170	Fine	50 pcs / box
	228	180	Super fine	50 pcs / box

Color Foam Pad (Best for Edge) MOQ: 50pcs

	2 608 608 229	2 608 901 171	Medium	50 pcs / box
2	230	172	Fine	50 pcs / box
	231	173	Super Fine	50 pcs / box

Non Woven Abrasive for Metal & Inox

MOQ: 20pcs

	2 608 608 211	2 608 901 212	Fleece Pad - Best for Finish Coarse (Brown)	152 mm x 229 mm (20 pcs)
	212	213	Fleece Pad - Best for Finish Bright (Black)	152 mm x 229 mm (20 pcs)
3	213	215	Fleece Pad - Best for Finish Matt (Maroon)	152 mm x 229 mm (20 pcs)
4	214	217	Fleece Pad - Expert for Finish (Green)	152 mm x 229 mm (20 pcs)

	2 608 608 215	2 608 901 222	Fleece Roll - Best for Finish Coarse	100 mm x 10 M
	216	2 608 901 223	Fleece Roll - Best for Finish Bright	100 mm x 10 M

Note: *Items marked are based on Indent Basis.
Valid in West Malaysia and while stocks last only.



1



3



2



4



Multi Sander Accessories

Part Number **BOSCH EXPERT** **BOSCH PRO** Description

For Model GEX 150 AC

Sanding Paper for Wood and Metal (5 piece pack)

1	2 608 900 814	Sanding Paper x 150 mm (G 60)
	815	Sanding Paper x 150 mm (G 80)
2	3 608 610 000	Lambswool Bonnet - 2 pcs per pack (160 mm)
3	3 608 613 000	Polishing Sponge (160 mm)

For Model 125-1A/AE

Sanding Paper for Wood and Metal (5 piece pack)

	2 608 900 794	Sanding Paper 115 mm (G 40)
	795	Sanding Paper 115 mm (G 60)
	796	Sanding Paper 115 mm (G 80)
	797	Sanding Paper 115 mm (G 120)
	798	Sanding Paper 115 mm (G 180)
	799	Sanding Paper 115 mm (G 240)
	800	Sanding Paper 115 mm (G 320)
	801	Sanding Paper 115 mm (G 400)
	802	Sanding Paper 115 mm (G 60 / 120 / 240 - 2 pcs each)

For Model GEX 125-1 A/AE (2008 Model)

2 608 000 349	Rubber Pad, standard (GEX 125-1 A/AE, 2008 model)
---------------	---

Bench Grinder Accessories

For Model GBG 60-20

2 608 600 111	Grinding Wheel 200 x 25 x 32 mm (Fine / Grit 36)
4 2 608 600 112	Grinding Wheel 200 x 25 x 32 mm (Fine / Grit 60)

Belt Sander Accessories

For Model GBS 75A

Sanding Belt for Wood and Metal (3 piece pack)

2 608 606 069	Sanding Belt 75 x 533 mm (G 40)
070	Sanding Belt 75 x 533 mm (G 60)
071	Sanding Belt 75 x 533 mm (G 80)
072	Sanding Belt 75 x 533 mm (G 100)
073	Sanding Belt 75 x 533 mm (G 150)
074	Sanding Belt 75 x 533 mm (G 220)
076	Sanding Belt 75 x 533 mm (G 320)

Note: *Items marked are based on Indent Basis.

Valid in West Malaysia and while stocks last only.

TCT Annular Cutter

The high efficiency solution for metal drilling

High Efficiency

- Optimized tip geometry, with **outer-intermediate-inner tip combination** achieves extra high working rate and slim chips. Drilling is fast and has lower risk to get jammed



Universal shank

Standard 19mm universal shank fit to magnetic drill with universal/Weldon interface

Extended lifetime

- Industrial level carbide with 8% Cobalt alloyed offers a teeth hardness up to **1600 HV10**, highly resistant to wear and heat. A medium size cutter can drill up to 1000+ holes *

* In Bosch standard test conditions

TCT Annular Cutter

Part Number	Description	Pin Reference
2608577483	14x35mm	PL6035
484	16x35mm	PL6035
485	18x35mm	PL8035
486	20x35mm	PL8035
487	22x35mm	PL8035
488	24x35mm	PL8035
489	26x35mm	PL8035
490	28x35mm	PL8035
491	30x35mm	PL8035
492	32x35mm	PL8035
493	35x35mm	PL8035
494	40x35mm	PL8035
507	PIN, PL6035 (6.34X90mm)	
508	PIN, PL8035 (8x90mm)	



1



Keyless Chuck



Key Chuck

Multi Sander Accessories

1 2 608 601 062	Rubber Pad, standard (125 mm)
063	Rubber Pad, soft (125 mm)

Key Chuck & Keyless Chuck

Keyless Chuck

2 608 572 217	3/8" - 24	3/8 (10 mm)
075	1/4" - 6K for GDR	3/8 (10 mm)

Key Chuck

2 608 571 078	3/8" - 24	3/8 (10 mm)
079	1/2" - 13	1/2 (13 mm)

Chuck Key

1 607 950 042	Pairing with chuck 1 608 571 066 / 1 608 571 058
028	Pairing with chuck 2 608 571 010
045	Pairing with chuck 1 608 571 048

Note: *Items marked are based on **Indent Basis**.
Valid in West Malaysia and while stocks last only.



Straight Grinder, Trimmer and Router Accessories

Part Number **BOSCH EXPERT** Description
BOSCH PRO

For Model GGS 3000L, GGS 5000L, GGS 28 LC, GGS 28 C

1	2 608 570 008	Collet 3.0 mm
	047	Collet 6.0 mm

Angle Grinder Accessories

For Model GWS 20-180, GWS 20-180 S & GWS 20-231

2	2 602 025 075	Handle (M14) - for all 2 Hand Grinder
3	1 603 340 040	Round Nut
4	1 605 703 099	Flange
5	1 607 950 048	Pin Spanner

Polisher & Angle Grinder Accessories

For Model GPO 12 CE Polisher

6	1 608 613 013	Polishing Sponge (160 mm)
	1 608 610 000	Lambswool Bonnet (180 mm)
	2 608 601 209	180mm rubber pad (M14)

For Model GWS 6-100, GWS 7-100, GWS 7-100 T, GWS 7-100 ET, GWS 8-100 C & GWS 8-100 CE
Handle Antivibration (M10)

7	2 603 340 018	Round Nut (M 10)
	1 602 025 024	Handle (M 10)
8	2 608 900 000	Vibration Control Hander

Note: *Items marked are based on Indent Basis.
Valid in West Malaysia and while stocks last only.



Sanding & Polishing for Drill

Part Number Description

1	1 609 200 240	5" Rubber Backing Pad
2	245	5" Lambswool Bonnet
3	250	5" Polishing Sponge (Foam With rubber backing pad)
4	287	Flap Wheel 50 x 20 mm (Grit 60)


De-rusting Accessories for Drill

5	1 609 200 269	Pencil Brush - Crimped Wire (0.3 x 25 mm)
6	270	Wire Cup Brush - Crimped Wire (0.3 x 70 mm)
	271	Wire Cup Brush - Crimped Wire (0.2 x 70 mm)
7	1 609 200 273	Wire Wheel - Crimped Wire (0.3 x 100 mm)
8	2 608 601 762	Diamond Cupwheel Expert for Concrete Long Life (125 x 22.23 x 5 mm)
	763	Diamond Cupwheel Expert for Concrete High Speed (125 x 22.23 x 5 mm)

Shaping Accessories for Drill

9	1 609 200 307	Set (3 pcs) of Freehand Router Bits
10	314	Set (4 pcs) of Freehand Router Bits
11	286	Set (5 pcs) of Mounted Grinding Stone
12	243	Hole Saw (8 pcs set) - 25 mm to 68 mm

Note: *Items marked are based on Indent Basis.
Valid in West Malaysia and while stocks last only.



Router Bit (Carbide-Tipped) - 1/4" Shank

Item	Part Number	Description	Specification (1/4" shank)
	2 608 628 427	Straight bit, 1-flute	1/8 x 5/16 x 2
	428	Straight bit, 1-flute	3/16 x 1/2 /2
	411	Straight bit, 2-flutes	1/4 x 5/8 x 1 7/8
	429	Straight bit, 2-flutes	5/16 x 25/32 x 2
	412	Straight bit, 2-flutes	3/8 x 25/32 x 2
	413	Straight bit, 2-flutes	1/2 x 25/32 x 2
	414	Straight bit, 2-flutes	3/4 x 25/32 x 2
	635	Flush Trim bit (ball bearing)	1/4 x 1/2 x 2 1/8
	636	Flush Trim bit (ball bearing)	3/8 x 9/16 x 2 3/16
	637	Flush Trim bit (ball bearing)	1/2 x 1/2 x 3 3/16
	630	V-Groove bit	1/4 x 5/16 x 90° x 1 9/16
	631	V-Groove bit	3/8 x 1/2 x 90° x 1 3/4
	415	V-Groove bit	1/2 x 1/2 x 90° x 1 3/4
	416	Chamfer bit (ball bearing)	7/16 x 19/32 x 45° x 2 3/16
	417	Rabbeting bit (ball bearing)	1 x 1/2 x 1/4 x 2 1/8
	425	Core-Box bit	1/4 x 3/8 x R1/8 x 1 9/16
	632	Core-Box bit	3/8 x 3/8 x R3/16 x 1 9/16
	418	Core-Box bit	1/2 x 3/8 x R1/4 x 1 9/16
	633	Core-Box bit	5/8 x 1/2 x R5/16 x 1 3/4
	634	Core-Box bit	1 x 5/8 x R1/2 x 2 1/4
	419	Roman-Ogee (ball bearing)	5/6 x 1/2 x R4 x 2 1/8
	420	Cove bit (ball bearing)	1 x 1/2 x R1/4 x 2 1/8
	421	Beading bit (ball bearing)	1/4 x 17/32 x R1/4 x 2 3/16
	422	Beading bit (ball bearing)	3/8 x 21/32 / R3/8 x 2 5/16
	423	Beading bit (ball bearing)	1/2 x 3/4 x R1/2 x 2 7/16
	424	Ovolo bit	1 x 9/16 x R1/4 x 1 13/16
1	2 607 017 467	Straight Bit Set 1/4 Shank (6pcs)	
2	470	Trim & Edging Set 1/4 Shank (6pcs)	
3	473	Mixed Bit Set 1/4 Shank (15pcs)	
4	471	Mixed Bit Set 6mm Shank (15pcs)	
	472	Mixed Bit Set 8mm Shank (15pcs)	
	474	Mixed Router Bit Sets 6mm Shank (30 pcs)	
5	475	Mixed Router Bit Sets 8mm Shank (30 pcs)	
	476	Mixed Router Bit Sets 1/4" mm Shank (30 pcs)	

Note: *Items marked are based on Indent Basis.
Valid in West Malaysia and while stocks last only.



1



3



2



4



Planer Accessories

Part Number **BOSCH PRO** Description

For Model GHO 6500 & GH 10-82

2 607 000 193	2 608 635 905	Set of Knives 2P-HSS-82x3x29
2 608 838 999		Reversible Tungston Carbide Planer Blade

Other Tools

2 602 025 076	Auxilliary Handle for GSH 11E
1 602 025 097	Auxilliary Handle for GSH 5CE for 0611 321 040 (Under ASA)
1 612 025 055	Auxilliary Handle for GBH 5-40 DCR for 0611 264 070 (Under ASA)

For Model GBH 2 -24 DRE / DFR, GBH 4-32-DFE, GBH 2-26 DRE/DFR

1	1 617 000 132	SDS Plus Adapter
2	2 608 572 059	SDS Plus quick change Chuck for GBH 4-32-DFE
3	112	SDS Plus quick change Chuck for GBH 2 - 24 DFR
	213	SDS Plus quick change Chuck for GBH 2 - 26 DFR/ GBH 4-32 DFR*
	212	Keyless Chuck (GHB 2 - 26) DFR
	253	13 mm Chuck with Key for 2kg Hammer (20 RNF)

Foam Rubber Cutter Accessories

For Model 1575, GSG 300 & GSG 9.6 V

4	2 607 018 011	Sawblade 200 mm (8.0") T43A
	012	Sawblade 300 mm (11 ¾") T43C
	2 608 135 021	Guide 200 mm (8.0") T42B
	022	Guide 300 mm (11 ¾") T42C

Note: *Items marked are based on Indent Basis.
Valid in West Malaysia and while stocks last only.



Shear Accessories (Metal)

Part Number Description

For Model GSC 2.8

1	2 607 010 025	Upper and Lower Blade Set
---	---------------	---------------------------

Nibbler Accessories (Metal)

For Model GNA 2.1

2	2 608 639 900	Universal Die-holder (Original with Tool)
3	021	Die-holder for corrugated materials
4	013	Straight & Curve Cutting Punch (Original with Tool)
5	022	Cutting Punch for corrugated materials
6	902	Cutting Punch and Die-holder Set for corrugated materials

Vacuum Cleaner Accessories

For Model GAS15/15PS

Part number Description

Nozzle (35 mm Fitting)

1 609 390 481	Small Round Brush
2 607 000 166	Small Floor Nozzle
170	Coarse Dirt Nozzle
1 609 390 478	Multi-purpose Nozzle (with 3 inserts)
2 607 000 165	Crevice Nozzle
1 609 201 229	Rubber Nozzle
2608 000 573	Pipe Elbow
585	Tool Sleeve
2 607 002 150	Air Hose Ø 35mm-5m
2 605 411 150	Dusty Bag 5 pcs
1 609 203 B92	Suction Pipe (Under ASA)
2 607 000 162	Suction Pipe Ø 35mm 0.5m

Note: *Items marked are based on Indent Basis.
Valid in West Malaysia and while stocks last only.



1



2



3



4



5

Hot Air Gun Accessories

Part Number

Description

List Price
(RM)

For Model GHG 600 CE, GHG 650 LCE, GHG 600 -3, GHG 600 DCE, GHG 18-60, CHG 20-63

	1 609 201 795	Surface Nozzle (50 mm)
1	1 609 390 453	Reflector Nozzle

Only for GHG 20-63

2	1 609 201 647	Reduction Nozzle (14 mm)
	797	Reduction Nozzle (9 mm)
3	798	Welding / Rods Nozzle - In conjunction with 1 609 201 797
5	801	Welding / Wire Nozzle - In conjunction with 1 609 201 797

Note: *Items marked are based on **Indent Basis**.
Valid in West Malaysia and while stocks last only.

Rotary Hammer

Service Pack	Part Number
GBH 3-28 E	1 617 000 383
GBH 4-32 DFR	1 617 000 897
GBH 5-38 D	1 617 000 A16
GBH 5-40 D	1 619 P10 768
GBH 7-45 DE	1 617 000 182
GBH 7-46 DE (with Grease Tube)	1 617 000 465
GBH 8-45 DV	1 610 103 026

Demolition Hammer

GSH 388	1 617 000 A15
GSH 5	1 619 P07 788
GSH 5X	1 619 P09 706
GSH 5 E	1 617 000 431
GSH 5 CE	1 617 000 708
GSH 11 E (with Grease tube)	1 617 000 190
GSH 11 VC	1 617 000 758
GSH 16-30 (with Grease tube)	1 617 000 702
GSH 27 (with Grease tube)	1 617 000 426
GSH 27 VC (with Grease tube)	1 617 000 732

Grease for Hammer

Part Number	Packing
1 605 430 003 (Angle Grinder)	225ml
1 615 430 005 (2kg & 3kg Hammer)	45ml
1 615 430 001 (2kg & 3kg Hammer)	225ml
1 615 430 007 (2kg & 3kg Hammer)	1000ml
1 615 430 014 (≥5kg Hammer)	45ml
1 615 430 015 (≥5kg Hammer)	225ml
1 615 430 016 (≥5kg Hammer)	1000ml

Oil for Hammer

Model	Part Number	Packing
GBH 3-28 E	1 615 430 019	1 litre
GSH 388 & GBH 5-38	1 615 430 019	1 litre

Valid in West Malaysia and while stocks last only