



Hex Key Wrench

Hex Key Set	64-67
Square Male Hex Key	67-69
Ball Male Hex Key	67-69
Tamper Torx® Hex Key	68
T-Shape Hex Key	69
Big Hex Key	68-69


09101 9Pc. Extra Long Ball Point Hex Key Set

- New SVCN+ material for higher torque
- Hex key holder specially designed for easy inserting & removing and long-time operation
- Butterfly socket with novel appearance
- Fully polished surface plated with chrome

No.	Spec. (mm)			
09101	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10	6	36	18.8


09105 9Pc. Long Arm Ball Point Hex Key Set

- New SVCN+ material for higher torque
- Hex key holder specially designed for easy inserting & removing and long-time operation
- Butterfly socket with novel appearance
- Fully polished surface plated with chrome

No.	Spec. (mm)			
09105	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10	6	36	15.4


09119 8Pc. Mini Hex Key Set

- Material: Cr-V (chrome-vanadium steel)

No.	Spec. (mm)			
09119	0.7, 0.9, 1.3, 1.5, 2, 2.5, 3, 4	24	192	71


09102 12Pc. Extra Long Ball Point Hex Key Set, SAE

- Material: S2
- Fully polished surface with chrome plated
- Butterfly socket for easy holding

No.	Spec.			
09102	1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	6	36	20.8


09106 12Pc. Long Arm Ball Point Hex Key Set, SAE

- Material: S2
- Fully polished surface plated with chrome
- Butterfly socket for easy holding

No.	Spec.			
09106	1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	6	36	16.7


09121 8Pc. Folding Hex Key Set


- New ergonomic handle for higher torque output
- Material: Cr-V (chrome-vanadium steel)

No.	Spec. (mm)			
09121	1.5, 2, 2.5, 3, 4, 5, 6, 8	6	24	5


09103 9Pc. Extra Long Hex Key Set

- New SVCN+ material for higher torque
- Hex key holder specially designed for easy inserting & removing and long-time operation
- Butterfly socket with novel appearance
- Fully polished surface plated with chrome

No.	Spec. (mm)			
09103	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10	6	36	18.9


09107 9Pc. Long Arm Hex Key Set

- New SVCN+ material for higher torque
- Hex key holder specially designed for easy inserting & removing and long-time operation
- Butterfly socket with novel appearance
- Fully polished surface plated with chrome

No.	Spec. (mm)			
09107	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10	6	36	15.6


09122 9Pc. Folding Hex Key Set, SAE

- New ergonomic handle for higher torque output
- Material: Cr-V (chrome-vanadium steel)

No.	Spec.			
09122	1/4", 7/32", 3/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32"	6	24	4.6


09104 12Pc. Extra Long Hex Key Set, SAE

- Material: S2
- Fully polished surface plated with chrome
- Butterfly socket for easy holding

No.	Spec.			
09104	1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	-	36	20.9


09108 12Pc. Long Arm Hex Key Set, SAE

- Material: S2
- Fully polished surface plated with chrome
- Butterfly socket for easy holding

No.	Spec.			
09108	1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	-	36	16.9


09123 8Pc. Folding Tamper-Proof Torx® Key Set

- New ergonomic handle for higher torque output
- Material: Cr-V (chrome-vanadium steel)

No.	Spec.			
09123	T9, T10, T15, T20, T25, T27, T30, T40	6	24	4.6



09701 8Pc. Long Arm Tamper-Proof Torx® Key Set

- Made of S2 alloy steel with tamper and quenching treatment
- Chrome-plated mist surface for elegance and rust protection
- Inner hexagon socket for convenience and steadiness
- Butterfly socket with novel appearance

No.	Spec.			
09701	TT6, TT7, TT8, TT9, TT10, TT15, TT20, TT25	-	12	11



09111 7Pc. Extra Long Hex Key Set

- New SVCMM+ material for higher torque
- Inner hexagon socket for convenience and steadiness
- Butterfly socket with novel appearance
- Fully polished surface plated with chrome

No.	Spec. (mm)			
09111	1.5, 2, 2.5, 3, 4, 5, 6	12	72	12.1



09127 7Pc. Hex Key Set

- New SVCMM+ material for higher torque
- Inner hexagon socket for convenience and steadiness
- Book-shaped socket with novel appearance
- Fully polished surface plated with chrome

No.	Spec. (mm)			
09127	1.5, 2, 2.5, 3, 4, 5, 6	12	72	9.1



09702 9Pc. Long Arm Tamper-Proof Torx® Key Set

- Made of S2 alloy steel with tamper and quenching treatment
- Chrome-plated mist surface for elegance and rust protection
- Inner hexagon socket for convenience and steadiness
- Butterfly socket with novel appearance

No.	Spec.			
09702	TT10, TT15, TT20, TT25, TT27, TT30, TT40, TT45, TT50	6	48	17.6



09113 7Pc. Long Arm Ball Point Hex Key Set

- New SVCMM+ material for higher torque
- Inner hexagon socket for convenience and steadiness
- Butterfly socket with novel appearance
- Fully polished surface plated with chrome

No.	Spec. (mm)			
09113	1.5, 2, 2.5, 3, 4, 5, 6	12	72	10.9



09117 9Pc. T-Handle Ball Point Hex Key Set

- New SVCMM+ material for high wear resistance and torque
- New ergonomic handle for comfort
- New mirror polished surface, preventing oil penetration, and being elegant and durable

No.	Spec. (mm)			
09117	2, 2.5, 3, 4, 5, 6, 7, 8, 10	1	6	9.2

▲ The product bracket is a consumable item and is not covered by the lifetime warranty of SATA.



09124 9Pc. Extra Long Ball Point Hex Key Set

- New torque extension bar for convenience and comfort
- New SVCMM+ material for higher torque
- Fully polished surface plated with chrome

No.	Spec. (mm)			
09124	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10	6	24	16.1

▲ Power bars are consumables and are not covered by the lifetime warranty of SATA.



09115 7Pc. Long Arm Hex Key Set

- New SVCMM+ material for higher torque
- Inner hexagon socket for convenience and steadiness
- Butterfly socket with novel appearance
- Fully polished surface plated with chrome

No.	Spec. (mm)			
09115	1.5, 2, 2.5, 3, 4, 5, 6	12	72	11



09118 9Pc. T-Handle Hex Key Set

- New SVCMM+ material for high wear resistance and torque
- New ergonomic handle for comfort
- New mirror polished surface, preventing oil penetration, and being elegant and durable

No.	Spec. (mm)			
09118	2, 2.5, 3, 4, 5, 6, 7, 8, 10	1	6	9.2

▲ The product bracket is a consumable item and is not covered by the lifetime warranty of SATA.



09109 7Pc. Extra Long Ball Point Hex Key Set

- New SVCMM+ material for higher torque
- Inner hexagon socket for convenience and steadiness
- Butterfly socket with novel appearance
- Fully polished surface plated with chrome

No.	Spec. (mm)			
09109	1.5, 2, 2.5, 3, 4, 5, 6	12	72	13.2

▲ No warranty for reinforcing bar.



09125 7Pc. Ball Point Hex Key Set

- New SVCMM+ material for higher torque
- Inner hexagon socket for convenience and steadiness
- Book-shaped socket with novel appearance
- Fully polished surface plated with chrome

No.	Spec. (mm)			
09125	1.5, 2, 2.5, 3, 4, 5, 6	12	72	9.2



09101CH 9Pc. Antislip Extra Long Arm Ball Point Hex Key Set

- Colored sheath for quick identification, oil resistant and anti-slip.
- Special surface treatment to ensure dimensional accuracy.
- Soft plastic holder, comfortable to hold, not easy to damage or break.

No.	Spec. (mm)			
09101CH	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10	6	36	18.7

▲ The colored jacket on the hex wrench is not covered by the lifetime warranty of SATA.



Antislip Extra Long Arm Ball Point Hex Key

- Colored sheath for quick identification, oil resistant and anti-slip.
- Special surface treatment to ensure dimensional accuracy.

No.	Spec. (mm)	Short side length (mm)	Long side length (mm)			
80104CH	1.5	15.5	91.5	120	720	2.5
80105CH	2	18	102	120	720	3.75
80106CH	2.5	20.5	114.5	80	640	6.8
80107CH	3	23	129	80	640	8.1
80108CH	4	29	144	80	640	13.9
80110CH	5	33	165	50	500	18
80112CH	6	38	186	50	300	16.45
80114CH	8	44	208	25	100	10.9
80116CH	10	50	234	25	100	18.8

▲ The colored jacket on the hex wrench is not covered by the lifetime warranty of SATA.



09103CH 9Pc. Antislip Extra Long Arm Hex Key Set

- Colored sheath for quick identification, oil resistant and anti-slip.
- Special surface treatment to ensure dimensional accuracy.
- Soft plastic holder, comfortable to hold, not easy to damage or break.

No.	Spec. (mm)			
09103CH	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10	6	36	18.7

▲ The colored jacket on the hex wrench is not covered by the lifetime warranty of SATA.



09702CH 9Pc. Antislip Extra Long Arm Torx Key Set

- Colored sheath for quick identification, oil resistant and anti-slip.
- Special surface treatment to ensure dimensional accuracy.
- Soft plastic holder, comfortable to hold, not easy to damage or break.

No.	Spec.			
09702CH	T10, T15, T20, T25, T27, T30, T40, T45, T50	6	36	20

▲ The colored jacket on the hex wrench is not covered by the lifetime warranty of SATA.



09110 10Pc. Long Arm Hex Key Set

- New SVCN+ material for higher torque
- Inner hexagon socket for convenience and steadiness
- Butterfly socket with novel appearance
- Fully polished surface plated with chrome

No.	Spec. (mm)			
09110	2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10	6	36	22



09112 10Pc. Long Arm Ball Point Hex Key Set

- New SVCN+ material for higher torque
- Inner hexagon socket for convenience and steadiness
- Butterfly socket with novel appearance
- Fully polished surface plated with chrome

No.	Spec. (mm)			
09112	2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10	6	36	22



09128 9Pc G-series Extra Long Ball Point Hex Key Set

- Made of Cr-V for good wear resistance and long service life
- Subjected to CNC processing for accuracy
- Chrome-plated mist surface for elegance and rust protection
- Sliding plastic bracket for easily picking and placing wrench

No.	Spec. (mm)			
09128	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10	6	24	11.8



09101A 9Pc. Extra Long Ball Point Hex Key Set

- Mist surface plated with chrome
- Material: Cr-V [chrome-vanadium steel]

No.	Spec. (mm)			
09101A	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10	6	48	26.1

▲ Excluded from lifetime warranty terms.



09103A 9Pc. Extra Long Hex Key Set

- Mist surface plated with chrome
- Material: Cr-V [chrome-vanadium steel]

No.	Spec. (mm)			
09103A	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10	6	48	26.1

▲ Excluded from lifetime warranty terms.



09105A 9Pc. Long Arm Ball Point Hex Key Set

- Mist surface plated with chrome
- Material: Cr-V [chrome-vanadium steel]

No.	Spec. (mm)			
09105A	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10	6	48	20.6

▲ Excluded from lifetime warranty terms.



09107A 9Pc. Long Arm Hex Key Set

- Mist surface plated with chrome
- Material: Cr-V [chrome-vanadium steel]

No.	Spec. (mm)			
09107A	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10	6	48	21.4

▲ Excluded from lifetime warranty terms.



09141 14Pc. Long Arm Ball Point Hex Key Set

- Common specifications in construction machinery industry available, with iron box, being portable and easy for storage
- New SVCN+ material for high wear resistance and torque
- Elegant and durable new mirror polished surface for preventing oil penetration

No.	Spec. (mm)			
09141	1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 7, 8, 10, 12, 14, 17	4	8	18.4



09143 14Pc. Long Arm Hex Key Set

- Common specifications in construction machinery industry available, with iron box, being portable and easy for storage
- New SVCN+ material for high wear resistance and torque
- Elegant and durable new mirror polished surface for preventing oil penetration

No.	Spec. (mm)			
09143	1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 7, 8, 10, 12, 14, 17	4	8	18.5



09715 9Pc. Long Arm Ball Point Torx® Key Set

- Chrome-plated mist surface for elegant and rust protection
- Made of S2 alloy steel and subject to quenching treatment
- Ball point head for tilting operation


No.	Spec.			
09715	T10,T15,T20,T25,T27,T30,T40,T45,T50	6	36	13.3



09716 9Pc. Extra Long Arm Ball Point Torx® Key Set

- Chrome-plated mist surface for elegant and rust protection
- Made of S2 alloy steel and subject to quenching treatment
- Ball point head for tilting operation

No.	Spec.			
09716	T10,T15,T20,T25,T27,T30,T40,T45,T50	6	36	17.8



G-series Extra Long Ball Point Hex Key

- Material: CRV. Good wear resistance. Long life
- CNC equipment processing to ensure good precision
- Matte chrome plating, beautiful appearance, good rust resistance


No.	Spec. (mm)	L(mm)	A(mm)			
80204	1.5	90	16	36	2016	5.8
80205	2	101	19	36	2016	7.8
80206	2.5	113	21	36	2016	13.9
80207	3	128	23	18	936	11.1
80208	4	142	29	18	936	19.5
80210	5	163	33	18	450	15.8
80212	6	184	38	18	360	19.6
80213	7	195	39	18	180	15
80214	8	205	44	12	96	10.9
80216	10	231	50	12	96	18.2



Long Arm Ball Point Torx® Key

- Chrome-plated mist surface for elegant and rust protection
- Made of S2 alloy steel and subject to quenching treatment
- Ball point head for tilting operation


No.	Spec.	L(mm)	A(mm)			
84604	T10	89.0	20.0	72	864	7
84605	T15	93.5	21.5	72	864	9
84606	T20	99.0	23.0	72	432	5.8
84607	T25	104.5	24.5	72	432	7.5
84608	T27	110.1	26.1	72	432	9.8
84609	T30	120.0	30.0	72	432	14.1
84610	T40	131.0	33.0	72	288	13.9
84611	T45	141.0	37.0	36	144	9.8
84612	T50	161.0	41.0	36	144	13.8



Extra Long Ball Point Torx® Key

- Chrome-plated mist surface for elegant and rust protection
- Made of S2 alloy steel and subject to quenching treatment
- Ball point head for tilting operation

No.	Spec.	L(mm)	A(mm)			
84704	T10	93	20	72	864	7.2
84705	T15	103.5	21.5	72	864	9.5
84706	T20	116	23	72	432	6.5
84707	T25	130.5	24.5	72	432	9.4
84708	T27	145.1	30.1	72	432	12.8
84709	T30	166	34	72	432	19.7
84710	T40	187	39	72	288	19.2
84711	T45	208	44	36	144	14.4
84712	T50	233	49	36	144	20



Extra Long Hex Key

- Chrome-plated mist surface
- Material: Cr-V (chrome-vanadium steel)

No.	Spec. (mm)	L(mm)	A(mm)			
80304A	1.5	91	14	72	864	2.8
80305A	2	100	17	72	864	4.1
80306A	2.5	113	20	72	432	3.3
80307A	3	127	21	36	432	5.2
80308A	4	143	28	36	432	9.4
80310A	5	164	32	36	144	5.6
80312A	6	185	35	36	144	8.5
80313A	7	195	39	36	144	11.2
80314A	8	208	43	18	72	7.9
80316A	10	231	47	18	72	13.4

⚠ Excluded from lifetime warranty terms.




Long Arm Hex Key

- Chrome-plated mist surface
- Material: Cr-V (chrome-vanadium steel)

No.	Spec. (mm)	L(mm)	A(mm)			
81304A	1.5	62.5	14.5	72	864	3
81305A	2	76	17	72	864	4.1
81306A	2.5	85.5	19.5	72	432	4.6
81307A	3	91	22	36	432	4.9
81308A	4	102	28	36	432	7.6
81310A	5	118	32	36	144	4.6
81312A	6	139	37	36	144	6.5
81313A	7	145	39	36	144	10.4
81314A	8	156	43	18	72	6.8
81316A	10	168	49	18	72	10.7

⚠ Excluded from lifetime warranty terms.




Hex Key

- Chrome-plated mist surface
- Material: Cr-V (chrome-vanadium steel)

No.	Spec. (mm)	L(mm)	A(mm)			
82304A	1.5	45.5	14.5	72	864	2.3
82305A	2	51	17	72	864	2.5
82306A	2.5	56.5	19.5	72	432	2.1
82307A	3	64	22	36	432	3.1
82303A	3.5	67.5	24.5	36	432	4.6
82308A	4	72	28	36	432	5.6
82310A	5	83	32	36	144	3.1
82312A	6	94	37	36	144	5.2
82313A	7	100	39	36	144	7.5
82314A	8	106	43	18	72	4.7
82316A	10	120	49	18	72	7.7

⚠ Excluded from lifetime warranty terms.




Extra Long Ball Point Hex Key

- Chrome-plated mist surface
- Material: Cr-V (chrome-vanadium steel)

No.	Spec. (mm)	L(mm)	A(mm)			
80104A	1.5	91	14	72	864	3.1
80105A	2	100	17	72	864	4.5
80106A	2.5	113	20	72	432	4.6
80107A	3	127	21	36	432	5.5
80108A	4	143	28	36	432	9.4
80110A	5	164	32	36	144	5.2
80112A	6	185	35	36	144	7.9
80113A	7	195	39	36	144	11.8
80114A	8	208	43	18	72	7.9
80116A	10	231	47	18	72	13.6

⚠ Excluded from lifetime warranty terms.




Long Arm Ball Point Hex Key

- Chrome-plated mist surface
- Material: Cr-V (chrome-vanadium steel)

No.	Spec. (mm)	L(mm)	A(mm)			
81104A	1.5	62.5	14.5	72	864	3.3
81105A	2	76	17	72	864	4.1
81106A	2.5	85.5	19.5	72	432	3.3
81107A	3	91	22	36	432	4.9
81108A	4	102	28	36	432	7.2
81110A	5	118	32	36	144	4.6
81111A	5.5	128.5	34.5	36	144	5.4
81112A	6	139	37	36	144	7
81113A	7	145	39	36	144	9.6
81114A	8	156	43	18	72	6.6
81116A	10	168	49	18	72	11


▲ Excluded from lifetime warranty terms.



Long Arm Tamper-Proof Torx® Key

- Made of S2 alloy steel with tamper

No.	Spec.	L(mm)	A(mm)			
84501	TT6	72	18.5	72	864	4.9
84502	TT7	76.5	18.5	72	864	5.2
84503	TT8	80.5	18.5	72	864	5.4
84504	TT9	85	19	72	864	6.8
84505	TT10	89	20	72	864	7.2
84506	TT15	93.5	21.5	72	864	9.1
84507	TT20	99	23	72	432	7.1
84508	TT25	104.5	24.5	72	432	8.9
84509	TT27	110	27	72	432	10.5
84510	TT30	119.5	29.5	72	432	13.2
84511	TT40	131	33	72	288	14.2
84512	TT45	141	37	36	144	10.2
84513	TT50	161	41	36	144	14.4
84514	TT55	182.5	46.5	36	72	13
84515	TT60	203.5	51.5	18	36	10



Hex Key

- New SVCN+ material for higher torque, with chamfered end for easy nut inserting

No.	Spec. (mm)	L(mm)	A(mm)			
82304	1.5	46	15	72	864	1.2
82305	2	51.5	17.5	72	864	1.9
82306	2.5	58	20	72	432	1.6
82307	3	65.5	22.5	36	432	2.8
82308	3.5	69	25	36	432	3.7
82309	4	73.5	28.5	36	432	5
82310	5	84.5	32.5	36	144	2.9
82312	6	95.5	37.5	36	144	4.6
82313	7	101.5	40.5	36	144	6.5
82314	8	107.5	43.5	18	72	4.7
82316	10	121.5	49.5	18	72	7.8



Ball Point Hex Key

- New SVCN+ material for higher torque, with chamfered end for easy nut inserting


No.	Spec. (mm)	L(mm)	A(mm)			
82104	1.5	46	15	72	864	1.2
82105	2	51.5	17.5	72	864	1.9
82106	2.5	58	20	72	432	1.9
82107	3	65.5	22.5	72	432	2.4
82108	3.5	69	25	72	432	3.4
82109	4	73.5	28.5	72	432	4.7
82111	5	84.5	32.5	36	144	2.8
82113	6	95.5	37.5	36	144	4.6
82115	7	101.5	40.5	36	144	6.4
82117	8	107.5	43.5	18	72	4.7
82119	10	121.5	49.5	18	72	8



Long Arm Hex Key

- New mirror polished surface, preventing oil penetration, and being elegant and durable
- New SVCN+ material for higher torque, with chamfered end for easy nut inserting


No.	Spec. (mm)	L(mm)	A(mm)			
81304	1.5	78.5	15	72	864	1.7
81305	2	84	17.5	72	864	2.9
81306	2.5	91	20	72	432	2.2
81307	3	101.5	22	36	432	3.9
81308	4	108	28	36	432	6.8
81310	5	121	32	36	144	3.8
81311	5.5	132	34.5	36	144	4.9
81312	6	144	37	36	144	6.4
81313	7	155	40	36	144	9.1
81314	8	166	43	18	72	6.6
81315	9	174	46	18	72	9.4
81316	10	177	49	18	72	10.6
81318	12	221	56	12	48	12.7
81320	14	247	68.5	12	24	9.8
81323	17	263	78.5	12	24	15.4



Long Arm Ball Point Hex Key

- New mirror polished surface, preventing oil penetration, and being elegant and durable
- New SVCN+ material for higher torque, with chamfered end for easy nut inserting


No.	Spec. (mm)	L(mm)	A(mm)			
81104	1.5	78.5	15	72	864	1.7
81105	2	84	17.5	72	864	2.8
81106	2.5	91	20	72	432	2.2
81107	3	101.5	22	36	432	3.9
81108	4	108	28	36	432	6.7
81110	5	121	32	36	144	3.8
81111	5.5	132	34.5	36	144	5.1
81112	6	144	37	36	144	6.4
81113	7	155	40	36	144	9
81114	8	166	43	18	72	6.6
81115	9	174	46	18	72	9.4
81116	10	177	49	18	72	10.6
81118	12	221	56	12	48	12.6
81120	14	247	68.5	12	24	9.7
81123	17	263	78.5	12	24	15.1



Extra Long Ball Point Hex Key

- New SVCN+ material for higher torque, with chamfered end for easy nut inserting


No.	Spec. (mm)	L(mm)	A(mm)			
80104	1.5	90.5	14.5	72	864	1.9
80105	2	101	17	72	864	3.1
80106	2.5	113.5	19.5	72	432	2.6
80107	3	128	22	36	432	4.7
80108	4	143	28	36	432	8.3
80110	5	164	32	36	144	4.8
80112	6	185	37	36	144	7.7
80113	7	196	40	36	144	11
80114	8	207	43	18	72	7.8
80116	10	233	49	18	72	13.2



Extra Long Hex Key

- New SVCN+ material for higher torque, with chamfered end for easy nut inserting

No.	Spec. (mm)	L(mm)	A(mm)			
80304	1.5	90.5	14.5	72	864	1.9
80305	2	101	17	72	864	3
80306	2.5	113.5	19.5	72	432	2.6
80307	3	128	22	36	432	4.6
80308	4	143	28	36	432	8.4
80310	5	164	32	36	144	4.9
80312	6	185	37	36	144	7.8
80313	7	196	40	36	144	11
80314	8	207	43	18	72	7.9
80316	10	233	49	18	72	13.4



T-Handle Ball Point Hex Key

- New SVMC+ material for higher torque, with chamfered end for easy nut inserting
- New ergonomic handle with two holding ways available


No.	Spec. (mm)	L1(mm)	L2(mm)			
83105	2	100	13	12	144	5.2
83106	2.5	100	13	12	144	5.6
83107	3	100	13	12	144	6.1
83108	4	150	13	12	144	8.4
83110	5	150	17	12	144	10.5
83112	6	150	17	12	72	10.5
83113	7	200	17	12	72	9.4
83114	8	200	17	12	72	15.6
83116	10	200	22	12	72	16.1



Black Plated Hex Key

- 7/16"-3/4" Large SAE Hex Keys
- Made of Cr-V and subject to quenching, with chamfered end for easy nut inserting
- Polished and black oxide surface

No.	Spec.	L(mm)	A(mm)			
84413	7/16"	199.1	47.1	12	48	9.9
84414	1/2"	219.7	52.2	12	48	13.8
84415	9/16"	240.3	56.8	6	24	9.7
84416	5/8"	260.9	62.4	6	24	12.9
84417	3/4"	301	71.5	6	24	20.7



T-Handle Hex Key

- New SVMC+ material for higher torque, with chamfered end for easy nut inserting
- New ergonomic handle with two holding ways available

No.	Spec. (mm)	L1(mm)	L2(mm)			
83305	2	100	13	12	144	5.2
83306	2.5	100	13	12	144	5.6
83307	3	100	13	12	144	6.1
83308	4	150	13	12	144	8.9
83310	5	150	17	12	144	10.5
83312	6	150	17	12	72	10.5
83313	7	200	17	12	72	9.3
83314	8	200	17	12	72	15.9
83316	10	200	22	12	72	16.5



Black Plated Hex Key

- Made of Cr-V and subject to quenching, with chamfered end for easy nut inserting
- 12mm-27mm large hexagon wrench
- Polished and blackened surface

No.	Spec. (mm)	L(mm)	A(mm)			
84318	12	221	56	12	48	12.7
84320	14	247	68.5	12	24	9.8
84321	16	256	74.5	12	24	13.2
84322	18	279	82.5	12	24	18.2
84323	17	263	78.5	12	24	15.3
84324	24	295	87.5	-	10	18.3
84325	19	352	100	10	20	17.9
84328	22	394	112	-	12	16.5
84329	27	437	124.5	-	6	15.6
84332	30	480	135	-	4	13.9
84334	32	502	152	-	4	17
84338	36	526	171	-	2	11.4