



EXPERIENCE THE

FAST COOKING

FOR MODERN LIFESTYLES



HYBRID

HOB

CERAMIC + INDUCTION HOB

GREATER FLEXIBILITY AND VERSATILITY



CERAMIC

- Multi cooking style
- Suit All cookware
- Controllable smart heating zones



INDUCTION

- Fast heat up without waiting
- Up to 90% energy efficient
- Safe to touch during cooking
- Half- Bridge technology *

* Intelligent half-bridge technology which able to continuously slow cooking and keep warm even below 1000W power.

** ONLY TAKE 5 MINUTES TO BOIL 2 LITERS WATER



HL-310S

Glass Panel : Heat Resistance Ceramic Glass
Power Supply : 220-240V-50/60Hz
Left & Right Zone : 4800W
Output Left (Ceramic) : 2300W
 > Inner Zone : 750W
 > Middle Zone : 1500W
 > Outer Zone : 2300W
Output Right (Induction) : 300W-2500W
 > Temperature Control : 50°C-240°C
Timer : 5-180 minutes
Auto Cut Off : 30 minutes
Glass Size : 730mm x 430mm
Cut-Out Dimension : 700mm x 400mm



RM 3,588



HL-400K

Glass Panel : Heat Resistance Ceramic Glass
Power Supply : 220-240V-50/60Hz
Output Left (Induction) : 2000W
Output Right (Ceramic) : 2000W
Total 3100W Shared Power
Timer : 5-480 minutes
Auto Cut Off : 30 minutes
Glass Size : 690mm x 420mm
Cut-Out Dimension : 670mm x 400mm



RM 1,888



Safety Device



Touch Control



Accurate Temperature



Child Safety Lock



Timer



Easy Clean

SMART HEATING CORE

CONTROL



750W



1500W



2300W



HL-520S

Glass Panel : Heat Resistance Ceramic Glass
Power Supply : 220-240V~50/60Hz

Output Left (*Induction*) : 2500W
Output Middle (*Ceramic*) : 1200W
Output Right (*Ceramic*) : 2200W
Inner Zone : 1100W
Outer Zone : 2200W

Total 5200W Shared Power
Timer : 5-180 minutes
Auto Cut Off : Yes
Glass Size : 860mm x 450mm
Cut-Out Dimension : 830mm x 420mm



General Warranty



Heating Element



Ceramic Glass (Nature Crack)

RM 3,988



HL-680

Glass Panel : Heat Resistance Ceramic Glass
Power Supply : 220-240V~50/60Hz

Output Left (*Induction*) : 3500W
Front : 1500W
Rear : 2000W
Output Right (*Ceramic*) : 3300W
Front : 1300W
Rear : 2000W

Total Power : 6800W
Timer : 5-180 minutes
Auto Cut Off : Yes
Glass Size : 520mm x 590mm
Cut-Out Dimension : 495mm x 570mm



General Warranty




Heating Element




Ceramic Glass (Nature Crack)


RM 4,488




HL-310S



HL-400K



HL-520S



HL-680



Nippon Electric Glass
JAPAN

StellaShine™ glass ceramic




EXCELLENT THERMAL SHOCK RESISTANCE

Does not crack even when splashed with ice cold water after repeatedly being heated to 800°C.


Please do not touch! Glass surface is hot after use.

ADVANCED FEATURE



▲ Germany E.G.O. Heating Coil

Energy-saving heating coil with heating on-hold system helps prevent over-heating and wastage of electrical power.




Easy Cleaning & Care

Very easy to keep clean. Can easily wipe the remnants of any dish off your ceramic glass within few minutes.

◀ JAPAN N.E.G. NEOCERAM GLASS

Glass made by Nippon Electric Glass Co. Ltd. from Japan. It can withstand up to 800°C and excellent thermal shock resistance.



▲ High-end Safety

Child safety lock, timer, overheating protection, safety auto switch off functions.



Super heat-resistant up to 800°C



Excellent thermal shock resistance



Low thermal expansion (Near zero)



High mechanical strength



Environmental friendly substance

CERAMIC

HOB



Safety
Device



Touch
Control



Accurate
Temperature



Child Safety
Lock



Timer



Easy
Clean

Cook / Stir-fry / Steam / Stew / Barbeque / Grille / Simmer / Roast

VERSATILE & ADVANCED SAFETY



HL-460

Glass Panel : Japan NEG Neoceram Glass
Heating Element : Germany EGO (Save Energy)
Power Supply : 220-240V~50/60Hz
Left & Right Zone : 4600W
Inner Zone : L : 800W R : 800W
Middle Zone : L : 1600W R : 1600W
Outer Zone : L : 2300W R : 2300W
Timer : 5-480 minutes
Auto Cut Off : 30 minutes
Glass Size : 730mm x 450mm
Cut-Out Dimension : 710mm x 430mm



General
Warranty



Heating
Element



Ceramic Glass
(Nature Crack)

RM 4,388



HL-400

Glass Panel : Japan NEG Neoceram Glass
Heating Element : Germany EGO (Save Energy)
Power Supply : 220-240V~50/60Hz
Left & Right Zone : 4000W
Output Left : 1800W
Output Right : Inner Zone : 1200W
Outer Zone : 2200W
Timer : 5-480 minutes
Auto Cut Off : 30 minutes
Glass Size : 690mm x 420mm
Cut-Out Dimension : 670mm x 400mm



General
Warranty




Heating
Element



Ceramic Glass
(Nature Crack)

RM 3,588



HL-230

Glass Panel : Heat Resistance Ceramic Glass
Power Supply : 220-240V~50/60Hz
Output : 2300W
Inner Zone : 750W
Middle Zone : 1500W
Outer Zone : 2300W
Timer : 1-180 minutes
Auto Cut Off : 30 minutes
Glass Size : 310mm x 390mm
Cut-Out Dimension : 295mm x 385mm



General
Warranty




Heating
Element




Ceramic Glass
(Nature Crack)


RM 1,188



HL-460



HL-400



HL-230



TWIN
TURBO FAN

Suction Power 1600 m³/h

LIGHTWAVE
AUTO CLEAN

Dissolve Grease Easily



THE STRONGEST EVER RANGE HOOD


**ENJOY A HEALTHIER
CLEANER HOME**



Gesture Sensing
Function



Touch Screen
Control



Two-sided
Open



Large Oil
Cup



COOKER HOOD



Gesture
Sensing



Auto
Clean



Safety
Feature



Charcoal
Filter**



General
Warranty



Hood Motor



DH-309AC

Suction Power (m³/h) : 1600 m³/h
Switch type : 2 speed touch control with hand sensor
Product Dimension : 880 x 380 x 890
Recommended Height From Hob : 300 - 400mm

- Twin Turbo Fan
- Lightwave Auto-Clean Function

RM 3,788



DH-109AC

Suction Power (m³/h) : 1450 m³/h
Switch type : 3 speed touch control with hand sensor
Product Dimension : 880 x 350 x 800mm
Recommended Height From Hob : 300 - 400mm

- Lightwave Auto-Clean Function

RM 2,088



DH-711

Suction Power (m³/h) : 1600m³/h
Switch type : 3 speed touch control & hand sensor
Product Dimension : 900 x 350 x 1075mm
Recommended Height From Hob : 280 - 330mm

- Heater Auto Clean Function

RM 3,488



DH-20

Suction Power (m³/h) : 1600 m³/h
Switch type : 3 speed touch control & hand sensor
Product Dimension : 900 x 435 x 545mm
Recommended Height From Hob : 650- 750mm

- Heater Auto Clean Function

RM 2,788




DH-06A


Suction Power (m³/h) : 1300 m³/h
Switch type : 3 speed touch control & hand sensor
Product Dimension : 870 x 475 x 540mm
Recommended Height From Hob : 650 - 750mm
Filter : baffle filter*2

- Heater Auto Clean Function


RM 2,288




DH-309AC




DH-109AC



DH-711



DH-20



DH-06A

*Dimension in mm


**Only available for model DH-711, DH-20 & DH-06A



Slow Simmer



Simmer




7 Flame Levels




Steam



Fry



Stew



Deep fry



Stir Fry

SAFETY FEATURE

CUT OFF GAS ONCE FLAME
ACCIDENTALLY TURNED OFF

6.5 Kw
STRONG FLAME

COOK
POWERFULLY



**1st Grade
Energy Efficiency**

Comply with international
energy-saving
standard

30% OF GAS SAVING COMPARE TO AVERAGE HOUSEHOLD COOKER HOB.

GAS HOB



Flame Failure
Safety Device



Anti-leakage
Gas Inlet



Adjustable
Air Inlet



Child Safe
Push Knob



Battery
Ignition



TRIPLE RING FLAME



Kw
6.5

DGH-6500-3R

Power Burners (Heating Load kW) :
L : 6.5kW R : 6.5kW
Burner Flame Layer : 2 x Triple Ring Flame
Burner Cap : Brass
Surface Material : 8mm Tempered Glass
Pan Support : Cast Iron
Flame Failure Safety Device : Yes
Product Dimension : 900 x 500mm
Cut Out Dimension : 630 x 335mm



General
Warranty



Tempered Glass
(Nature Crack)

RM 2,388



ANTI DRY PROTECTION



Kw
5.0

DGH-7645-SS

Power Burners (Heating Load kW) :
L : 5.0kW R : 5.0kW
Burner Flame Layer : 2 x Duplex Ring Flame
Burner Cap : Brass
Surface Material : Stainless Steel
Pan Support : Enamel
Flame Failure Safety Device : Yes
Product Dimension : 760 x 450mm
Cut Out Dimension : 635 x 350mm



General
Warranty

RM 1,788



Kw
5.0

DGH-8250F

Power Burners (Heating Load kW) :
L : 5.0kW R : 5.0kW
Burner Flame Layer : 2 x Duplex Ring Flame
Burner Cap : Brass
Surface Material : 8mm Tempered Glass
Pan Support : Cast Iron
Flame Failure Safety Device : Yes
Product Dimension : 820 x 500mm
Cut Out Dimension : 680-790 x 380-470mm



General
Warranty



Tempered Glass
(Nature Crack)

RM 1,588



TWISTER FLAME



Kw
5.0

DGH-7341

Power Burners (Heating Load kW) :
L : 5.0kW R : 5.0kW
Burner Flame Layer : 2 x Duplex Ring Flame
Burner Cap : Patented Aerometal
Surface Material : 6mm Tempered Glass
Pan Support : Enamel
Flame Failure Safety Device : Yes
Product Dimension : 730 x 410mm
Cut Out Dimension : 630 x 320mm



General
Warranty



Tempered Glass
(Nature Crack)

RM 1,188



TWISTER FLAME



Kw
5.0

DGH-8650

Power Burners (Heating Load kW) :
L : 5.0kW R : 5.0kW M : 1.4kW
Burner Flame Layer : 2 x Duplex Ring Flame ;
1 x Semi-rapid burner
Burner Cap : Patented Aerometal
Surface Material : 8mm Tempered Glass
Pan Support : Enamel
Flame Failure Safety Device : Yes
Product Dimension : 860 x 500mm
Cut Out Dimension : 700 x 390mm




General
Warranty




Tempered Glass
(Nature Crack)


RM 1,688




DGH-6500-3R




DGH-7645-SS



DGH-8250F



DGH-7341



DGH-8650 9

FRESH BAKE ANYTIME

MULTIFUNCTION CATALYTIC BUILT-IN OVEN




Cook Evenly

Circulation fan help hot air circulating through oven cooks food more evenly, juicy and tasty.




Multifunction

Multiple heating, cooking features & programmes for all baking method.



Energy Saving

A+ rating of energy efficiency level. Save electricity and money in long term.



Safety Low-E Glass

Prevent heat radiation & heat loss. Safe to touch on glass door.



Large Capacity

Large capacity to ensure adequate space to bake any size of food.

Our built-in oven contain with pioneering technologies and feature generous capacity, high performance and elegant styling.

CATALYTIC OVEN ?



Catalytic oven contain special catalytic liners inside the oven's cavity. These specialist oven liners are fast absorbing, easy remove grease and grime from the oven. All of this broken-down food and grease is then simply burnt away during cooking. The main difference with Catalytic ovens is that they do not need to reach extreme temperatures to clean. Catalytic liners are safe and non-toxic.

BUILT-IN CATALYTIC OVEN

MO-70FD12FEC



Lamp



Defrost



Bottom Heat



Conventional



Radiant Grill



Double Grill



Double Grill + Fan



Conventional + Fan



Convection



Bottom Heat + Convection



Rapid Heat



Conventional + Rotisserie



Double Grill + Rotisserie


Features : Alarm, Timer, Pre-set cooking, Child lock, Low-E inner glass, Touch safe surface,

Accessories :

- Rotisserie x 1
- Baking tray x 1
- Baking rack x 1

Control Mode : Touch screen with LCD
Capacity (L) : 70L
Functions : 13
Total Power : 2800W
Temperature : 50°C - 250°C
Timer : 6 hours
Door Glass Layer : 3
Child Lock Function : Yes

Product Dimension :
H595mm x L595mm x D568mm
Built-in Dimension :
H600mm x L560mm x D575mm



RM 4,088

MO-70MM08FEC



Lamp



Defrost



Bottom Heat



Radiant Grill



Conventional + Fan



Bottom Heat + Convection




Conventional + Rotisserie



Double Grill + Rotisserie

Control Mode : Mechanical control with LED display
Capacity (L) : 70L
Functions : 8
Total Power : 2200W
Temperature : 50°C - 250°C
Timer : 2 hours
Door Glass Layer : 2
Child Lock Function : Yes

Product Dimension :
H595mm x L595mm x D545mm
Built-in Dimension :
H595mm x L560mm x D550mm



RM 3,088

Features : Alarm, Timer, Pre-set cooking, Child lock, Low-E inner glass, Touch safe surface,

Accessories :

- Rotisserie x 1
- Baking tray x 1
- Baking rack x 1

**SUPER
DEAL**

CERAMIC + INDUCTION HOB



HL-310S

RM 2,399

NP: RM 3,588



HL-520S

RM 2,599

NP: RM 3,988



HL-680

RM 2,899

NP: RM 4,488

Purchase with Purchase

40% OFF

PWP

MO-70FD12FEC

Built-in Catalytic Oven



RM 2,452

NP: RM 4,088

MO-70MM08FEC

Built-in Catalytic Oven



RM 1,852

NP: RM 3,088



Purchase with Purchase

50% OFF

DH-309AC
Range Hood



RM 1,894

NP: RM 3,488

DH-109AC
Range Hood



RM 1,044

NP: RM 1,888

DH-711
Range Hood



RM 1,744

NP: RM 3,488

DH-20
Range Hood



RM 1,394

NP: RM 2,788

DH-06A
Range Hood



RM 1,144

NP: RM 2,288

PACKAGE PRICE LIST

MIX & MATCH	HL-400K	HL-400	HL-460	DGH-8250F	DGH-6500-3R	DGH-8650	DGH-7341	DGH-7645-SS
DH-309AC	RM 2,999 NP: RM5,676	RM 4,599 NP: RM7,376	RM 4,999 NP: RM8,176	RM 2,899 NP: RM5,376	RM 3,799 NP: RM6,176	RM 3,299 NP: RM5,476	RM 2,999 NP: RM4,976	RM 3,399 NP: RM5,576
DH-20	RM 2,699 NP: RM4,676	RM 3,899 NP: RM6,376	RM 4,399 NP: RM7,176	RM 2,699 NP: RM4,376	RM 3,099 NP: RM5,176	RM 2,699 NP: RM4,476	RM 2,399 NP: RM3,976	RM 2,799 NP: RM4,576
DH-711	RM 3,099 NP: RM5,376	RM 4,399 NP: RM7,076	RM 4,899 NP: RM7,876	RM 3,099 NP: RM5,076	RM 3,599 NP: RM5,876	RM 3,099 NP: RM5,176	RM 2,799 NP: RM4,676	RM 3,199 NP: RM5,276
DH-06A	RM 2,399 NP: RM4,176	RM 3,599 NP: RM5,876	RM 4,099 NP: RM6,676	RM 2,399 NP: RM3,876	RM 2,799 NP: RM4,676	RM 2,399 NP: RM3,976	RM 2,099 NP: RM3,476	RM 2,499 NP: RM4,076
DH-109AC	RM 2,199 NP: RM3,976	RM 3,499 NP: RM5,676	RM 3,999 NP: RM6,476	RM 2,299 NP: RM3,676	RM 2,799 NP: RM4,476	RM 2,299 NP: RM3,776	RM 1,899 NP: RM3,276	RM 2,499 NP: RM3,876
PWP	MO-70MM08FEC RM 1,899 NP: RM3,088			MO-70FD12FEC RM 2,499 NP: RM4,088				



Veess Kitchen Appliances Sdn. Bhd. (1399548-P)

F-06-03, Setiawalk, Pusat Bandar Puchong, 47160 Selangor, Malaysia.

www.vees.com.my

facebook.com/veeskitchenappliances

Service Hotline: +603-8600 1648



Like & Follow

Authorized Dealer